

CHNT

Empower the World



Price List 2026

Effective From 1st June

India | Low-voltage Products

ABOUT CHINT



CHINT A global leading smart energy solutions provider

CHINT was established more than 40 years ago in 1984 and built from the capital of approximately 8,000 US dollars. With our rapid development these years, CHINT has become the world's leading smart energy solutions provider for the whole industrial chain with a comprehensive product range. In 2023, our annual sales revenue surpassed 22.1 billion US dollars, and our total assets exceeded 25 billion US dollars.

Over two decades of global expansion, our business network covers more than 140 countries and regions worldwide in business industries of low-voltage electric, power transmission and distribution, smart technology, energy instruments and meters, green energy, solar and more. CHINT has more than 50,000 employees worldwide, creating more than 200,000 jobs in the industrial chains.

As the market localization progresses steadily, CHINT Global further establishes its supply chain through business integration and industrial upgrade. Optimizing the service system and project financing, providing innovatively integrated technical services for the global energy market, and a flexible working business model. Leveraging energy, intelligent manufacturing and digital technology, CHINT has adopted "One Cloud & Two Nets" as the business strategy, takes "CHINT Cloud" as the carrier of intelligent technology and data application, and takes the lead in building the energy Internet of things (EIoT) and industrial Internet of things platforms (IoT).

Focusing on the energy system of supply, storage, transmission, distribution and consumption, CHINT has core businesses of clean energy, energy distribution, big data and energy value-added services. Furthermore, CHINT's pillar businesses include photovoltaic equipment, energy storage, power transmission & distribution, low-voltage apparatuses, intelligent terminals, software development and control automation. By developing into a platform-based enterprise, CHINT provides a package of energy solutions for public institutions, industrial & commercial users and end-users, by building a regional smart energy operation ecosphere.

Main Businesses



Clean Energy



Low-voltage Apparatus



Power Transmission and Distribution



Instrumentation and Apparatus



Smart Home



Intelligent Building



Intelligent Manufacturing



Industry Automation



Smart Heating



Smart Water




Home Electrical Apparatus



Energy Efficiency Management

GLOBAL FOOTPRINT



4 National R&D Centers: North America, Europe, Asia Pacific, North Africa

6 International Marketing Territories: Asia Pacific, Western Asia and Africa, Europe, Latin America, North America, China

20+ International Logistics Centers


28 Manufacturing Bases: China (Wenzhou, Shanghai, Hangzhou, Shanghai, Jiaxing, Xianyang, Jinan, Yancheng, Shenyang, Hefei, Nanyang, Haining, Yanchi, Songyuan, Fengyang, Jiuquan, Yiwu, Wuhan), Thailand, Singapore, Vietnam, Malaysia, Cambodia, Egypt, Uganda, Algeria, Kenya and Saudi Arabia

140+ Countries and Regions of Business Coverage

2300+ Global Distributors

Global Capacity Layout

The industrial manufacturing bases are mainly located in China (Wenzhou, Hangzhou, Shanghai, Jiaxing, Xianyang and Yancheng). Additionally, CHINT has set up factories in China (Jinan, Shenyang, Wuhan), Thailand, Singapore, Vietnam, Malaysia, Egypt, Uganda, Algeria, Cambodia and Saudi Arabia.



R&D, QUALITY, SALES, LOGISTICS

Main Advantages

Global R&D System

CHINT has established national R&D centers in North America, Europe, Asia Pacific, North Africa and other areas. We have explored the mode of Industry-University Research Institute Collaboration and Integration together with the universities and research institutions worldwide so as to integrate the global innovation resources and promote corporate R&D innovation and talent cultivation.



24 research institutes



The average annual R&D investment accounts for 4-12% of the revenue



Over 8000 patents in total

Global Certification

The products have passed the standards and specifications in various regions around the world and obtained numerous international certifications.



Integrated Vertical R&D

By gathering the global industry elites to provide safe and stable energy-saving green and advanced electric products.



Great Quality System

Ensuring flaw-free and trouble-free products, the multi-dimensional and multilevel control is conducted through procurement, inspection, quality control and certification.



One-stop Service

CHINT's concept is that it is not difficult to fulfill a high quality logistics distribution at one time, while it is difficult to stay as accurate and prompt as the first time. High-efficiency and high-precision accuracy are our requirements.



24-Hour Response

Providing end-to-end one-stop services for customers with feedback, business consulting and technical support by solving problems immediately and including any possible problems in advance.


5%


At least 5% of revenue is invested in research and development



OUR STRENGTHS

We offer a full range of products including PV modules, cables, DC & AC panels, inverters, monitoring systems and power T&D products. Our commitment to sustainability and efficiency is evident in the reliable and eco-friendly power solutions we provide. With CHINT, we deliver only high-quality, energy-efficient products and services to meet all of your power needs.





Project References



Project References

Asia Pacific



Australia Bungama
1.88MW Solar Power Station



Cambodia
30MW Solar Project



Japan Noboribetsu
22MW Solar Power Station



Korea Boongeo
9MW Solar Power Station



Thailand EPD
16MW Solar Power Station



Vietnam Da Mi
47.5MW Floating Solar Power Station

Europe & CIS Area



Ezmer
10MW Solar Power Station



Netherlands Veendam
15.5MW Solar Power Station



Rovigo
70MW Solar Power Station



Smolnik
2.8MW Solar Power Station



Spain Zaragoza
2.35MW Solar Power Station



Turkey URFA
13.82MW Solar Power Station

China



Huzhou Fishery Complementary
82MW Solar Power Station



Jiangshan Agriculture Complimentary
200MW Solar Power Station



Quzhou Zhixi Homeland
Golden Roof Project

Latin America



Brazil Barreiras
50MW PV Plant



Brazil Imbauba
420kW Solar Power Station



Brazil Santelisa
2MW Ground PV Plant

North America



USA CA Depot Park
3MW Solar Power Station



USA Lincoln County
6.97MW Solar Power Station



USA Kings Mountain
8MW Solar Power Station

West Asia & Africa



Jordan Mafraq
61MW Solar Power Station



Saudi Arabia Sakaka
405MW Solar Power Station



South Africa Limpopo
64MW Solar Power Station

Content

■ POWER DISTRIBUTION PRODUCTS 01-31

- ACB
- MCCB
- Changeover Switch
- Automatic Transfer Switch
- Fuses

■ CONTROL-GEAR & AUTOMATION PRODUCTS 33-53

- Contactor
- Overload Relay
- Starters

■ DIN RAIL PRODUCTS 55-57

- MCB
- Surge Protection Device

■ PANEL ACCESSORY PRODUCTS 59-70

- Panel Meters
- Control Transformer
- Push Button
- Selector Switch
- Terminal Block
- Relay

■ HSN Code 71



**DIGITAL
DECARBONIZATION
FOR A
GREEN WORLD**

POWER DISTRIBUTION PRODUCTS





NXA Series Air Circuit Breaker

- Rated Current: 400-6300A
- Number of Poles: 3P, 4P
- Release Type: Electronic Type
- Breaking Capacity Code: N, S, H



NXA	16	N	04	M	D	3	AC230	M	Other
Code of Product	Code of farme size	Code of breaking capacity	Code of rated current	Code of intelligent controller	Code of installation method	Code of numbei of poles	Code of control circuit voltage	Code of operation mode	Code of special requirement
	16:1600A (04-16)	N:basic type	04-400A 06-630A 08-800A 10-1000A 12-1250A 16-1600A 20-2000A 25-2500A 32-3200A 40-4000A 50-5000A 63-6300A	M:basic type A:basic type P:power type H:harmonic type PT:power + temperature type HT:harmonic + temperature type	D: draw-out type FL fixed type	3: 3 poles 4: 4 poles	AC 230 AC 230V AC 400 AC 400V DC 110 DC 110V DC 220 DC 220V	No code motor operation M: manual operation	No code: no special requirement Special requirements code, such as: UVT

LSI curves




Fig.1 Overcurrent protection curves

Earth fault protection curves




Fig.2 Asymmetrical earth fault protection curves

NXA Motorised Fixed Type



NXA16



NXA32-NXA40

Air Circuit Breaker with Intelligent Controller			Motorised Fixed - 3 Pole - Controller Type-M		
Rated Current	Fault Level Icu/Ics/Icw (kA)	SKU Code	Description	MRP (INR)	
400A	50/50/42	940005	NXA16H04-MF3-AC220/230/240TP	196460	
630A	50/50/42	940013	NXA16H06-MF3-AC220/230/240TP	196460	
800A	50/50/42	940021	NXA16H08-MF3-AC220/230/240TP	204910	
1000A	50/50/42	940029	NXA16H10-MF3-AC220/230/240TP	216630	
1250A	50/50/42	940037	NXA16H12-MF3-AC220/230/240TP	216630	
1600A	50/50/42	940045	NXA16H16-MF3-AC220/230/240TP	234340	
630A	80/50/50	940389	NXA20N06-MF3-AC220/230/240TP	255770	
800A	80/50/50	940397	NXA20N08-MF3-AC220/230/240TP	255770	
1000A	80/50/50	940405	NXA20N10-MF3-AC220/230/240TP	279130	
1250A	80/50/50	940413	NXA20N12-MF3-AC220/230/240TP	279130	
1600A	80/50/50	940421	NXA20N16-MF3-AC220/230/240TP	302500	
2000A	80/50/50	940429	NXA20N20-MF3-AC220/230/240TP	337540	
630A	80/65/65	953541	NXA20H06-MF3-AC220/230/240TP	273220	
800A	80/65/65	953549	NXA20H08-MF3-AC220/230/240TP	273220	
1000A	80/65/65	953557	NXA20H10-MF3-AC220/230/240TP	295650	
1250A	80/65/65	953565	NXA20H12-MF3-AC220/230/240TP	295650	
1600A	80/65/65	953573	NXA20H16-MF3-AC220/230/240TP	318080	
2000A	80/65/65	953581	NXA20H20-MF3-AC220/230/240TP	351720	
1600A	80/80/65	942207	NXA32N16-MF3-AC220/230/240TP	354660	
2000A	80/80/65	942215	NXA32N20-MF3-AC220/230/240TP	354660	
2500A	80/80/65	942223	NXA32N25-MF3-AC220/230/240TP	387380	
3200A	80/80/65	942231	NXA32N32-MF3-AC220/230/240TP	425530	
3200A	80/80/65	942335	NXA40N32-MF3-AC220/230/240TP	499760	
3600A	80/80/65	942343	NXA40N36-MF3-AC220/230/240TP	499760	
4000A	80/80/65	942351	NXA40N40-MF3-AC220/230/240TP	537910	

Air Circuit Breaker with Intelligent Controller			Motorised Fixed - 4 Pole - Controller Type-M		
Rated Current	Fault Level Icu/Ics/Icw (kA)	SKU Code	Description	MRP (INR)	
400A	50/50/42	940007	NXA16H04-MF4-AC220/230/240TP	225100	
630A	50/50/42	940015	NXA16H06-MF4-AC220/230/240TP	225100	
800A	50/50/42	940023	NXA16H08-MF4-AC220/230/240TP	236350	
1000A	50/50/42	940031	NXA16H10-MF4-AC220/230/240TP	251980	
1250A	50/50/42	940039	NXA16H12-MF4-AC220/230/240TP	251980	
1600A	50/50/42	940047	NXA16H16-MF4-AC220/230/240TP	275610	
630A	80/50/50	940391	NXA20N06-MF4-AC220/230/240TP	291880	
800A	80/50/50	940399	NXA20N08-MF4-AC220/230/240TP	291880	
1000A	80/50/50	940407	NXA20N10-MF4-AC220/230/240TP	323030	
1250A	80/50/50	940415	NXA20N12-MF4-AC220/230/240TP	323030	
1600A	80/50/50	940423	NXA20N16-MF4-AC220/230/240TP	354190	
2000A	80/50/50	940431	NXA20N20-MF4-AC220/230/240TP	400920	
630A	80/65/65	953543	NXA20H06-MF4-AC220/230/240TP	307870	
800A	80/65/65	953551	NXA20H08-MF4-AC220/230/240TP	307870	
1000A	80/65/65	953559	NXA20H10-MF4-AC220/230/240TP	337780	
1250A	80/65/65	953567	NXA20H12-MF4-AC220/230/240TP	337780	
1600A	80/65/65	953575	NXA20H16-MF4-AC220/230/240TP	367690	
2000A	80/65/65	953583	NXA20H20-MF4-AC220/230/240TP	412550	
1600A	80/80/65	942209	NXA32N16-MF4-AC220/230/240TP	427350	
2000A	80/80/65	942217	NXA32N20-MF4-AC220/230/240TP	427350	
2500A	80/80/65	942225	NXA32N25-MF4-AC220/230/240TP	478230	
3200A	80/80/65	942233	NXA32N32-MF4-AC220/230/240TP	529120	
3200A	80/80/65	942337	NXA40N32-MF4-AC220/230/240TP	534290	
3600A	80/80/65	942345	NXA40N36-MF4-AC220/230/240TP	534290	
4000A	80/80/65	942353	NXA40N40-MF4-AC220/230/240TP	585180	

Note: ACB 5000A and 6300A will be on request.

NXA Motorised Draw-Out Type



Drawer Seat

Body

Drawout type breaker

Air Circuit Breaker with Intelligent Controller

Motorised Drawout - 3 Pole - Controller Type-M

Rated Current	Fault Level Icu/Ics/Icw (kA)	SKU Code	Description	MRP (INR)
400A	50/50/42	940004	NXA16H04-MD3-AC220/230/240TP	267400
630A	50/50/42	940012	NXA16H06-MD3-AC220/230/240TP	267400
800A	50/50/42	940020	NXA16H08-MD3-AC220/230/240TP	276070
1000A	50/50/42	940028	NXA16H10-MD3-AC220/230/240TP	288060
1250A	50/50/42	940036	NXA16H12-MD3-AC220/230/240TP	288060
1600A	50/50/42	940044	NXA16H16-MD3-AC220/230/240TP	306200
630A	80/50/50	940388	NXA20N06-MD3-AC220/230/240TP	358550
800A	80/50/50	940396	NXA20N08-MD3-AC220/230/240TP	358550
1000A	80/50/50	940404	NXA20N10-MD3-AC220/230/240TP	382460
1250A	80/50/50	940412	NXA20N12-MD3-AC220/230/240TP	382460
1600A	80/50/50	940420	NXA20N16-MD3-AC220/230/240TP	406370
2000A	80/50/50	940428	NXA20N20-MD3-AC220/230/240TP	442230
630A	80/65/65	953540	NXA20H06-MD3-AC220/230/240TP	372520
800A	80/65/65	953548	NXA20H08-MD3-AC220/230/240TP	372520
1000A	80/65/65	953556	NXA20H10-MD3-AC220/230/240TP	395470
1250A	80/65/65	953564	NXA20H12-MD3-AC220/230/240TP	395470
1600A	80/65/65	953572	NXA20H16-MD3-AC220/230/240TP	418410
2000A	80/65/65	953580	NXA20H20-MD3-AC220/230/240TP	452840
1600A	80/80/65	942206	NXA32N16-MD3-AC220/230/240TP	586050
2000A	80/80/65	942214	NXA32N20-MD3-AC220/230/240TP	586050
2500A	80/80/65	942222	NXA32N25-MD3-AC220/230/240TP	625100
3200A	80/80/65	942230	NXA32N32-MD3-AC220/230/240TP	664160
3200A	80/80/65	942334	NXA40N32-MD3-AC220/230/240TP	790320
3600A	80/80/65	942342	NXA40N36-MD3-AC220/230/240TP	790320
4000A	80/80/65	942350	NXA40N40-MD3-AC220/230/240TP	829370

Air Circuit Breaker with Intelligent Controller

Motorised Drawout - 4 Pole - Controller Type-M

Rated Current	Fault Level Icu/Ics/Icw (kA)	SKU Code	Description	MRP (INR)
400A	50/50/42	940006	NXA16H04-MD4-AC220/230/240TP	306450
630A	50/50/42	940014	NXA16H06-MD4-AC220/230/240TP	306450
800A	50/50/42	940022	NXA16H08-MD4-AC220/230/240TP	317990
1000A	50/50/42	940030	NXA16H10-MD4-AC220/230/240TP	333990
1250A	50/50/42	940038	NXA16H12-MD4-AC220/230/240TP	333990
1600A	50/50/42	940046	NXA16H16-MD4-AC220/230/240TP	358150
630A	80/50/50	940390	NXA20N06-MD4-AC220/230/240TP	431750
800A	80/50/50	940398	NXA20N08-MD4-AC220/230/240TP	431750
1000A	80/50/50	940406	NXA20N10-MD4-AC220/230/240TP	463630
1250A	80/50/50	940414	NXA20N12-MD4-AC220/230/240TP	463630
1600A	80/50/50	940422	NXA20N16-MD4-AC220/230/240TP	495510
2000A	80/50/50	940430	NXA20N20-MD4-AC220/230/240TP	543330
630A	80/65/65	953542	NXA20H06-MD4-AC220/230/240TP	442800
800A	80/65/65	953550	NXA20H08-MD4-AC220/230/240TP	442800
1000A	80/65/65	953558	NXA20H10-MD4-AC220/230/240TP	473400
1250A	80/65/65	953566	NXA20H12-MD4-AC220/230/240TP	473400
1600A	80/65/65	953574	NXA20H16-MD4-AC220/230/240TP	504000
2000A	80/65/65	953582	NXA20H20-MD4-AC220/230/240TP	549910
1600A	80/80/65	942208	NXA32N16-MD4-AC220/230/240TP	688320
2000A	80/80/65	942216	NXA32N20-MD4-AC220/230/240TP	688320
2500A	80/80/65	942224	NXA32N25-MD4-AC220/230/240TP	740390
3200A	80/80/65	942232	NXA32N32-MD4-AC220/230/240TP	792460
3200A	80/80/65	942336	NXA40N32-MD4-AC220/230/240TP	857270
3600A	80/80/65	942344	NXA40N36-MD4-AC220/230/240TP	857270
4000A	80/80/65	942352	NXA40N40-MD4-AC220/230/240TP	909330

Note: ACB 5000A and 6300A will be on request.

NXA Manual Fixed Type



NXA16



NXA-NXA40

Air Circuit Breaker with Intelligent Controller

Manual Fixed - 3 Pole - Controller Type-M

Rated Current	Fault Level Icu/Ics/Icw (kA)	SKU Code	Description	MRP (INR)
400A	50/50/42	942431	NXA16H04-MF3-AC220/230/240MTP	160200
630A	50/50/42	942439	NXA16H06-MF3-AC220/230/240MTP	160200
800A	50/50/42	942447	NXA16H08-MF3-AC220/230/240MTP	168650
1000A	50/50/42	942455	NXA16H10-MF3-AC220/230/240MTP	180390
1250A	50/50/42	942463	NXA16H12-MF3-AC220/230/240MTP	180390
1600A	50/50/42	942471	NXA16H16-MF3-AC220/230/240MTP	198100
630A	80/50/50	942815	NXA20N06-MF3-AC220/230/240MTP	205440
800A	80/50/50	942823	NXA20N08-MF3-AC220/230/240MTP	205440
1000A	80/50/50	942831	NXA20N10-MF3-AC220/230/240MTP	228800
1250A	80/50/50	942839	NXA20N12-MF3-AC220/230/240MTP	228800
1600A	80/50/50	942847	NXA20N16-MF3-AC220/230/240MTP	252170
2000A	80/50/50	942855	NXA20N20-MF3-AC220/230/240MTP	287210
630A	80/65/65	953733	NXA20H06-MF3-AC220/230/240MTP	224890
800A	80/65/65	953741	NXA20H08-MF3-AC220/230/240MTP	224890
1000A	80/65/65	953749	NXA20H10-MF3-AC220/230/240MTP	247320
1250A	80/65/65	953757	NXA20H12-MF3-AC220/230/240MTP	247320
1600A	80/65/65	953765	NXA20H16-MF3-AC220/230/240MTP	269750
2000A	80/65/65	953773	NXA20H20-MF3-AC220/230/240MTP	303400
1600A	80/80/65	943135	NXA32N16-MF3-AC220/230/240MTP	307690
2000A	80/80/65	943143	NXA32N20-MF3-AC220/230/240MTP	307690
2500A	80/80/65	943151	NXA32N25-MF3-AC220/230/240MTP	345850
3200A	80/80/65	943159	NXA32N32-MF3-AC220/230/240MTP	384020
3200A	80/80/65	943263	NXA40N32-MF3-AC220/230/240MTP	452810
3600A	80/80/65	943271	NXA40N36-MF3-AC220/230/240MTP	452810
4000A	80/80/65	943279	NXA40N40-MF3-AC220/230/240MTP	490950

Air Circuit Breaker with Intelligent Controller

Manual Fixed - 4 Pole - Controller Type-M

Rated Current	Fault Level Icu/Ics/Icw (kA)	SKU Code	Description	MRP (INR)
400A	50/50/42	942433	NXA16H04-MF4-AC220/230/240MTP	188840
630A	50/50/42	942441	NXA16H06-MF4-AC220/230/240MTP	188840
800A	50/50/42	942449	NXA16H08-MF4-AC220/230/240MTP	200120
1000A	50/50/42	942457	NXA16H10-MF4-AC220/230/240MTP	215730
1250A	50/50/42	942465	NXA16H12-MF4-AC220/230/240MTP	215730
1600A	50/50/42	942473	NXA16H16-MF4-AC220/230/240MTP	239360
630A	80/50/50	942817	NXA20N06-MF4-AC220/230/240MTP	241550
800A	80/50/50	942825	NXA20N08-MF4-AC220/230/240MTP	241550
1000A	80/50/50	942833	NXA20N10-MF4-AC220/230/240MTP	272700
1250A	80/50/50	942841	NXA20N12-MF4-AC220/230/240MTP	272700
1600A	80/50/50	942849	NXA20N16-MF4-AC220/230/240MTP	303850
2000A	80/50/50	942857	NXA20N20-MF4-AC220/230/240MTP	350580
630A	80/65/65	953735	NXA20H06-MF4-AC220/230/240MTP	259550
800A	80/65/65	953743	NXA20H08-MF4-AC220/230/240MTP	259550
1000A	80/65/65	953751	NXA20H10-MF4-AC220/230/240MTP	289460
1250A	80/65/65	953759	NXA20H12-MF4-AC220/230/240MTP	289460
1600A	80/65/65	953767	NXA20H16-MF4-AC220/230/240MTP	319360
2000A	80/65/65	953775	NXA20H20-MF4-AC220/230/240MTP	364230
1600A	80/80/65	943137	NXA32N16-MF4-AC220/230/240MTP	380380
2000A	80/80/65	943145	NXA32N20-MF4-AC220/230/240MTP	380380
2500A	80/80/65	943153	NXA32N25-MF4-AC220/230/240MTP	431260
3200A	80/80/65	943161	NXA32N32-MF4-AC220/230/240MTP	482150
3200A	80/80/65	943265	NXA40N32-MF4-AC220/230/240MTP	487310
3600A	80/80/65	943273	NXA40N36-MF4-AC220/230/240MTP	487310
4000A	80/80/65	943281	NXA40N40-MF4-AC220/230/240MTP	538200

Note: ACB 5000A and 6300A will be on request.

NXA Manual Draw-Out Type



Drawer Seat

Body

Drawout type breaker

Air Circuit Breaker with Intelligent Controller

Manual Drawout - 3 Pole - Controller Type-M

Rated Current	Fault Level Icu/Ics/Icw (kA)	SKU Code	Description	MRP (INR)
400A	50/50/42	942430	NXA16H04-MD3-AC220/230/240MTP	230330
630A	50/50/42	942438	NXA16H06-MD3-AC220/230/240MTP	230330
800A	50/50/42	942446	NXA16H08-MD3-AC220/230/240MTP	238980
1000A	50/50/42	942454	NXA16H10-MD3-AC220/230/240MTP	250960
1250A	50/50/42	942462	NXA16H12-MD3-AC220/230/240MTP	250960
1600A	50/50/42	942470	NXA16H16-MD3-AC220/230/240MTP	269100
630A	80/50/50	942814	NXA20N06-MD3-AC220/230/240MTP	307050
800A	80/50/50	942822	NXA20N08-MD3-AC220/230/240MTP	307050
1000A	80/50/50	942830	NXA20N10-MD3-AC220/230/240MTP	330960
1250A	80/50/50	942838	NXA20N12-MD3-AC220/230/240MTP	330960
1600A	80/50/50	942846	NXA20N16-MD3-AC220/230/240MTP	354860
2000A	80/50/50	942854	NXA20N20-MD3-AC220/230/240MTP	390740
630A	80/65/65	953732	NXA20H06-MD3-AC220/230/240MTP	323090
800A	80/65/65	953740	NXA20H08-MD3-AC220/230/240MTP	323090
1000A	80/65/65	953748	NXA20H10-MD3-AC220/230/240MTP	346030
1250A	80/65/65	953756	NXA20H12-MD3-AC220/230/240MTP	346030
1600A	80/65/65	953764	NXA20H16-MD3-AC220/230/240MTP	368990
2000A	80/65/65	953772	NXA20H20-MD3-AC220/230/240MTP	403410
1600A	80/80/65	943134	NXA32N16-MD3-AC220/230/240MTP	537990
2000A	80/80/65	943142	NXA32N20-MD3-AC220/230/240MTP	537990
2500A	80/80/65	943150	NXA32N25-MD3-AC220/230/240MTP	577040
3200A	80/80/65	943158	NXA32N32-MD3-AC220/230/240MTP	616090
3200A	80/80/65	943262	NXA40N32-MD3-AC220/230/240MTP	742250
3600A	80/80/65	943270	NXA40N36-MD3-AC220/230/240MTP	742250
4000A	80/80/65	943278	NXA40N40-MD3-AC220/230/240MTP	781300

Air Circuit Breaker with Intelligent Controller

Manual Drawout - 4 Pole - Controller Type-M

Rated Current	Fault Level Icu/Ics/Icw (kA)	SKU Code	Description	MRP (INR)
400A	50/50/42	942432	NXA16H04-MD4-AC220/230/240MTP	269380
630A	50/50/42	942440	NXA16H06-MD4-AC220/230/240MTP	269380
800A	50/50/42	942448	NXA16H08-MD4-AC220/230/240MTP	280920
1000A	50/50/42	942456	NXA16H10-MD4-AC220/230/240MTP	296890
1250A	50/50/42	942464	NXA16H12-MD4-AC220/230/240MTP	296890
1600A	50/50/42	942472	NXA16H16-MD4-AC220/230/240MTP	321080
630A	80/50/50	942816	NXA20N06-MD4-AC220/230/240MTP	380260
800A	80/50/50	942824	NXA20N08-MD4-AC220/230/240MTP	380260
1000A	80/50/50	942832	NXA20N10-MD4-AC220/230/240MTP	412140
1250A	80/50/50	942840	NXA20N12-MD4-AC220/230/240MTP	412140
1600A	80/50/50	942848	NXA20N16-MD4-AC220/230/240MTP	444020
2000A	80/50/50	942856	NXA20N20-MD4-AC220/230/240MTP	491840
630A	80/65/65	953734	NXA20H06-MD4-AC220/230/240MTP	393360
800A	80/65/65	953742	NXA20H08-MD4-AC220/230/240MTP	393360
1000A	80/65/65	953750	NXA20H10-MD4-AC220/230/240MTP	423970
1250A	80/65/65	953758	NXA20H12-MD4-AC220/230/240MTP	423970
1600A	80/65/65	953766	NXA20H16-MD4-AC220/230/240MTP	454580
2000A	80/65/65	953774	NXA20H20-MD4-AC220/230/240MTP	500470
1600A	80/80/65	943136	NXA32N16-MD4-AC220/230/240MTP	640250
2000A	80/80/65	943144	NXA32N20-MD4-AC220/230/240MTP	640250
2500A	80/80/65	943152	NXA32N25-MD4-AC220/230/240MTP	692320
3200A	80/80/65	943160	NXA32N32-MD4-AC220/230/240MTP	744390
3200A	80/80/65	943264	NXA40N32-MD4-AC220/230/240MTP	809200
3600A	80/80/65	943272	NXA40N36-MD4-AC220/230/240MTP	809200
4000A	80/80/65	943280	NXA40N40-MD4-AC220/230/240MTP	861260

Note: ACB 5000A and 6300A will be on request.

Motor



SKU Code	Accessory Type	Model Description	MRP (INR)
953834	Motor	NXA16-MO-220V~240VAC	33610
953833	Motor	NXA16-MO-380V~415VAC	33610
953832	Motor	NXA20-MO-220V~240VAC	33610
953831	Motor	NXA20-MO-380V~415VAC	33610
953828	Motor	NXA32-MO-220V~240VAC	43550
953827	Motor	NXA32-MO-380V~415VAC	43550
587710	Motor	NXA40-MO-AC220	43550
587711	Motor	NXA40-MO-AC380	43550

Closing Coil



SKU Code	Accessory Type	Model Description	MRP (INR)
841786	Closing coil	NXA16-CC-220V~240VAC	4900
841785	Closing coil	NXA16-CC-380V~415VAC	4900
507233	Closing coil	NXA-20~63-CC-230VAC	4990
507234	Closing coil	NXA-20~63-CC-400VAC	4990

Shunt Coil



SKU Code	Accessory Type	Model Description	MRP (INR)
841984	Shunt Coil	NXA16-ST-230VAC	4900
841983	Shunt Coil	NXA16-ST-400VAC	4900
507231	Shunt Coil	NXA-20~63-ST-230VAC	4990
507232	Shunt Coil	NXA-20~63-ST-400VAC	4990

Self-Suction UVT



SKU Code	Accessory Type	Model Description	MRP (INR)
953851	Under Voltage Release (ASUVT)	NXA16-ASUVT-220/230/240VAC	14750
953850	Under Voltage Release (ASUVT)	NXA16-ASUVT-380/400/415VAC	14750
217892	Under Voltage Release (ASUVT)	NXA20/63-ASUVT-230VAC	16440
217893	Under Voltage Release (ASUVT)	NXA20/63-ASUVT-400VAC	16440

Under Voltage Coil



SKU Code	Accessory Type	Model Description	MRP (INR)
201611	Under Voltage Release (UVT)	NXA20/40-UVT-220/230VAC	5990
201612	Under Voltage Release (UVT)	NXA20/40-UVT-380/400VAC	5990



NA8-HU (800VAC) Series Air Circuit Breaker

- Rated Current: 630A~4000A
- Number of Poles: 3P, 4P
- Release Type: Electronic Type
- Breaking capacity: HU(Upto1150V)



NA8-HU (800VAC) Motorised Fixed Type

Air Circuit Breaker with Intelligent Controller			Motorised Fixed - 3 Pole - Controller Type-M	
Rated Current	Fault Level I _{cu} =I _{cs} =I _{cw} (kA)	SKU Code	Description	MRP (INR)
800	65	397372	NA8-2500HU-800M/3 MO-FX AC230V	492790
1000	65	397364	NA8-2500HU-1000M/3 MO-FX AC230V	502090
1250	65	397356	NA8-2500HU-1250M/3 MO-FX AC230V	511380
1600	65	397348	NA8-2500HU-1600M/3 MO-FX AC230V	520680
2000	65	397340	NA8-2500HU-2000M/3 MO-FX AC230V	529980
2500	65	397332	NA8-2500HU-2500M/3 MO-FX AC230V	539280
1600	75	396406	NA8-4000HU-1600M/3 MO-FX AC230V	604370
2000	75	396409	NA8-4000HU-2000M/3 MO-FX 230VAC	618340
2500	75	396412	NA8-4000HU-2500M/3 MO-FX 230VAC	632250
3200	75	396415	NA8-4000HU-3200M/3 MO-FX 230VAC	646210
4000	75	396418	NA8-4000HU-4000M/3 MO-FX AC230V	660150

Air Circuit Breaker with Intelligent Controller			Motorised Fixed - 4 Pole - Controller Type-M	
Rated Current	Fault Level I _{cu} =I _{cs} =I _{cw} (kA)	SKU Code	Description	MRP (INR)
800	65	406184	NA8-2500HU-800M/4 MO-FX AC230V	561130
1000	65	406144	NA8-2500HU-1000M/4 MO-FX AC230V	570440
1250	65	406152	NA8-2500HU-1250M/4 MO-FX AC230V	579740
1600	65	406160	NA8-2500HU-1600M/4 MO-FX AC230V	589020
2000	65	406168	NA8-2500HU-2000M/4 MO-FX AC230V	598320
2500	65	406176	NA8-2500HU-2500M/4 MO-FX AC230V	607630
1600	75	404649	NA8-4000HU-1600M/4 MO-FX AC230V	672700
2000	75	404652	NA8-4000HU-2000M/4 MO-FX 230VAC	686660
2500	75	404655	NA8-4000HU-2500M/4 MO-FX 230VAC	700590
3200	75	404658	NA8-4000HU-3200M/4 MO-FX 230VAC	714560
4000	75	404661	NA8-4000HU-4000M/4 MO-FX AC230V	728500

NA8-HU (800VAC) Motorised Draw-Out Type

Air Circuit Breaker with Intelligent Controller			Motorised Drawout - 3 Pole - Controller Type-M	
Rated Current	Fault Level I _{cu} =I _{cs} =I _{cw} (kA)	SKU Code	Description	MRP (INR)
800	65	397371	NA8-2500HU-800M/3 MO-WD 230VAC	753350
1000	65	397363	NA8-2500HU-1000M/3 MO-WD 230VAC	767920
1250	65	397355	NA8-2500HU-1250M/3 MO-WD 230VAC	782510
1600	65	397347	NA8-2500HU-1600M/3 MO-WD 230VAC	797080
2000	65	397339	NA8-2500HU-2000M/3 MO-WD 230VAC	811670
2500	65	397331	NA8-2500HU-2500M/3 MO-WD 230VAC	826250
1600	75	396405	NA8-4000HU-1600M/3 MO-WD 230VAC	1033290
2000	75	396408	NA8-4000HU-2000M/3 MO-WD 230VAC	1058100
2500	75	396411	NA8-4000HU-2500M/3 MO-WD 230VAC	1082870
3200	75	396414	NA8-4000HU-3200M/3 MO-WD 230VAC	1107650
4000	75	396417	NA8-4000HU-4000M/3 MO-WD 230VAC	1132440

Air Circuit Breaker with Intelligent Controller			Motorised Drawout - 4 Pole - Controller Type-M	
Rated Current	Fault Level I _{cu} =I _{cs} =I _{cw} (kA)	SKU Code	Description	MRP (INR)
800	65	406185	NA8-2500HU-800M/4 MO-WD 230VAC	860470
1000	65	406145	NA8-2500HU-1000M/4 MO-WD 230VAC	875060
1250	65	406153	NA8-2500HU-1250M/4 MO-WD 230VAC	889620
1600	65	406161	NA8-2500HU-1600M/4 MO-WD 230VAC	904200
2000	65	406169	NA8-2500HU-2000M/4 MO-WD 230VAC	918770
2500	65	406177	NA8-2500HU-2500M/4 MO-WD 230VAC	933370
1600	75	404648	NA8-4000HU-1600M/4 MO-WD 230VAC	1140410
2000	75	404651	NA8-4000HU-2000M/4 MO-WD 230VAC	1165180
2500	75	404654	NA8-4000HU-2500M/4 MO-WD 230VAC	1189990
3200	75	404657	NA8-4000HU-3200M/4 MO-WD 230VAC	1214780
4000	75	404660	NA8-4000HU-4000M/4 MO-WD 230VAC	1239560

NA8-HU (800VAC) Manual Fixed Type



Air Circuit Breaker with Intelligent Controller			Manual Fixed - 3 Pole - Controller Type-M		
Rated Current	Fault Level I _{cu} =I _{cs} =I _{cw} (kA)	SKU Code	Description	MRP (INR)	
800	65	397370	NA8-2500HU-800M/3 MN-FX 230VAC	455600	
1000	65	397362	NA8-2500HU-1000M/3 MN-FX 230VAC	464900	
1250	65	397354	NA8-2500HU-1250M/3 MN-FX 230VAC	474190	
1600	65	397346	NA8-2500HU-1600M/3 MN-FX 230VAC	483490	
2000	65	397338	NA8-2500HU-2000M/3 MN-FX 230VAC	492790	
2500	65	397330	NA8-2500HU-2500M/3 MN-FX 230VAC	502090	
1600	75	396404	NA8-4000HU-1600M/3 MN-FX 230VAC	548570	
2000	75	396407	NA8-4000HU-2000M/3 MN-FX 230VAC	562530	
2500	75	396410	NA8-4000HU-2500M/3 MN-FX 230VAC	576470	
3200	75	396413	NA8-4000HU-3200M/3 MN-FX 230VAC	590430	
4000	75	396416	NA8-4000HU-4000M/3 MN-FX 230VAC	604370	

Air Circuit Breaker with Intelligent Controller			Manual Fixed - 4 Pole - Controller Type-M		
Rated Current	Fault Level I _{cu} =I _{cs} =I _{cw} (kA)	SKU Code	Description	MRP (INR)	
800	65	406182	NA8-2500HU-800M/4 MN-FX 230VAC	523930	
1000	65	406142	NA8-2500HU-1000M/4 MN-FX 230VAC	533250	
1250	65	406150	NA8-2500HU-1250M/4 MN-FX 230VAC	542550	
1600	65	406158	NA8-2500HU-1600M/4 MN-FX 230VAC	551830	
2000	65	406166	NA8-2500HU-2000M/4 MN-FX 230VAC	561130	
2500	65	406174	NA8-2500HU-2500M/4 MN-FX 230VAC	570440	
1600	75	404647	NA8-4000HU-1600M/4 MN-FX 230VAC	616930	
2000	75	404650	NA8-4000HU-2000M/4 MN-FX 230VAC	630880	
2500	75	404653	NA8-4000HU-2500M/4 MN-FX 230VAC	644820	
3200	75	404656	NA8-4000HU-3200M/4 MN-FX 230VAC	658770	
4000	75	404659	NA8-4000HU-4000M/4 MN-FX 230VAC	672700	

NA8-HU (800VAC) Manual Draw-Out Type

Air Circuit Breaker with Intelligent Controller			Manual Drawout - 3 Pole - Controller Type-M		
Rated Current	Fault Level I _{cu} =I _{cs} =I _{cw} (kA)	SKU Code	Description	MRP (INR)	
800	65	397373	NA8-2500HU-800M/3 MN-WD AC230V	714470	
1000	65	397365	NA8-2500HU-1000M/3 MN-WD AC230V	729040	
1250	65	397357	NA8-2500HU-1250M/3 MN-WD AC230V	743630	
1600	65	397349	NA8-2500HU-1600M/3 MN-WD AC230V	758200	
2000	65	397341	NA8-2500HU-2000M/3 MN-WD AC230V	772790	
2500	65	397333	NA8-2500HU-2500M/3 MN-WD AC230V	787360	
1600	75	396434	NA8-4000HU-1600M/3 MN-WD 230VAC	974970	
2000	75	396435	NA8-4000HU-2000M/3 MN-WD 230VAC	999770	
2500	75	396436	NA8-4000HU-2500M/3 MN-WD 230VAC	1024540	
3200	75	396437	NA8-4000HU-3200M/3 MN-WD 230VAC	1049330	
4000	75	396438	NA8-4000HU-4000M/3 MN-WD 230VAC	1074140	

Air Circuit Breaker with Intelligent Controller			Manual Drawout - 4 Pole - Controller Type-M		
Rated Current	Fault Level I _{cu} =I _{cs} =I _{cw} (kA)	SKU Code	Description	MRP (INR)	
800	65	406183	NA8-2500HU-800M/4 MN-WD AC230V	821590	
1000	65	406143	NA8-2500HU-1000M/4 MN-WD AC230V	836180	
1250	65	406151	NA8-2500HU-1250M/4 MN-WD AC230V	850740	
1600	65	406159	NA8-2500HU-1600M/4 MN-WD AC230V	865320	
2000	65	406167	NA8-2500HU-2000M/4 MN-WD AC230V	879890	
2500	65	406175	NA8-2500HU-2500M/4 MN-WD AC230V	894490	
1600	75	404677	NA8-4000HU-1600M/4 MN-WD 230VAC	1082090	
2000	75	404678	NA8-4000HU-2000M/4 MN-WD 230VAC	1106880	
2500	75	404679	NA8-4000HU-2500M/4 MN-WD 230VAC	1131670	
3200	75	404680	NA8-4000HU-3200M/4 MN-WD 230VAC	1156440	
4000	75	404681	NA8-4000HU-4000M/4 MN-WD 230VAC	1181230	

Under Voltage Release



SKU Code	Accessory Type	Model Description	MRP (INR)
457037	Under Voltage Release	NA8-2500/4000HU-UVT-24VDC	6320
397384	Under Voltage Release	NA8-2500/4000HU-UVT 240VAC	6320
397385	Under Voltage Release	NA8-2500/4000HU-UVT-400VAC	6320

Closing Coil



SKU Code	Accessory Type	Model Description	MRP (INR)
457035	Closing Coil	NA8-2500/4000HU-CC-24VDC	6320
397380	Closing Coil	NA8-2500/4000HU-CC-110VAC/DC	6320
397378	Closing Coil	NA8-2500/4000HU-CC 220VAC/DC	6320
397379	Closing Coil	NA8-2500/4000HU-CC-400VAC	6320

Shunt Coil



SKU Code	Accessory Type	Model Description	MRP (INR)
457036	Shunt Release	NA8-2500/4000HU-ST-24VDC	6320
397383	Shunt Release	NA8-2500/4000HU-ST-110VAC/DC	6320
397381	Shunt Release	NA8-2500/4000HU-ST-220VAC/DC	6320
397382	Shunt Release	NA8-2500/4000HU-ST-400VAC	6320





NM1 Fixed Thermal Magnetic MCCB (3P)

- Rated Current: 25A-1250A
- Rated Operational Voltage: 690VAC
- Release Type: Thermal Magnetic Fixed Type
- Breaking Capacity Code: C, S, H, R (Ics=50%Icu)
- Standard: IEC60947-2;

MCCB Frame	Breaking capacity	Poles	Release Type	Accessories Code	Rated Current
NM1	C/S/H/R	3:3P	3:TM	00: No	25A-1250A

SKU Code	Rated Current (A)	Pole	Breaking Capacity Icu (kA)	Breaking Capacity Ics (kA)	Description	MRP (INR)	Packing
126430	25A	3P	20KA	50% of Icu	NM1-125C/3300 25A	5670	16
126429	32A	3P	20KA	50% of Icu	NM1-125C/3300 32A	5670	16
126428	40A	3P	20KA	50% of Icu	NM1-125C/3300 40A	5670	16
126427	50A	3P	20KA	50% of Icu	NM1-125C/3300 50A	5670	16
126426	63A	3P	20KA	50% of Icu	NM1-125C/3300 63A	5670	16
126424	80A	3P	20KA	50% of Icu	NM1-125C/3300 80A	5670	16
126416	100A	3P	20KA	50% of Icu	NM1-125C/3300 100A	5670	16
126425	125A	3P	20KA	50% of Icu	NM1-125C/3300 125A	5990	16
126505	25A	3P	25KA	50% of Icu	NM1-125S/3300 25A	6780	16
126506	32A	3P	25KA	50% of Icu	NM1-125S/3300 32A	6780	16
126507	40A	3P	25KA	50% of Icu	NM1-125S/3300 40A	6780	16
126508	50A	3P	25KA	50% of Icu	NM1-125S/3300 50A	6780	16
126509	63A	3P	25KA	50% of Icu	NM1-125S/3300 63A	6780	16
126510	80A	3P	25KA	50% of Icu	NM1-125S/3300 80A	6780	16
126511	100A	3P	25KA	50% of Icu	NM1-125S/3300 100A	6780	16
126382	125A	3P	25KA	50% of Icu	NM1-125S/3300 125A	7110	16
126536	32A	3P	50KA	50% of Icu	NM1-125H/3300 32A	7890	12
126539	63A	3P	50KA	50% of Icu	NM1-125H/3300 63A	7890	12
126540	80A	3P	50KA	50% of Icu	NM1-125H/3300 80A	7890	12
126541	100A	3P	50KA	50% of Icu	NM1-125H/3300 100A	7890	12
126383	125A	3P	50KA	50% of Icu	NM1-125H/3300 125A	8210	12
126474	25A	3P	65KA	50% of Icu	NM1-125R/3300 25A	8980	12
126568	32A	3P	65KA	50% of Icu	NM1-125R/3300 32A	8980	12
126569	40A	3P	65KA	50% of Icu	NM1-125R/3300 40A	8980	12
126570	50A	3P	65KA	50% of Icu	NM1-125R/3300 50A	8980	12
126571	63A	3P	65KA	50% of Icu	NM1-125R/3300 63A	8980	12
126572	80A	3P	65KA	50% of Icu	NM1-125R/3300 80A	8980	12
126573	100A	3P	65KA	50% of Icu	NM1-125R/3300 100A	8980	12
131122	125A	3P	65KA	50% of Icu	NM1-125R/3300 125A	9330	12
126582	100A	3P	25KA	50% of Icu	NM1-250S/3300 100A	11000	8
126583	125A	3P	25KA	50% of Icu	NM1-250S/3300 125A	11000	8
126584	160A	3P	25KA	50% of Icu	NM1-250S/3300 160A	11000	8
126586	200A	3P	25KA	50% of Icu	NM1-250S/3300 200A	11000	8
126587	225A	3P	25KA	50% of Icu	NM1-250S/3300 225A	11000	8
126307	250A	3P	25KA	50% of Icu	NM1-250S/3300 250A	11440	8
126601	100A	3P	50KA	50% of Icu	NM1-250H/3300 100A	12080	8
126602	125A	3P	50KA	50% of Icu	NM1-250H/3300 125A	12080	8
126603	160A	3P	50KA	50% of Icu	NM1-250H/3300 160A	12080	8
126605	200A	3P	50KA	50% of Icu	NM1-250H/3300 200A	12080	8
126606	225A	3P	50KA	50% of Icu	NM1-250H/3300 225A	12080	8
126129	250A	3P	50KA	50% of Icu	NM1-250H/3300 250A	12500	8
126624	100A	3P	65KA	50% of Icu	NM1-250R/3300 100A	13120	8
126625	125A	3P	65KA	50% of Icu	NM1-250R/3300 125A	13120	8
126626	160A	3P	65KA	50% of Icu	NM1-250R/3300 160A	13120	8
126628	200A	3P	65KA	50% of Icu	NM1-250R/3300 200A	13120	8
126629	225A	3P	65KA	50% of Icu	NM1-250R/3300 225A	13120	8
126460	250A	3P	65KA	50% of Icu	NM1-250R/3300 250A	13550	8
126641	250A	3P	35KA	50% of Icu	NM1-400S/3300 250A	23430	8
126642	315A	3P	35KA	50% of Icu	NM1-400S/3300 315A	23430	8
126643	350A	3P	35KA	50% of Icu	NM1-400S/3300 350A	23430	8
126644	400A	3P	35KA	50% of Icu	NM1-400S/3300 400A	24340	8





SKU Code	Rated Current (A)	Pole	Breaking Capacity Icu (KA)	Breaking Capacity Ics (KA)	Description	MRP (INR)	Packing
126658	250A	3P	50KA	50% of Icu	NM1-400H/3300 250A	25530	4
126659	315A	3P	50KA	50% of Icu	NM1-400H/3300 315A	25530	4
126660	350A	3P	50KA	50% of Icu	NM1-400H/3300 350A	25530	4
126661	400A	3P	50KA	50% of Icu	NM1-400H/3300 400A	26570	4
126668	250A	3P	70KA	50% of Icu	NM1-400R/3300 250A	26480	4
126669	315A	3P	70KA	50% of Icu	NM1-400R/3300 315A	26480	4
126671	400A	3P	70KA	50% of Icu	NM1-400R/3300 400A	27390	4
126721	400A	3P	35KA	50% of Icu	NM1-630S/3300 400A	36800	2
126722	500A	3P	35KA	50% of Icu	NM1-630S/3300 500A	36800	2
126723	630A	3P	35KA	50% of Icu	NM1-630S/3300 630A	38120	2
126732	400A	3P	50KA	50% of Icu	NM1-630H/3300 400A	39940	2
126733	500A	3P	50KA	50% of Icu	NM1-630H/3300 500A	39940	2
126734	630A	3P	50KA	50% of Icu	NM1-630H/3300 630A	41470	2
126740	630A	3P	70KA	50% of Icu	NM1-630R/3300 630A	44720	2
131111	630A	3P	50KA	50% of Icu	NM1-800S/3300 630A	45330	2
131113	800A	3P	50KA	50% of Icu	NM1-800S/3300 800A	47440	2
126741	630A	3P	60KA	50% of Icu	NM1-800H/3300 630A	50670	2
126743	800A	3P	60KA	50% of Icu	NM1-800H/3300 800A	52840	2
131119	800A	3P	50KA	50% of Icu	NM1-1250S/3300 800A	112510	1
131120	1000A	3P	50KA	50% of Icu	NM1-1250S/3300 1000A	112510	1
131121	1250A	3P	50KA	50% of Icu	NM1-1250S/3300 1250A	118090	1
126639	800A	3P	65KA	50% of Icu	NM1-1250H/3300 800A	120110	1
126636	1000A	3P	65KA	50% of Icu	NM1-1250H/3300 1000A	120110	1
126637	1250A	3P	65KA	50% of Icu	NM1-1250H/3300 1250A	125670	1





NM1
TM Fixed



NM1 Fixed Thermal Magnetic MCCB (4P)

- Rated Current: 25A-1250A
- Rated Operational Voltage: 690V AC
- Release Type: Thermal Magnetic Fixed Type
- Breaking Capacity Code: S, H, R (Ics=50%Icu)
- Standard: IEC60947-2;






SKU Code	Rated Current (A)	Pole	Breaking Capacity Icu (KA)	Breaking Capacity Ics (KA)	Description	MRP (INR)	Packing
126545	32A	4P	50KA	50% of Icu	NM1-125H/4300 32A	9530	8
126546	40A	4P	50KA	50% of Icu	NM1-125H/4300 40A	9530	8
126548	63A	4P	50KA	50% of Icu	NM1-125H/4300 63A	9530	8
126549	80A	4P	50KA	50% of Icu	NM1-125H/4300 80A	9530	8
126550	100A	4P	50KA	50% of Icu	NM1-125H/4300 100A	9530	8
126411	125A	4P	50KA	50% of Icu	NM1-125H/4300 125A	9890	8
126453	160A	4P	25KA	50% of Icu	NM1-250S/4300 160A	14240	8
126455	200A	4P	25KA	50% of Icu	NM1-250S/4300 200A	14240	8
126457	250A	4P	25KA	50% of Icu	NM1-250S/4300 250A	14680	8
126609	160A	4P	50KA	50% of Icu	NM1-250H/4300 160A	15870	8
126611	200A	4P	50KA	50% of Icu	NM1-250H/4300 200A	15870	8
126612	225A	4P	50KA	50% of Icu	NM1-250H/4300 225A	15870	8
126379	250A	4P	50KA	50% of Icu	NM1-250H/4300 250A	16540	8
126651	250A	4P	35KA	50% of Icu	NM1-400S/4300 250A	31430	2
126652	315A	4P	35KA	50% of Icu	NM1-400S/4300 315A	31430	2
126653	350A	4P	35KA	50% of Icu	NM1-400S/4300 350A	31430	2
126654	400A	4P	35KA	50% of Icu	NM1-400S/4300 400A	32340	2
130870	400A	4P	50KA	50% of Icu	NM1-400H/4300 400A	34480	2
126728	500A	4P	35KA	50% of Icu	NM1-630S/4300 500A	46940	2
126729	630A	4P	35KA	50% of Icu	NM1-630S/4300 630A	48250	2
131117	630A	4P	50KA	50% of Icu	NM1-800S/4300 630A	60520	2
131118	800A	4P	50KA	50% of Icu	NM1-800S/4300 800A	62650	2
126943	630A	4P	60KA	50% of Icu	NM1-800H/4300 630A	65900	2
126945	800A	4P	60KA	50% of Icu	NM1-800H/4300 800A	68000	2

NM1 MCCB Accessories

SKU Code	Sub-Category	Description	MRP (INR)
132357	Extended Rotary Handle	NM1-125/3P	2400
132356	Extended Rotary Handle	NM1-125/4P	2510
132355	Extended Rotary Handle	NM1-250/3P/4P	2910
132354	Extended Rotary Handle	NM1-400/3P	3170
132853	Extended Rotary Handle	NM1-400S.H/4P	3290
132353	Extended Rotary Handle	NM1-630/3P	3570
132855	Extended Rotary Handle	NM1-630S/4P	3670
132352	Extended Rotary Handle	NM1-800/3P	4240
132359	Extended Rotary Handle	NM1-800/4P	4830
132858	Extended Rotary Handle	NM1-1250/3P	5780
132431	Shunt Release	NM1-125 SHT-L AC230V	1640
132428	Shunt Release	NM1-125 SHT-R AC230V	1640
132430	Shunt Release	NM1-125 SHT-L AC400V	1640
132427	Shunt Release	NM1-125 SHT-R AC400V	1640
132425	Shunt Release	NM1-250 SHT-L AC230V	1740
132422	Shunt Release	NM1-250 SHT-R AC230V	1740
132424	Shunt Release	NM1-250 SHT-L AC400V	1740
132421	Shunt Release	NM1-250 SHT-R AC400V	1740
132419	Shunt Release	NM1-400 SHT-L AC230V	3720
132416	Shunt Release	NM1-400 SHT-R AC230V	3720
132418	Shunt Release	NM1-400 SHT-L AC400V	3720
132415	Shunt Release	NM1-400 SHT-R AC400V	3720
132413	Shunt Release	NM1-630 SHT-L AC230V	4560
132410	Shunt Release	NM1-630 SHT-R AC230V	4560
132412	Shunt Release	NM1-630 SHT-L AC400V	4560
132409	Shunt Release	NM1-630 SHT-R AC400V	4560
132407	Shunt Release	NM1-800 SHT -L AC230V	4820
132404	Shunt Release	NM1-800 SHT-R AC230V	4820
132406	Shunt Release	NM1-800 SHT-L AC400V	4820
132403	Shunt Release	NM1-800 SHT-R AC400V	4820
132401	Shunt Release	NM1-1250 SHT-R AC230V	5820
132400	Shunt Release	NM1-1250 SHT-R AC400V	5820
132384	Auxiliary contact	NM1-125 AX-L	930
132383	Auxiliary contact	NM1-125 AX-R	930
132381	Auxiliary contact	NM1-250 AX-L	1020
132380	Auxiliary contact	NM1-250 AX-R	1020
132391	Auxiliary contact	NM1-400 AX-L	1910
132379	Auxiliary contact	NM1-400 AX-R	1910
132377	Auxiliary contact	NM1-630 AX-L	2020
132376	Auxiliary contact	NM1-630 AX-R	2020
132374	Auxiliary contact	NM1-800 AX-L	2100
132373	Auxiliary contact	NM1-800 AX-R	2100
132372	Auxiliary contact	NM1-1250 AX-L	2190
132371	Auxiliary contact	NM1-1250 AX-R	2190
132385	Alarm contact	NM1-125 AL-L	930
132382	Alarm contact	NM1-250 AL-L	1020
132390	Alarm contact	NM1-400 AL-L	1460
132378	Alarm contact	NM1-630 AL-L	1540
132375	Alarm contact	NM1-800/3P AL-L	1640

MCCB | CHINT PRICE LIST

	SKU Code	Sub-Category	Description	MRP (INR)
	132369	Motor-Driven Mechanism	NM1-125 MO AC230V/DC220V	22730
	132368	Motor-Driven Mechanism	NM1-250 MO AC230V/DC220V	22730
	132367	Motor-Driven Mechanism	NM1-400 MO AC230V/DC220V	38080
	132365	Motor-Driven Mechanism	NM1-630 MO AC230V/DC220V	38080
	132363	Motor-Driven Mechanism	NM1-800 MO AC230V/DC220V	42250
	132361	Motor-Driven Mechanism	NM1-1250 MO AC230V/DC220V	42250
	132450	UnderVoltage Release	NM1-125/3P UVT-R AC230V	4000
	132449	UnderVoltage Release	NM1-125/3P UVT-R AC400V	4000
	132454	UnderVoltage Release	NM1-125/4P UVT -R AC230V	4000
	132453	UnderVoltage Release	NM1-125/4P UVT-R AC400V	4000
	132448	UnderVoltage Release	NM1-250/3P UVT-R AC230V	4000
	132447	UnderVoltage Release	NM1-250/3P UVT-R AC400V	4000
	132446	UnderVoltage Release	NM1-400 UVT-R AC230V	8920
	132445	UnderVoltage Release	NM1-400 UVT-R AC400V	8920
	132442	UnderVoltage Release	NM1-630 UVT-R AC230V	9820
	132441	UnderVoltage Release	NM1-630 UVT-R AC400V	9820
	132399	UnderVoltage Release	NM1-800/3P4P UVT-L AC230V	9820
	132398	UnderVoltage Release	NM1-800/3P4P UVT -L AC400V	9820
	132440	UnderVoltage Release	NM1-1250 UVT-R AC230V	9820
	132439	UnderVoltage Release	NM1-1250 UVT--R AC400V	9820
	900402	FCP (Spreaders)	NM1-125	330
	900405	FCP (Spreaders)	NM1-250	490
	132940	FCP (Spreaders)	NM1-400S EXT. STR	820
	132942	FCP (Spreaders)	NM1-400S.H EXT BND	880
	132944	FCP (Spreaders)	NM1-630S/H	2070
	132960	FCP (Spreaders)	NM1-800	2850



NXM

NXM Fixed Thermal Magnetic MCCB

- Rated Current: 10A-1600A
- Rated Operational Voltage: 690VAC
- Release Type: Thermal Magnetic Fixed Type
- Breaking Capacity Code: E, S, F, H (Ics = upto 100% Icu)
- Standard: IEC60947-2;



SKU Code	Rated Current (A)	Pole	Breaking Capacity Icu (kA)	Breaking Capacity Ics (kA)	Description	MRP (INR)	Packing
269969	10A	3P	15	15	NXM-63E/3300 10A	4730	18
269970	16A	3P	15	15	NXM-63E/3300 16A	4730	18
269971	20A	3P	15	15	NXM-63E/3300 20A	4730	18
269972	25A	3P	15	15	NXM-63E/3300 25A	4570	18
269973	32A	3P	15	15	NXM-63E/3300 32A	4570	18
269974	40A	3P	15	15	NXM-63E/3300 40A	4570	18
269975	50A	3P	15	15	NXM-63E/3300 50A	4570	18
269976	63A	3P	15	15	NXM-63E/3300 63A	4730	18
270146	80A	3P	15	15	NXM-125E/3300 80A	4960	18
270147	100A	3P	15	15	NXM-125E/3300 100A	4960	18
270148	125A	3P	15	15	NXM-125E/3300 125A	5240	18
309505	150A	3P	20	20	NXM-160E/3300 150A	8180	12
947497	160A	3P	20	20	NXM-160E/3300 160A	8180	12
947501	180A	3P	20	20	NXM-250E/3300 180A	9970	8
947502	200A	3P	20	20	NXM-250E/3300 200A	9970	8
947503	225A	3P	20	20	NXM-250E/3300 225A	9970	8
947504	250A	3P	20	20	NXM-250E/3300 250A	10180	8
205882	10A	3P	25	15	NXM-63S/3300 10A	4990	18
205883	16A	3P	25	15	NXM-63S/3300 16A	4990	18
205884	20A	3P	25	15	NXM-63S/3300 20A	4990	18
205885	25A	3P	25	15	NXM-63S/3300 25A	4850	18
205886	32A	3P	25	15	NXM-63S/3300 32A	4850	18
205887	40A	3P	25	15	NXM-63S/3300 40A	4850	18
205888	50A	3P	25	15	NXM-63S/3300 50A	4850	18
205889	63A	3P	25	15	NXM-63S/3300 63A	4990	18
131361	80A	3P	25	15	NXM-125S/3300 80A	5550	18
131362	100A	3P	25	15	NXM-125S/3300 100A	5550	18
131363	125A	3P	25	15	NXM-125S/3300 125A	5840	18
309655	150A	3P	36	20	NXM-160S/3300 150A	8590	12
131364	160A	3P	36	20	NXM-160S/3300 160A	8590	12
131366	180A	3P	36	20	NXM-250S/3300 180A	10520	8
131367	200A	3P	36	20	NXM-250S/3300 200A	10520	8
131368	225A	3P	36	20	NXM-250S/3300 225A	10520	8
131369	250A	3P	36	20	NXM-250S/3300 250A	10730	8
131371	315A	3P	50	36	NXM-400S/3300 315A	22680	4
131372	350A	3P	50	36	NXM-400S/3300 350A	22680	4
131373	400A	3P	50	36	NXM-400S/3300 400A	23600	4
131374	500A	3P	50	36	NXM-630S/3300 500A	34080	4
131375	630A	3P	50	36	NXM-630S/3300 630A	34080	4
269977	10A	3P	36	36	NXM-63F/3300 10A	5560	18
269978	16A	3P	36	36	NXM-63F/3300 16A	5560	18
269979	20A	3P	36	36	NXM-63F/3300 20A	5560	18
269980	25A	3P	36	36	NXM-63F/3300 25A	5370	18
269981	32A	3P	36	36	NXM-63F/3300 32A	5370	18
269982	40A	3P	36	36	NXM-63F/3300 40A	5370	18
269983	50A	3P	36	36	NXM-63F/3300 50A	5370	18
269984	63A	3P	36	36	NXM-63F/3300 63A	5560	18
947451	80A	3P	36	36	NXM-125F/3300 80A	6480	18
947452	100A	3P	36	36	NXM-125F/3300 100A	6480	18
947453	125A	3P	36	36	NXM-125F/3300 125A	6820	18
309654	150A	3P	36	36	NXM-160F/3300 150A	9020	12
947463	160A	3P	36	36	NXM-160F/3300 160A	9020	12

SKU Code	Rated Current (A)	Pole	Breaking Capacity Icu (kA)	Breaking Capacity Ics (kA)	Description	MRP (INR)	Packing
947467	180A	3P	36	36	NXM-250F/3300 180A	11060	8
947468	200A	3P	36	36	NXM-250F/3300 200A	11060	8
947469	225A	3P	36	36	NXM-250F/3300 225A	11060	8
947470	250A	3P	36	36	NXM-250F/3300 250A	11280	8
947482	315A	3P	50	50	NXM-400F/3300 315A	23820	4
947484	350A	3P	50	50	NXM-400F/3300 350A	23820	4
947485	400A	3P	50	50	NXM-400F/3300 400A	24780	4
947491	500A	3P	50	50	NXM-630F/3300 500A	35780	4
947492	630A	3P	50	50	NXM-630F/3300 630A	35780	4
205890	10A	3P	50	36	NXM-63H/3300 10A	6130	18
205891	16A	3P	50	36	NXM-63H/3300 16A	6130	18
205892	20A	3P	50	36	NXM-63H/3300 20A	6130	18
205893	25A	3P	50	36	NXM-63H/3300 25A	5940	18
205894	32A	3P	50	36	NXM-63H/3300 32A	5940	18
205895	40A	3P	50	36	NXM-63H/3300 40A	5940	18
205896	50A	3P	50	36	NXM-63H/3300 50A	5940	18
205897	63A	3P	50	36	NXM-63H/3300 63A	6130	18
844290	80A	3P	50	36	NXM-125H/3300 80A	6790	18
844283	100A	3P	50	36	NXM-125H/3300 100A	6790	18
844284	125A	3P	50	36	NXM-125H/3300 125A	7140	18
309506	150A	3P	50	36	NXM-160H/3300 150A	9440	12
844323	160A	3P	50	36	NXM-160H/3300 160A	9440	12
844330	180A	3P	50	36	NXM-250H/3300 180A	11600	8
844331	200A	3P	50	36	NXM-250H/3300 200A	11600	8
844332	225A	3P	50	36	NXM-250H/3300 225A	11600	8
844333	250A	3P	50	36	NXM-250H/3300 250A	11830	8
844355	315A	3P	70	50	NXM-400H/3300 315A	25010	4
844357	350A	3P	70	50	NXM-400H/3300 350A	25010	4
844358	400A	3P	70	50	NXM-400H/3300 400A	26020	4
844369	500A	3P	70	50	NXM-630H/3300 500A	37570	4
844370	630A	3P	70	50	NXM-630H/3300 630A	37570	4
269985	10A	4P	15	15	NXM-63E/4300B 10A	5920	18
269986	16A	4P	15	15	NXM-63E/4300B 16A	5920	18
269987	20A	4P	15	15	NXM-63E/4300B 20A	5920	18
269988	25A	4P	15	15	NXM-63E/4300B 25A	5720	18
269989	32A	4P	15	15	NXM-63E/4300B 32A	5720	18
269990	40A	4P	15	15	NXM-63E/4300B 40A	5720	18
269991	50A	4P	15	15	NXM-63E/4300B 50A	5720	18
269992	63A	4P	15	15	NXM-63E/4300B 63A	5920	18
270154	80A	4P	15	15	NXM-125E/4300B 80A	6200	18
270155	100A	4P	15	15	NXM-125E/4300B 100A	6200	18
270156	125A	4P	15	15	NXM-125E/4300B 125A	6560	18
309507	150A	4P	20	20	NXM-160E/4300B 150A	10230	12
947499	160A	4P	20	20	NXM-160E/4300B 160A	10230	12
205906	10A	4P	25	15	NXM-63S/4300B 10A	6250	18
205907	16A	4P	25	15	NXM-63S/4300B 16A	6250	18
205908	20A	4P	25	15	NXM-63S/4300B 20A	6250	18
205909	25A	4P	25	15	NXM-63S/4300B 25A	6070	18
205910	32A	4P	25	15	NXM-63S/4300B 32A	6070	18
205911	40A	4P	25	15	NXM-63S/4300B 40A	6070	18
205912	50A	4P	25	15	NXM-63S/4300B 50A	6070	18
205913	63A	4P	25	15	NXM-63S/4300B 63A	6250	18
844310	80A	4P	25	15	NXM-125S/4300B 80A	6940	18
844303	100A	4P	25	15	NXM-125S/4300B 100A	6940	18
844304	125A	4P	25	15	NXM-125S/4300B 125A	7300	18
309657	150A	4P	36	20	NXM-160S/4300B 150A	10750	12
844328	160A	4P	36	20	NXM-160S/4300B 160A	10750	12
844340	180A	4P	36	20	NXM-250S/4300B 180A	12530	8
844341	200A	4P	36	20	NXM-250S/4300B 200A	12530	8
844342	225A	4P	36	20	NXM-250S/4300B 225A	12530	8
844343	250A	4P	36	20	NXM-250S/4300B 250A	12920	8
844364	315A	4P	50	36	NXM-400S/4300B 315A	28350	4
844366	350A	4P	50	36	NXM-400S/4300B 350A	28350	4
844367	400A	4P	50	36	NXM-400S/4300B 400A	29500	4
844376	500A	4P	50	36	NXM-630S/4300B 500A	42600	4
844377	630A	4P	50	36	NXM-630S/4300B 630A	42600	4
270133	10A	4P	36	36	NXM-63F/4300B 10A	6960	18


SKU Code	Rated Current (A)	Pole	Breaking Capacity Icu (kA)	Breaking Capacity Ics (kA)	Description	MRP (INR)	Packing
270134	16A	4P	36	36	NXM-63F/4300B 16A	6960	18
270135	20A	4P	36	36	NXM-63F/4300B 20A	6960	18
270136	25A	4P	36	36	NXM-63F/4300B 25A	6720	18
270137	32A	4P	36	36	NXM-63F/4300B 32A	6720	18
270138	40A	4P	36	36	NXM-63F/4300B 40A	6720	18
270139	50A	4P	36	36	NXM-63F/4300B 50A	6720	18
270140	63A	4P	36	36	NXM-63F/4300B 63A	6960	18
947459	80A	4P	36	36	NXM-125F/4300B 80A	8110	18
947460	100A	4P	36	36	NXM-125F/4300B 100A	8110	18
947461	125A	4P	36	36	NXM-125F/4300B 125A	8530	18
309656	150A	4P	36	36	NXM-160F/4300B 150A	11280	12
947465	160A	4P	36	36	NXM-160F/4300B 160A	11280	12
947472	180A	4P	36	36	NXM-250F/4300B 180A	13830	8
947473	200A	4P	36	36	NXM-250F/4300B 200A	13830	8
947474	225A	4P	36	36	NXM-250F/4300B 225A	13830	8
947475	250A	4P	36	36	NXM-250F/4300B 250A	14110	8
947486	315A	4P	50	50	NXM-400F/4300B 315A	29770	4
947488	350A	4P	50	50	NXM-400F/4300B 350A	29770	4
947489	400A	4P	50	50	NXM-400F/4300B 400A	31170	4
947494	500A	4P	50	50	NXM-630F/4300B 500A	44720	4
947495	630A	4P	50	50	NXM-630F/4300B 630A	44720	4
205898	10A	4P	50	36	NXM-63H/4300B 10A	7670	18
205899	16A	4P	50	36	NXM-63H/4300B 16A	7670	18
205900	20A	4P	50	36	NXM-63H/4300B 20A	7670	18
205901	25A	4P	50	36	NXM-63H/4300B 25A	7430	18
205902	32A	4P	50	36	NXM-63H/4300B 32A	7430	18
205903	40A	4P	50	36	NXM-63H/4300B 40A	7430	18
205904	50A	4P	50	36	NXM-63H/4300B 50A	7430	18
205905	63A	4P	50	36	NXM-63H/4300B 63A	7670	18
844298	80A	4P	50	36	NXM-125H/4300B 80A	8340	18
844291	100A	4P	50	36	NXM-125H/4300B 100A	8340	18
844292	125A	4P	50	36	NXM-125H/4300B 125A	8660	18
309508	150A	4P	50	36	NXM-160H/4300B 150A	11810	12
844325	160A	4P	50	36	NXM-160H/4300B 160A	11810	12
844335	180A	4P	50	36	NXM-250H/4300B 180A	13960	8
844336	200A	4P	50	36	NXM-250H/4300B 200A	13960	8
844337	225A	4P	50	36	NXM-250H/4300B 225A	13960	8
844338	250A	4P	50	36	NXM-250H/4300B 250A	14560	8
844359	315A	4P	70	50	NXM-400H/4300B 315A	31270	4
844361	350A	4P	70	50	NXM-400H/4300B 350A	31270	4
844362	400A	4P	70	50	NXM-400H/4300B 400A	32520	4
844372	500A	4P	70	50	NXM-630H/4300B 500A	46970	18
844373	630A	4P	70	50	NXM-630H/4300B 630A	46970	18
131376	800A	3P	50	36	NXM-800S/3300 800A	43250	2
844379	800A	3P	70	50	NXM-800H/3300 800A	46120	2
131377	1000A	3P	50	36	NXM-1000S/3300 1000A	52020	2
844276	1000A	3P	70	50	NXM-1000H/3300 1000A	52900	2
218740	1250A	3P	50	36	NXM-1250S/3300T 1250A	112750	1
218742	1250A	3P	70	50	NXM-1250H/3300T 1250A	118250	1
844318	1250A	3P	50	36	NXM-1600S/3300T 1250A	129660	1
131378	1600A	3P	50	36	NXM-1600S/3300T 1600A	132510	1
844312	1250A	3P	70	50	NXM-1600H/3300T 1250A	137250	1
844313	1600A	3P	70	50	NXM-1600H/3300T 1600A	142890	1
844384	800A	4P	50	36	NXM-800S/4300B 800A	57750	2
844381	800A	4P	70	50	NXM-800H/4300B 800A	60450	2
844282	800A	4P	50	36	NXM-1000S/4300B 800A	65870	2
844281	1000A	4P	50	36	NXM-1000S/4300B 1000A	67650	2
844278	1000A	4P	70	50	NXM-1000H/4300B 1000A	69680	2
423723	1250A	4P	50	36	NXM-1250S/4300TB 1250A	152350	1
423725	1250A	4P	70	50	NXM-1250H/4300TB 1250A	160050	1
844320	1250A	4P	50	36	NXM-1600S/4300TB 1250A	175120	1
844321	1600A	4P	50	36	NXM-1600S/4300TB 1600A	178860	1
844315	1250A	4P	70	50	NXM-1600H/4300TB 1250A	185350	1
844316	1600A	4P	70	50	NXM-1600H/4300TB 1600A	192910	1



NXMS

NXMS Electronic MCCB

- Rated Current: 32A-1600A
- Rated Operational Voltage: 690VAC
- Release Type: Electronic Type
- Breaking Capacity Code: S, F, H (Ics = upto 100% Icu)
- Standard: IEC60947-2;



SKU Code	Rated Current (A)	Pole	Breaking Capacity Icu (kA)	Breaking Capacity Ics (kA)	Description	MRP (INR)	Packing
264744	32A	3P	36	36	NXMS-160F/3300 32A	16250	12
264745	63A	3P	36	36	NXMS-160F/3300 63A	16250	12
264746	100A	3P	36	36	NXMS-160F/3300 100A	16250	12
264747	125A	3P	36	36	NXMS-160F/3300 125A	16250	12
264748	160A	3P	36	36	NXMS-160F/3300 160A	18050	12
264754	200A	3P	36	36	NXMS-250F/3300 200A	21890	8
264755	250A	3P	36	36	NXMS-250F/3300 250A	23040	8
450934	32A	3P	50	36	NXMS-160H/3300 32A	17060	12
450935	63A	3P	50	36	NXMS-160H/3300 63A	17060	12
450936	100A	3P	50	36	NXMS-160H/3300 100A	17060	12
450937	125A	3P	50	36	NXMS-160H/3300 125A	17060	12
450938	160A	3P	50	36	NXMS-160H/3300 160A	18960	12
448652	200A	3P	50	36	NXMS-250H/3300 200A	22990	8
448653	250A	3P	50	36	NXMS-250H/3300 250A	24190	8
264749	32A	4P	36	36	NXMS-160F/4300C 32A	19890	12
264750	63A	4P	36	36	NXMS-160F/4300C 63A	19890	12
264751	100A	4P	36	36	NXMS-160F/4300C 100A	19890	12
264752	125A	4P	36	36	NXMS-160F/4300C 125A	19890	12
264753	160A	4P	36	36	NXMS-160F/4300C 160A	21850	12
264756	200A	4P	36	36	NXMS-250F/4300C 200A	26790	8
264757	250A	4P	36	36	NXMS-250F/4300C 250A	28200	8
450939	32A	4P	50	36	NXMS-160H/4300C 32A	20890	12
450940	63A	4P	50	36	NXMS-160H/4300C 63A	20890	12
450941	100A	4P	50	36	NXMS-160H/4300C 100A	20890	12
450942	125A	4P	50	36	NXMS-160H/4300C 125A	20890	12
450943	160A	4P	50	36	NXMS-160H/4300C 160A	22950	12
448654	200A	4P	50	36	NXMS-250H/4300C 200A	28120	8
448655	250A	4P	50	36	NXMS-250H/4300C 250A	29610	8
845725	400A	3P	50	36	NXMS-400S/3300 400A	37930	4
845726	400A	3P	70	50	NXMS-400H/3300 400A	39820	4
845729	630A	3P	50	36	NXMS-630S/3300 630A	46480	4
845730	630A	3P	70	50	NXMS-630H/3300 630A	48800	4
845705	800A	3P	50	36	NXMS-1000S/3300 800A	71250	2
845707	800A	3P	70	50	NXMS-1000H/3300 800A	74820	2
845706	1000A	3P	50	36	NXMS-1000S/3300 1000A	89070	2
845708	1000A	3P	70	50	NXMS-1000H/3300 1000A	93520	2
201717	1250A	3P	50	36	NXMS-1250S/3300 1250A	136500	1
201719	1250A	3P	70	50	NXMS-1250H/3300 1250A	143330	1
201718	1600A	3P	50	36	NXMS-1600S/3300 1600A	170630	1
201720	1600A	3P	70	50	NXMS-1600H/3300 1600A	179160	1
845727	400A	4P	50	36	NXMS-400S/4300C 400A	45520	4
845728	400A	4P	70	50	NXMS-400H/4300C 400A	47780	4
845731	630A	4P	50	36	NXMS-630S/4300C 630A	55780	4
845732	630A	4P	70	50	NXMS-630H/4300C 630A	58570	4
845712	800A	4P	50	36	NXMS-1000S/4300C 800A	85500	2
845709	800A	4P	70	50	NXMS-1000H/4300C 800A	89780	2
845711	1000A	4P	50	36	NXMS-1000S/4300C 1000A	106880	2
845710	1000A	4P	70	50	NXMS-1000H/4300C 1000A	112230	2
201721	1250A	4P	50	36	NXMS-1250S/4300C 1250A	170630	1
201723	1250A	4P	70	50	NXMS-1250H/4300C 1250A	179160	1
201722	1600A	4P	50	36	NXMS-1600S/4300C 1600A	213280	1
201724	1600A	4P	70	50	NXMS-1600H/4300C 1600A	223940	1

NXM / NXMS MCCB ACCESSORIES

SKU Code	Sub-Category	Description	MRP (INR)
404949	FCP (Spreaders)	FCP-M1 (63/125) 3P	1240
404950	FCP (Spreaders)	FCP-M1 (63/125) 4P	1640
844982	FCP (Spreaders)	FCP-M2 (160) 3P	1410
844981	FCP (Spreaders)	FCP-M2 (160) 4P	1870
844985	FCP (Spreaders)	FCP-M3 (250) 3P	4020
844984	FCP (Spreaders)	FCP-M3 (250) 4P	5350
844992	FCP (Spreaders)	FCP-M4 (400/630) 3P	6130
844991	FCP (Spreaders)	FCP-M4 (400/630) 4P	8170
844990	FCP (Spreaders)	FCP-M5 (800) 3P	15600
844989	FCP (Spreaders)	FCP-M5 (800) 4P	20800
844988	FCP (Spreaders)	FCP-M6 (1000) 3P	17550
844987	FCP (Spreaders)	FCP-M6 (1000) 4P	23390
844996	FCP (Spreaders)	FCP-M7(1250) 3P	35740
844995	FCP (Spreaders)	FCP-M7(1250) 4P	47640
844994	FCP (Spreaders)	FCP-M7(1600) 3P	43160
844993	FCP (Spreaders)	FCP-M7(1600) 4P	57530
946896	Extended Rotary Handle	ERH-M1 (63/125)	2510
946886	Extended Rotary Handle	ERH-M2 (160)	2510
946889	Extended Rotary Handle	ERH-M3 (250) (H type adaptable)	2910
946891	Extended Rotary Handle	ERH-M4 (400/630)	3670
946887	Extended Rotary Handle	ERH-M5 (800)	4340
946894	Extended Rotary Handle	ERH-M6 (1000)	4830
946892	Extended Rotary Handle	ERH-M7 (1250/1600)	5780
203834	Under Voltage Release	UVT-M1 (63/125) A1 L	4460
203835	Under Voltage Release	UVT-M1 (63/125) A2 L	4460
152863	Under Voltage Release	UVT-M2 (160) A1 L	4460
152862	Under Voltage Release	UVT-M2 (160) A2 L	4460
152865	Under Voltage Release	UVT-M3 (250) A1 R	4460
152864	Under Voltage Release	UVT-M3 (250) A2 R	4460
946968	Under Voltage Release	UVT-M4 (400/630) A1 R	10130
946967	Under Voltage Release	UVT-M4 (400/630) A2 R	10130
946978	Under Voltage Release	UVT-M5 (800) A1 L	10130
946977	Under Voltage Release	UVT-M5 (800) A2 L	10130
946985	Under Voltage Release	UVT-M6 (1000) A1 L	10130
946984	Under Voltage Release	UVT-M6 (1000) A2 L	10130
946960	Under Voltage Release	UVT-M7 (1250/1600) A1 L	17330
946959	Under Voltage Release	UVT-M7 (1250/1600) A2 L	17330
946958	Shunt Release	SHT-M1 (63/125) A1 R	2130
946957	Shunt Release	SHT-M1 (63/125) A2 R	2130
946974	Shunt Release	SHT-M2 (160) A1 R	2290
946975	Shunt Release	SHT-M2 (160) A2 R	2290
946969	Shunt Release	SHT-M3 (250) A1 R	2290
946970	Shunt Release	SHT-M3 (250) A2 R	2290
946966	Shunt Release	SHT-M4 (400/630) A1 R	4700
946965	Shunt Release	SHT-M4 (400/630) A2 R	4700
946981	Shunt Release	SHT-M5 (800) A1 R	5240
946980	Shunt Release	SHT-M5 (800) A2 R	5240
946988	Shunt Release	SHT-M6 (1000) A1 R	6460
946987	Shunt Release	SHT-M6 (1000) A2 R	6460
946961	Shunt Release	SHT-M7 (1250/1600) A1 L	10130
946963	Shunt Release	SHT-M7 (1250/1600) A2 L	10130





SKU Code	Sub-Category	Description	MRP (INR)
946952	Auxiliary Contact	AX-M1 (63/125) L	1020
946951	Auxiliary Contact	AX-M1 (63/125) R	1020
946946	Auxiliary Contact	AX-M2 (160) L	1020
946949	Auxiliary Contact	AX-M2 (160) R	1020
946944	Auxiliary Contact	AX-M3 (250) L	1020
946943	Auxiliary Contact	AX-M3 (250) R	1020
946941	Auxiliary Contact	AX-M4 (400/630) L	2040
946938	Auxiliary Contact	AX-M5 (800) L	2040
946935	Auxiliary Contact	AX-M5 (800) R	2040
201842	Alarm Contact	AL-M1 (63/125) R	1020
946947	Alarm Contact	AL-M2 (160) L	1020
946950	Alarm Contact	AL-M2 (160) R	1020
203836	Alarm Contact	AL-M3 (250) L	1020
946939	Alarm Contact	AL-M4 (400/630) L	2040
946937	Alarm Contact	AL-M5 (800) L	2040
946934	Alarm Contact	AL-M5 (800) R	2040
201841	Auxiliary / Alarm Contact	AX/AL-M1 (63/125) L	1340
201843	Auxiliary / Alarm Contact	AX/AL-M1 (63/125) R	1340
946945	Auxiliary / Alarm Contact	AX/AL-M2 (160) L	1390
946948	Auxiliary / Alarm Contact	AX/AL-M2 (160) R	1390
146364	Auxiliary / Alarm Contact	AX/AL-M3 (250) L	1390
946940	Auxiliary / Alarm Contact	AX/AL-M4 (400/630) L	1940
946936	Auxiliary / Alarm Contact	AX/AL-M5 (800) L	2400
946933	Auxiliary / Alarm Contact	AX/AL-M5 (800) R	2400



NM8N-HV 3P (800V AC)

- Rated Current: 63A-630A
- Rated Operational Voltage: upto 1150VAC
- Release Type: Thermal Magnetic Adjustable
- Breaking Capacity Code: C, S

MCCB Frame	Breaking capacity	Poles	Release Type	Accessories Code	Rated Current
NM8N-HV	C, S	3P	TM	00: No	63A-630A



SKU Code	Rated Current (A)	Pole	Description	Breaking Capacity Icu/Ics (kA)	MRP (INR)	Packing
367762	63	3P	NM8N-250HVC TM 63 3P	36/36	34250	4
367763	80	3P	NM8N-250HVC TM 80 3P	36/36	34250	4
367764	100	3P	NM8N-250HVC TM 100 3P	36/36	34250	4
367765	125	3P	NM8N-250HVC TM 125 3P	36/36	35430	4
367766	160	3P	NM8N-250HVC TM 160 3P	36/36	36630	4
367768	180	3P	NM8N-250HVC TM 180 3P	36/36	36630	4
367769	200	3P	NM8N-250HVC TM 200 3P	36/36	36630	4
367767	225	3P	NM8N-250HVC TM 225 3P	36/36	37810	4
367770	250	3P	NM8N-250HVC TM 250 3P	36/36	37810	4
367771	63	3P	NM8N-250HVS TM 63 3P	50/36	35710	4
367773	80	3P	NM8N-250HVS TM 80 3P	50/36	35710	4
367772	100	3P	NM8N-250HVS TM 100 3P	50/36	35710	4
367775	125	3P	NM8N-250HVS TM 125 3P	50/36	36900	4
367777	160	3P	NM8N-250HVS TM 160 3P	50/36	38080	4
367776	180	3P	NM8N-250HVS TM 180 3P	50/36	38080	4
367774	200	3P	NM8N-250HVS TM 200 3P	50/36	38080	4
367778	225	3P	NM8N-250HVS TM 225 3P	50/36	39280	4

SKU Code	Rated Current (A)	Pole	Description	Breaking Capacity Icu/Ics (kA)	MRP (INR)	Packing
367779	250	3P	NM8N-250HVS TM 250 3P	50/36	39280	4
367780	250	3P	NM8N-400HVC TM 250 3P	36/36	61650	2
367781	315	3P	NM8N-400HVC TM 315 3P	36/36	63020	2
367784	350	3P	NM8N-400HVC TM 350 3P	36/36	63020	2
367783	400	3P	NM8N-400HVC TM 400 3P	36/36	64400	2
367782	250	3P	NM8N-400HVS TM 250 3P	50/50	63460	2
367785	315	3P	NM8N-400HVS TM 315 3P	50/50	64830	2
367786	350	3P	NM8N-400HVS TM 350 3P	50/50	64830	2
367787	400	3P	NM8N-400HVS TM 400 3P	50/50	66210	2
367789	400	3P	NM8N-630HVC TM 400 3P	36/36	68030	2
367788	500	3P	NM8N-630HVC TM 500 3P	36/36	74060	2
367790	630	3P	NM8N-630HVC TM 630 3P	36/36	80090	2
367791	400	3P	NM8N-630HVS TM 400 3P	50/50	70490	2
367792	500	3P	NM8N-630HVS TM 500 3P	50/50	76500	2
367793	630	3P	NM8N-630HVS TM 630 3P	50/50	82540	2


ACCESSORIES | CHINT PRICE LIST

SKU Code	Accessory Type	Description	MRP (INR)
265343	Auxiliary Contact	AX21-M8	1640
265345	Alarm Contact	AL21-M8	1640
434035	Shunt Release	SHT22-M8NHV AC110V	4330
434034	Shunt Release	SHT22-M8NHV AC220-240V	4330
434033	Shunt Release	SHT22-M8NHV AC380-415V	4330
434038	Shunt Release	SHT22-M8NHV DC24V	4330
434037	Shunt Release	SHT22-M8NHV DC110-120V	4330
434036	Shunt Release	SHT22-M8NHV DC220V	4330
434041	Under Voltage Release	UVT22-M8NHV AC110V	4330
434040	Under Voltage Release	UVT22-M8NHV AC220-240V	4330
434039	Under Voltage Release	UVT22-M8NHV AC380-415V	4330
434044	Under Voltage Release	UVT22-M8NHV DC24V	4330
434043	Under Voltage Release	UVT22-M8NHV DC110-120V	4330
434042	Under Voltage Release	UVT22-M8NHV DC220V	4330
406594	Extended Rotary Handle	CRH22-M8NHV 3P (250 Frame)	7390
406595	Extended Rotary Handle	CRH23-M8NHV 3P (400/630 Frame)	7900



NM8N-DC (2P)

- Rated Current: 16A-250A
- Rated Operational Voltage: upto 500VDC
- Release Type: Thermal Magnetic Adjustable
- Breaking Capacity Code: B, C, Q, H, R




SKU Code	Rated Current (A)	Pole	Description	Breaking Capacity Icu/Ics (kA)	MRP (INR)	Packing
274844	125	2P	NM8NDC-250B TM 125 2P	25/25	15200	8
274845	160	2P	NM8NDC-250B TM 160 2P	25/25	15200	8
274847	200	2P	NM8NDC-250B TM 200 2P	25/25	15200	8
274848	225	2P	NM8NDC-250B TM 225 2P	25/25	15200	8
274849	250	2P	NM8NDC-250B TM 250 2P	25/25	15200	8
274850	125	2P	NM8NDC-250C TM 125 2P	36/36	16040	8
274851	160	2P	NM8NDC-250C TM 160 2P	36/36	16040	8
274853	200	2P	NM8NDC-250C TM 200 2P	36/36	16040	8
274854	225	2P	NM8NDC-250C TM 225 2P	36/36	16040	8
274855	250	2P	NM8NDC-250C TM 250 2P	36/36	16040	8
274856	125	2P	NM8NDC-250S TM 125 2P	50/50	16300	8
274857	160	2P	NM8NDC-250S TM 160 2P	50/50	16300	8
274859	200	2P	NM8NDC-250S TM 200 2P	50/50	16300	8
274860	225	2P	NM8NDC-250S TM 225 2P	50/50	16300	8
274861	250	2P	NM8NDC-250S TM 250 2P	50/50	16300	8



NM8N-DC 3P

- Rated Current: 16A-1600A
- Rated Operational Voltage: upto 750VDC
- Release Type: Thermal Magnetic Adjustable Type
- Breaking Capacity Code: B, C, Q, H, R



SKU Code	Rated Current (A)	Pole	Description	Breaking Capacity Icu/Ics (kA)	MRP (INR)	Packing
271731	16	3P	NM8NDC-125B TM 16 3P	25/25	16050	12
271733	25	3P	NM8NDC-125B TM 25 3P	25/25	16050	12
271734	32	3P	NM8NDC-125B TM 32 3P	25/25	16050	12
271737	63	3P	NM8NDC-125B TM 63 3P	25/25	16050	12
271739	100	3P	NM8NDC-125C TM 100 3P	25/25	16050	12
271740	125	3P	NM8NDC-125B TM 125 3P	25/25	16050	12
271741	16	3P	NM8NDC-125C TM 16 3P	36/36	16840	12
271743	25	3P	NM8NDC-125C TM 25 3P	36/36	16840	12
271744	32	3P	NM8NDC-125C TM 32 3P	36/36	16840	12
271747	63	3P	NM8NDC-125C TM 63 3P	36/36	16840	12
271749	100	3P	NM8NDC-125C TM 100 3P	36/36	16840	12
271750	125	3P	NM8NDC-125C TM 125 3P	36/36	16840	12
271751	16	3P	NM8NDC-125S TM 16 3P	50/50	17620	12
271753	25	3P	NM8NDC-125S TM 25 3P	50/50	17620	12
271754	32	3P	NM8NDC-125S TM 32 3P	50/50	17620	12
271757	63	3P	NM8NDC-125S TM 63 3P	50/50	17620	12
271759	100	3P	NM8NDC-125S TM 100 3P	50/50	17620	12
271760	125	3P	NM8NDC-125S TM 125 3P	50/50	17620	12
271261	125	3P	NM8NDC-250B TM 125 3P	25/25	23050	8
271262	160	3P	NM8NDC-250B TM 160 3P	25/25	23050	8
271266	250	3P	NM8NDC-250B TM 250 3P	25/25	23050	8
271267	125	3P	NM8NDC-250C TM 125 3P	36/36	24170	8
271268	160	3P	NM8NDC-250C TM 160 3P	36/36	24170	8
271272	250	3P	NM8NDC-250C TM 250 3P	36/36	24170	8
271273	125	3P	NM8NDC-250S TM 125 3P	50/50	25280	8
271274	160	3P	NM8NDC-250S TM 160 3P	50/50	25280	8
271278	250	3P	NM8NDC-250S TM 250 3P	50/50	25280	8
269308	250	3P	NM8NDC-400B TM 250 3P	25/25	51000	2
269311	400	3P	NM8NDC-400B TM 400 3P	25/25	51000	2
269312	250	3P	NM8NDC-400C TM 250 3P	36/36	52970	2
269315	400	3P	NM8NDC-400C TM 400 3P	36/36	52970	2
269316	250	3P	NM8NDC-400S TM 250 3P	50/50	54930	2
269319	400	3P	NM8NDC-400S TM 400 3P	50/50	54930	2
269351	400	3P	NM8NDC-630B TM 400 3P	25/25	54730	2
269356	400	3P	NM8NDC-630C TM 400 3P	36/36	54780	2
269361	400	3P	NM8NDC-630S TM 400 3P	50/50	59880	2
272975	630	3P	NM8NDC-800B TM 630 3P	25/25	122530	1
272977	800	3P	NM8NDC-800B TM 800 3P	25/25	122530	1
272979	630	3P	NM8NDC-800C TM 630 3P	36/36	126970	1
272981	800	3P	NM8NDC-800C TM 800 3P	36/36	126970	1
272983	630	3P	NM8NDC-800S TM 630 3P	50/50	131430	1
272985	800	3P	NM8NDC-800S TM 800 3P	50/50	131430	1




NM8N-DC 4P

- Rated Current: 16A-1600A
- Rated Operational Voltage: upto 1000VDC
- Release Type: Thermal Magnetic Adjustable
- Breaking Capacity Code: B, C, Q, H, R

MCCB Frame	Breaking capacity	Poles	Release Type	Accessories Code	Rated Current
NM8N-DC	B,C,Q,H,R	4P	TM	00: No	16A-1600A

SKU Code	Rated Current (A)	Pole	Description	Breaking Capacity Icu/Ics (kA)	MRP (INR)	Packing
271781	16	4P	NM8NDC-125B TM 16 4P	25/25	21090	8
271783	25	4P	NM8NDC-125B TM 25 4P	25/25	21090	8
271784	32	4P	NM8NDC-125B TM 32 4P	25/25	21090	8
271787	63	4P	NM8NDC-125B TM 63 4P	25/25	21090	8
271789	100	4P	NM8NDC-125B TM 100 4P	25/25	21090	8
271790	125	4P	NM8NDC-125B TM 125 4P	25/25	21090	8
271791	16	4P	NM8NDC-125C TM 16 4P	36/36	21880	8
271793	25	4P	NM8NDC-125C TM 25 4P	36/36	21880	8
271794	32	4P	NM8NDC-125C TM 32 4P	36/36	21880	8
271797	63	4P	NM8NDC-125C TM 63 4P	36/36	21880	8
271799	100	4P	NM8NDC-125C TM 100 4P	36/36	21880	8
271800	125	4P	NM8NDC-125C TM 125 4P	36/36	21880	8
271801	16	4P	NM8NDC-125S TM 16 4P	50/50	22680	8
271803	25	4P	NM8NDC-125S TM 25 4P	50/50	22680	8
271804	32	4P	NM8NDC-125S TM 32 4P	50/50	22680	8
271807	63	4P	NM8NDC-125S TM 63 4P	50/50	22680	8
271809	100	4P	NM8NDC-125S TM 100 4P	50/50	22680	8
271810	125	4P	NM8NDC-125S TM 125 4P	50/50	22680	8
271291	125	4P	NM8NDC-250B TM 125 4P	25/25	29730	8
271292	160	4P	NM8NDC-250B TM 160 4P	25/25	29730	8
271296	250	4P	NM8NDC-250B TM 250 4P	25/25	29730	8
271297	125	4P	NM8NDC-250C TM 125 4P	36/36	31280	8
271298	160	4P	NM8NDC-250C TM 160 4P	36/36	31280	8
271302	250	4P	NM8NDC-250C TM 250 4P	36/36	31280	8
271303	125	4P	NM8NDC-250S TM 125 4P	50/50	32850	8
271304	160	4P	NM8NDC-250S TM 160 4P	50/50	32850	8
271308	250	4P	NM8NDC-250S TM 250 4P	50/50	32850	8
269328	250	4P	NM8NDC-400B TM 250 4P	25/25	66480	2
269331	400	4P	NM8NDC-400B TM 400 4P	25/25	66480	2
269332	250	4P	NM8NDC-400C TM 250 4P	36/36	68740	2
269335	400	4P	NM8NDC-400C TM 400 4P	36/36	68740	2
269336	250	4P	NM8NDC-400S TM 250 4P	50/50	70990	2
269339	400	4P	NM8NDC-400S TM 400 4P	50/50	70990	2
271807	63	4P	NM8NDC-125S TM 63 4P	50/50	22680	8
271809	100	4P	NM8NDC-125S TM 100 4P	50/50	22680	8
271810	125	4P	NM8NDC-125S TM 125 4P	50/50	22680	8
271291	125	4P	NM8NDC-250B TM 125 4P	25/25	29730	8
271292	160	4P	NM8NDC-250B TM 160 4P	25/25	29730	8
271296	250	4P	NM8NDC-250B TM 250 4P	25/25	29730	8
271297	125	4P	NM8NDC-250C TM 125 4P	36/36	31280	8
271298	160	4P	NM8NDC-250C TM 160 4P	36/36	31280	8
271302	250	4P	NM8NDC-250C TM 250 4P	36/36	32850	8
271303	125	4P	NM8NDC-250S TM 125 4P	50/50	32850	8
271304	160	4P	NM8NDC-250S TM 160 4P	50/50	32850	8
271308	250	4P	NM8NDC-250S TM 250 4P	50/50	32850	8
269328	250	4P	NM8NDC-400B TM 250 4P	25/25	66480	8
269331	400	4P	NM8NDC-400B TM 400 4P	25/25	66480	2
269332	250	4P	NM8NDC-400C TM 250 4P	36/36	68740	2
269335	400	4P	NM8NDC-400C TM 400 4P	36/36	68740	2
269336	250	4P	NM8NDC-400S TM 250 4P	50/50	70990	2
269339	400	4P	NM8NDC-400S TM 400 4P	50/50	70990	2
269376	400	4P	NM8NDC-630B TM 400 4P	25/25	71620	2
269381	400	4P	NM8NDC-630C TM 400 4P	36/36	74720	2
269386	400	4P	NM8NDC-630S TM 400 4P	50/50	77790	2
272995	630	4P	NM8NDC-800B TM 630 4P	25/25	155900	1
272997	800	4P	NM8NDC-800B TM 800 4P	25/25	155900	1
273014	630	4P	NM8NDC-800C TM 630 4P	36/36	162330	1
273016	800	4P	NM8NDC-800C TM 800 4P	36/36	162330	1
273018	630	4P	NM8NDC-800S TM 630 4P	50/50	169020	1
273020	800	4P	NM8NDC-800S TM 800 4P	50/50	169020	1

NM8N MCCB ACCESSORIES

	SKU Code	Sub-Category	Description	MRP (INR)	
	265343	Auxiliary Contact	AX21-M8	1640	
	265345	Alarm Contact	AL21-M8	1640	
	269599	Shut Release	SHT21-M8 AC220-240V	4040	
	512314	Shut Release	SHT21-M8 DC110V	4040	
	269604	Shut Release	SHT22-M8 AC220-240V	4040	
	512315	Shut Release	SHT22-M8 DC110V	4040	
	269610	Shut Release	SHT24-M8 AC220-240V	4950	
	586927	Shut Release	SHT24-M8 DC110V	4950	
	263380	Shut Release	SHT25-M8 AC220-240V	15740	
	269614	Under Voltage Release	UVT21-M8 AC110V	4040	
	269618	Under Voltage Release	UVT21-M8 DC110-120V	4040	
	269621	Under Voltage Release	UVT22-M8 AC220-240V	4040	
	269624	Under Voltage Release	UVT22-M8 DC110-120V	4040	
	269628	Under Voltage Release	UVT24-M8 AC220-240V	4950	
	269632	Under Voltage Release	UVT24-M8 DC110-120V	4950	
	263388	Under Voltage Release	UVT25-M8 AC220-240V	16490	
		269650	Extended Rotary Handle	SRH21-M8 3P	4990
		269650	Extended Rotary Handle	SRH21-M8 3P	4990
269651		Extended Rotary Handle	SRH21-M8 4P	4990	
269652		Extended Rotary Handle	SRH22-M8 3P	5460	
269653		Extended Rotary Handle	SRH22-M8 4P	5460	
269654		Extended Rotary Handle	SRH23-M8	5940	
269655		Extended Rotary Handle	SRH24-M8	9380	
263406		Extended Rotary Handle	SRH25-M8	16300	
269666		Extended Rotary Handle	ERH21-M8 T	5460	
269668		Extended Rotary Handle	ERH22-M8 T	5460	
269672		Extended Rotary Handle	ERH23-M8 T	6420	
269670		Extended Rotary Handle	ERH22-M8 E	5460	
269674	Extended Rotary Handle	ERH23-M8 E	6420		
	269702	FCP (Spreaders)	FCP21-M8 1P	690	
	269703	FCP (Spreaders)	FCP21-M8 2P	1200	
	269704	FCP (Spreaders)	FCP21-M8 3P	1730	
	269705	FCP (Spreaders)	FCP21-M8 4P	2190	
	269706	FCP (Spreaders)	FCP22-M8 1P	1220	
	269707	FCP (Spreaders)	FCP22-M8 2P	2300	
	269708	FCP (Spreaders)	FCP22-M8 3P	3290	
	269709	FCP (Spreaders)	FCP22-M8 4P	4290	
	269710	FCP (Spreaders)	FCP23-M8 3P	9770	
	269711	FCP (Spreaders)	FCP23-M8 4P	12880	
	304854	FCP (Spreaders)	FCP24-M8 3P	19080	
	304855	FCP (Spreaders)	FCP24-M8 4P	26380	
	263407	FCP (Spreaders)	FCP25-M8 3P(800-1250)	31130	
	263408	FCP (Spreaders)	FCP25-M8 4P(800-1250)	39990	
	263409	FCP (Spreaders)	FCP25-M8 3P(1600)	50160	
	263410	FCP (Spreaders)	FCP25-M8 4P(1600)	65830	
	269644	Motor Mechanism	MOD23-M8 AC380-415V	64330	
	269658	Direct Rotary Handle	DRH22-M8 T	3130	
	269720	Rare Connection Plate	RCP23-M8 3P	24090	



NM3DC 2P

- Rated Current: 200A-630A
- Rated Operational Voltage: upto 1500VDC
- Release Type: Thermal Magnetic Fixed Type

MCCB Frame	Poles	Release Type	Accessories Code	Rated Current
NM3DC	2P	TM	00: No	200A-630A



SKU Code	Rated Current (A)	Pole	Description	Breaking Capacity Icu/Ics (kA)	MRP (INR)	Packing
397310	200	2P	NM3DC-400HVF TM 200 2P	15/15	30170	1
397311	225	2P	NM3DC-400HVF TM 225 2P	15/15	30720	1
397312	250	2P	NM3DC-400HVF TM 250 2P	15/15	31250	1
397313	315	2P	NM3DC-400HVF TM 315 2P	15/15	31780	1
397314	350	2P	NM3DC-400HVF TM 350 2P	15/15	32310	1
397315	400	2P	NM3DC-400HVF TM 400 2P	15/15	32860	1
397316	400	2P	NM3DC-630HVF TM 400 2P	15/15	34630	1
397317	450	2P	NM3DC-630HVF TM 450 2P	15/15	35510	1
397318	500	2P	NM3DC-630HVF TM 500 2P	15/15	36410	1
397319	630	2P	NM3DC-630HVF TM 630 2P	15/15	37280	1

ACCESSORIES

SKU Code	Accessory Type	Description	MRP (INR)
408847	Auxiliary Contact	AX40-M3DC 11	1950
408848	Alarm Contact	AL40-M3DC 11	2120
408849	Auxiliary + Alarm Contact	AXL40-M3DC 11	2450
408850	Shunt Release	SHT40-M3DC A110	4980
408851	Shunt Release	SHT40-M3DC A220	4980
408852	Shunt Release	SHT40-M3DC A380	4980
408853	Shunt Release	SHT40-M3DC D024	4980
408854	Shunt Release	SHT40-M3DC D110	4980
408855	Shunt Release	SHT40-M3DC D220	4980
408856	Shunt + Auxiliary	SHTA40-M3DC 11 A110	5660
408857	Shunt + Auxiliary	SHTA40-M3DC 11 A220	5660
408858	Shunt + Auxiliary	SHTA40-M3DC 11 A380	5660
408859	Shunt + Auxiliary	SHTA40-M3DC 11 D024	5660
408860	Shunt + Auxiliary	SHTA40-M3DC 11 D110	5660
408861	Shunt + Auxiliary	SHTA40-M3DC 11 D220	5660
408862	Shunt + Alarm	SHTB40-M3DC 11 A110	5830
408863	Shunt + Alarm	SHTB40-M3DC 11 A220	5830
408864	Shunt + Alarm	SHTB40-M3DC 11 A380	5830
408865	Shunt + Alarm	SHTB40-M3DC 11 D024	5830
408866	Shunt + Alarm	SHTB40-M3DC 11 D110	5830
408867	Shunt + Alarm	SHTB40-M3DC 11 D220	5830

CHANGE OVER SWITCH | CHINT PRICE LIST



NH40S



NH40S Manual Changeover Switch - (Handle Operation From Outside)

- Rated Current: 16-3150A
- Rated Operational Voltage: 220V/230V/240V, 380V/400V/415V
- Number of Poles: 4P
- Side Handel | Double-Cast Switch | Inside the Cabinet Operation

Frame	Rated Current	Poles	Handle Position	Handle Operation
NH40	16-3150A	4:4P	Blank: Central handle C: Side handle	Blank: Direct W: Extended

SKU Code	Rated Current (A)	Pole	Description	MRP (INR)	Packing
393561	63A	4	NH40-63/4CSW	13080	8
393563	100A	4	NH40-100/4CSW	14580	8
393401	125A	4	NH40-125/4CSW	20970	2
393402	160A	4	NH40-160/4CSW	21980	2
393403	200A	4	NH40-200/4CSW	24790	2
393404	250A	4	NH40-250/4CSW	28940	2
393405	315A	4	NH40-315/4CSW	51540	1
393406	400A	4	NH40-400/4CSW	55330	1
393407	630A	4	NH40-630/4CSW	66060	1
393408	1000A	4	NH40-1000/4CSW	145330	1
393409	1250A	4	NH40-1250/4CSW	160740	1
393410	1600A	4	NH40-1600/4CSW	206570	1
393411	2000A	4	NH40-2000/4CSW	417120	1
393412	2500A	4	NH40-2500/4CSW	435140	1
393413	3150A	4	NH40-3150/4CSW	547660	1

AUTOMATIC TRANSFER SWITCH



NMZMN



NMZMN Series ATS (CB Type)

- Rated Current: 10A-800A
- Rated Operational Voltage: 400V/415V
- Number of Poles: 3P, 4P
- Controller Mode: D type (Intelligent: with Communication or Remote Operation)
- Utilization Category: AC-33B
- Standard: IEC 60947-1, IEC 60947-6-1

ATS Frame	Breaking Capacity	Poles	Controller Type	Rated Current
NMZMN-125	F/Q	3:3P 4:4P	DYK - Remote Operation DTK - Communication Type	10-800A

SKU Code	Rated Current (A)	Pole	Description	MRP (INR)
604680	100	4	NXZMN-125F/4DYK 100	31350
604681	125	4	NXZMN-125F/4DYK 125	32920
604727	160	4	NXZMN-250F/4DYK 160	49870
604730	200	4	NXZMN-250F/4DYK 200	52490
604733	250	4	NXZMN-250F/4DYK 250	55250
604787	315	4	NXZMN-400F/4DYK 315	95500
604788	350	4	NXZMN-400F/4DYK 350	100500
604789	400	4	NXZMN-400F/4DYK 400	105750
604830	630	4	NXZMN-630F/4DYK 630	142140
603162	800	4	NXZMN-800F/4DYK 800	162180
604705	100	4	NXZMN-125Q/4DYK 100	34480

AUTOMATIC TRANSFER SWITCH | CHINT PRICE LIST

SKU Code	Rated Current (A)	Pole	Description	MRP (INR)
604704	125	4	NXZMN-125Q/4DYK 125	36210
604757	160	4	NXZMN-250Q/4DYK 160	54850
604759	200	4	NXZMN-250Q/4DYK 200	57740
604761	250	4	NXZMN-250Q/4DYK 250	60770
604811	315	4	NXZMN-400Q/4DYK 315	105050
604812	350	4	NXZMN-400Q/4DYK 350	110550
604813	400	4	NXZMN-400Q/4DYK 400	116320
603140	630	4	NXZMN-630Q/4DYK 630	156360
603179	800	4	NXZMN-800Q/4DYK 800	178390
604676	100	4	NXZMN-125F/4DTK 100	34850
604677	125	4	NXZMN-125F/4DTK 125	36420
604723	160	4	NXZMN-250F/4DTK 160	53370
604725	200	4	NXZMN-250F/4DTK 200	55990
604728	250	4	NXZMN-250F/4DTK 250	58750
604782	315	4	NXZMN-400F/4DTK 315	99000
604785	350	4	NXZMN-400F/4DTK 350	104000
604784	400	4	NXZMN-400F/4DTK 400	109250
604835	630	4	NXZMN-630F/4DTK 630	146340
603159	800	4	NXZMN-800F/4DTK 800	166030
604700	100	4	NXZMN-125Q/4DTK 100	37980
604701	125	4	NXZMN-125Q/4DTK 125	39710
604752	160	4	NXZMN-250Q/4DTK 160	58350
604756	200	4	NXZMN-250Q/4DTK 200	61240
604758	250	4	NXZMN-250Q/4DTK 250	64270
604808	315	4	NXZMN-400Q/4DTK 315	108550
604807	350	4	NXZMN-400Q/4DTK 350	114050
604809	400	4	NXZMN-400Q/4DTK 400	119820
603144	630	4	NXZMN-630Q/4DTK 630	160560
603178	800	4	NXZMN-800Q/4DTK 800	182240

NMZBN Series ATS (CB Type)



NMZBN

- Rated Current: 10A-63A
- Rated Operational Voltage: 400V/415V
- Number of Poles: 2P, 3P, 4P
- Controller Mode: D type (Intelligent: with Communication or Remote Operation)
- Utilization Category: AC-33B
- Standard: IEC 60947-1, IEC 60947-6-1

ATS Frame	Breaking Capacity	Poles	Controller Type	Rated Current
NMZBN-63	S/H	2P/3P/4P	DYK - Remote Operation DTK - Communication Type	10A-63A



SKU Code	Rated Current (A)	Pole	Description	MRP (INR)
604413	16	2	NXZBN-63S/2DY C16	13550
604416	25	2	NXZBN-63S/2DY C25	13550
604415	32	2	NXZBN-63S/2DY C32	13550
604417	40	2	NXZBN-63S/2DY C40	14220
604418	50	2	NXZBN-63S/2DY C50	14220
604419	63	2	NXZBN-63S/2DY C63	14930
604421	16	2	NXZBN-63S/2DY D16	13890
604423	25	2	NXZBN-63S/2DY D25	13890
604424	32	2	NXZBN-63S/2DY D32	13890
604425	40	2	NXZBN-63S/2DY D40	14570
604426	50	2	NXZBN-63S/2DY D50	14570

AUTOMATIC TRANSFER SWITCH | CHINT PRICE LIST

SKU Code	Rated Current (A)	Pole	Description	MRP (INR)
604427	63	2	NXZBN-63S/2DY D63	15260
604268	16	2	NXZBN-63H/2DY C16	14900
604270	25	2	NXZBN-63H/2DY C25	14900
604271	32	2	NXZBN-63H/2DY C32	14900
604272	40	2	NXZBN-63H/2DY C40	15640
604273	50	2	NXZBN-63H/2DY C50	15640
604275	63	2	NXZBN-63H/2DY C63	16420
604276	16	2	NXZBN-63H/2DY D16	15270
604279	25	2	NXZBN-63H/2DY D25	15270
604278	32	2	NXZBN-63H/2DY D32	15270
604280	40	2	NXZBN-63H/2DY D40	16020
604281	50	2	NXZBN-63H/2DY D50	16020
604282	63	2	NXZBN-63H/2DY D63	16780
604495	25	4	NXZBN-63S/4DY C25	17330
604496	32	4	NXZBN-63S/4DY C32	17330
604497	40	4	NXZBN-63S/4DY C40	18190
604498	50	4	NXZBN-63S/4DY C50	18190
604499	63	4	NXZBN-63S/4DY C63	19090
604503	25	4	NXZBN-63S/4DY D25	17760
604504	32	4	NXZBN-63S/4DY D32	17760
604505	40	4	NXZBN-63S/4DY D40	18640
604506	50	4	NXZBN-63S/4DY D50	18640
604507	63	4	NXZBN-63S/4DY D63	19570
604336	25	4	NXZBN-63H/4DY C25	19060
604337	32	4	NXZBN-63H/4DY C32	19060
604338	40	4	NXZBN-63H/4DY C40	20010
604339	50	4	NXZBN-63H/4DY C50	20010
604340	63	4	NXZBN-63H/4DY C63	20990
604343	25	4	NXZBN-63H/4DY D25	19530
604344	32	4	NXZBN-63H/4DY D32	19530
604345	40	4	NXZBN-63H/4DY D40	20500
604346	50	4	NXZBN-63H/4DY D50	20500
604347	63	4	NXZBN-63H/4DY D63	21520
604396	16	2	NXZBN-63S/2DT C16	16700
604399	25	2	NXZBN-63S/2DT C25	16700
604400	32	2	NXZBN-63S/2DT C32	16700
604401	40	2	NXZBN-63S/2DT C40	17370
604402	50	2	NXZBN-63S/2DT C50	17370
604403	63	2	NXZBN-63S/2DT C63	18080
604405	16	2	NXZBN-63S/2DT D16	17040
604407	25	2	NXZBN-63S/2DT D25	17040
604408	32	2	NXZBN-63S/2DT D32	17040
604409	40	2	NXZBN-63S/2DT D40	17720
604410	50	2	NXZBN-63S/2DT D50	17720
604411	63	2	NXZBN-63S/2DT D63	18410
604252	16	2	NXZBN-63H/2DT C16	18050
604254	25	2	NXZBN-63H/2DT C25	18050
604255	32	2	NXZBN-63H/2DT C32	18050
604256	40	2	NXZBN-63H/2DT C40	18790
604257	50	2	NXZBN-63H/2DT C50	18790
604258	63	2	NXZBN-63H/2DT C63	19570
604260	16	2	NXZBN-63H/2DT D16	18420
604262	25	2	NXZBN-63H/2DT D25	18420
604263	32	2	NXZBN-63H/2DT D32	18420
604264	40	2	NXZBN-63H/2DT D40	19170
604265	50	2	NXZBN-63H/2DT D50	19170
604266	63	2	NXZBN-63H/2DT D63	19930
604479	25	4	NXZBN-63S/4DT C25	20480



AUTOMATIC TRANSFER SWITCH | CHINT PRICE LIST



SKU Code	Rated Current (A)	Pole	Description	MRP (INR)
604480	32	4	NXZBN-63S/4DT C32	20480
604481	40	4	NXZBN-63S/4DT C40	21340
604482	50	4	NXZBN-63S/4DT C50	21340
604483	63	4	NXZBN-63S/4DT C63	22240
604487	25	4	NXZBN-63S/4DT D25	20910
604488	32	4	NXZBN-63S/4DT D32	20910
604489	40	4	NXZBN-63S/4DT D40	21790
604490	50	4	NXZBN-63S/4DT D50	21790
604491	63	4	NXZBN-63S/4DT D63	22720
604323	25	4	NXZBN-63H/4DT C25	22210
604324	32	4	NXZBN-63H/4DT C32	22210
604325	40	4	NXZBN-63H/4DT C40	23160
604326	50	4	NXZBN-63H/4DT C50	23160
604327	63	4	NXZBN-63H/4DT C63	24140
604329	25	4	NXZBN-63H/4DT D25	22680
604332	32	4	NXZBN-63H/4DT D32	22680
604331	40	4	NXZBN-63H/4DT D40	23650
604333	50	4	NXZBN-63H/4DT D50	23650
604334	63	4	NXZBN-63H/4DT D63	24670



RT-28



RT-28 Cylindrical Fuse

- Rated Current - 2A~63A
- Rated Voltage - 500V AC 50Hz
- Standard - IEC 60269-2, GB/T 13539.2

Frame Size	Rated Current (A)	Base Type
RT28-32~63	2A - 63A	With Indication - X Without Indication - Nil

SKU Code	Fuse Type	Current Rating	Pole	Description	MRP (INR)	Packing
520474	Cylindrical Type	2A	1P	RT28-32 2A gG/gL	60	2400
520475	Cylindrical Type	4A	1P	RT28-32 4A gG/gL	60	2400
520476	Cylindrical Type	6A	1P	RT28-32 6A gG/gL	60	2400
520478	Cylindrical Type	10A	1P	RT28-32 10A gG/gL	60	2400
520480	Cylindrical Type	16A	1P	RT28-32 16A gG/gL	60	2400
520481	Cylindrical Type	20A	1P	RT28-32 20A gG/gL	60	2400
520482	Cylindrical Type	25A	1P	RT28-32 25A gG/gL	60	2400
520483	Cylindrical Type	32A	1P	RT28-32 32A gG/gL	60	2400
520489	Cylindrical Type	10A	1P	RT28-63 10A gG/gL	120	1000
520490	Cylindrical Type	16A	1P	RT28-63 16A gG/gL	120	1000
520491	Cylindrical Type	20A	1P	RT28-63 20A gG/gL	120	1000
520492	Cylindrical Type	25A	1P	RT28-63 25A gG/gL	120	1000
520493	Cylindrical Type	32A	1P	RT28-63 32A gG/gL	120	1000
520494	Cylindrical Type	40A	1P	RT28-63 40A gG/gL	120	1000
520495	Cylindrical Type	50A	1P	RT28-63 50A gG/gL	120	1000
520496	Cylindrical Type	63A	1P	RT28-63 63A gG/gL	120	1000
520484	Fuse base	32A	1P	BASE RT28N-32 1P	210	240
520485	Fuse base	32A	2P	BASE RT28N-32 2P	410	120
520486	Fuse base	32A	3P	BASE RT28N-32 3P	630	80
520441	Fuse base	32A	1P	Base RT28N-32X 1P	210	240
520487	Fuse base	32A	2P	BASE RT28N-32X 2P	410	120
520488	Fuse base	32A	3P	BASE RT28N-32X 3P	630	80
520512	Fuse base	63A	1P	BASE RT28-63 1P	500	108
520513	Fuse base	63A	2P	BASE RT28-63 2P	980	54
520514	Fuse base	63A	3P	BASE RT28-63 3P	1490	36
520515	Fuse base	63A	1P	BASE RT28-63X 1P	500	108
520516	Fuse base	63A	2P	BASE RT28-63X 2P	980	54
520517	Fuse base	63A	3P	BASE RT28-63X 3P	1490	36



NRZ28



NRZ 28 Series - Solar DC Protection Fuse

- Rated current: 2A - 20A
- Rated operational voltage: DC 1000V
- Standard : IEC60269-2

Frame Size	Breaking Capacity (kA)	Rated Current	Base Type
NRZ28	20	2A - 20A	With Indication - X Without Indication - Nil

SKU Code	Fuse Type	Current Rating	Pole	Description	MRP (INR)	Packing
676024	Cylindrical Type(DC fuse)	2A	1P	NRZ28-20 2A	590	2400
676028	Cylindrical Type(DC fuse)	4A	1P	NRZ28-20 4A	590	2400
676029	Cylindrical Type(DC fuse)	6A	1P	NRZ28-20 6A	590	2400
676030	Cylindrical Type(DC fuse)	8A	1P	NRZ28-20 8A	590	2400
676022	Cylindrical Type(DC fuse)	10A	1P	NRZ28-20 10A	590	2400
676031	Cylindrical Type(DC fuse)	12A	1P	NRZ28-20 12A	590	2400
676025	Cylindrical Type(DC fuse)	15A	1P	NRZ28-20 15A	590	2400
676032	Cylindrical Type(DC fuse)	16A	1P	NRZ28-20 16A	590	2400
676033	Cylindrical Type(DC fuse)	20A	1P	NRZ28-20 20A	590	2400
676026	Fuse base	20A	1P	Base NRZ28-20 1P	580	240



RT-36



RT36 Series Knife Contact Fuse

- Rated Current - 4A~1250A
- Rated Voltage - Upto 690V AC / 440V DC
- Standard - IEC 60269-2, GB/T 13539.2


Frame Size	Current	Breaking Capacity (kA)
RT36-00~4	4A-1250A	50~120

SKU Code	Fuse Type	Current Rating	Pole	Description	MRP (INR)	Packing
521504	DIN Type	4A	1P	RT36-00 4A gG	470	120
521505	DIN Type	6A	1P	RT36-00 6A gG	470	120
521506	DIN Type	10A	1P	RT36-00 10A gG	470	120
521507	DIN Type	16A	1P	RT36-00 16A gG	470	120
521508	DIN Type	25A	1P	RT36-00 25A gG	470	120
521509	DIN Type	32A	1P	RT36-00 32A gG	470	120
521510	DIN Type	35A	1P	RT36-00 35A gG	480	120
521511	DIN Type	40A	1P	RT36-00 40A gG	480	120
521512	DIN Type	50A	1P	RT36-00 50A gG	480	120
521514	DIN Type	63A	1P	RT36-00 63A gG	480	120
521515	DIN Type	80A	1P	RT36-00 80A gG	500	120
521516	DIN Type	100A	1P	RT36-00 100A gG	500	120
521517	DIN Type	125A	1P	RT36-00 125A gG	570	120
521518	DIN Type	160A	1P	RT36-00 160A gG	600	120
521519	DIN Type	80A	1P	RT36-1 80A gG	980	36
521520	DIN Type	100A	1P	RT36-1 100A gG	980	36
521521	DIN Type	125A	1P	RT36-1 125A gG	1020	36
521522	DIN Type	160A	1P	RT36-1 160A gG	1050	36
521523	DIN Type	200A	1P	RT36-1 200A gG	1050	36
521524	DIN Type	224A	1P	RT36-1 224A gG	1050	36
521525	DIN Type	250A	1P	RT36-1 250A gG	1100	36
521526	DIN Type	125A	1P	RT36-2 125A gG	1400	30
521527	DIN Type	160A	1P	RT36-2 160A gG	1420	30
521528	DIN Type	200A	1P	RT36-2 200A gG	1470	30
521529	DIN Type	224A	1P	RT36-2 224A gG	1470	30
521530	DIN Type	250A	1P	RT36-2 250A gG	1470	30
521531	DIN Type	300A	1P	RT36-2 300A gG	1470	30
521532	DIN Type	315A	1P	RT36-2 315A gG	1470	30
521533	DIN Type	355A	1P	RT36-2 355A gG	1470	30
521534	DIN Type	400A	1P	RT36-2 400A gG	1530	30
521535	DIN Type	315A	1P	RT36-3 315A gG	2060	24
521536	DIN Type	355A	1P	RT36-3 355A gG	2060	24
521537	DIN Type	400A	1P	RT36-3 400A gG	2100	24
521538	DIN Type	425A	1P	RT36-3 425A gG	2100	24
521539	DIN Type	500A	1P	RT36-3 500A gG	2140	24
521540	DIN Type	630A	1P	RT36-3 630A gG	2180	24
521541	DIN Type	800A	1P	RT36-4 800A gG	6840	12
521542	DIN Type	1000A	1P	RT36-4 1000A gG	6970	12
521543	DIN Type	1250A	1P	RT36-4 1250A gG	7120	12
521544	Fuse base	160A	1P	BASE RT36-00	550	126
521545	Fuse base	250A	1P	BASE RT36-1 250A	1330	24
521546	Fuse base	400A	1P	BASE RT36-2 400A	2510	18
521547	Fuse base	630A	1P	BASE RT36-3 630A	4550	18
521548	Fuse base	1250A	1P	BASE RT36-4 1250A	13340	6



Ex9FP30 - DC Fuse

- Rated Current: upto 30A
- Rated Voltage: 1500VDC
- Standard: IEC/EN 60947-3



SKU Code	Fuse Type	Current Rating (A)	Pole	Description	MRP (INR)	Packing
396808	DC 1500V	20	1P	Ex9FP30 20H IEC	490	1
436528	DC 1500V	25	1P	Ex9FP30 25H IEC	510	1
437437	DC 1500V	30	1P	Ex9FP30 30H IEC	530	1
437436	Base		1P	Ex9FP30H IEC	630	1

CONTROL GEAR & AUTOMATION PRODUCTS




CONTACTORS | CHINT PRICE LIST



NC1 Contactor - 3P (AC Coil)

- Rated current: 09A~95A
- Coil voltage (50/60Hz) - 24V,36V,48V,110V,127V,220V,230V,240V,380V,415V
- Standard: IEC/EN 60947-4-1
- Operating Voltage - 690V AC
- Utilization Category - AC-3, AC-4



Frame Size	Auxiliary Contact	Main Contact	Operating Frequency
NC1-09~95	01 - 1 NC 10 - 1 NO 11 - 1 NO+1 NC	3 NO	50/60Hz

	SKU Code	Rated Current (AC-3)	Model Description(EN)	Main Power Contact	Auxiliary Contact	MRP (INR)	Packing
NC1 - 9A	220787	9A	NC1-0901 110V 50/60Hz	3NO	1NC -	1660	50
	220799	9A	NC1-0901 230V 50/60Hz	3NO	1NC -	1660	50
	220818	9A	NC1-0901 415V 50/60Hz	3NO	1NC -	1660	50
	221038	9A	NC1-0910 24V 50/60Hz	3NO	- 1NO	1660	50
	221059	9A	NC1-0910 48V 50/60Hz	3NO	- 1NO	1660	50
	221020	9A	NC1-0910 110V 50/60Hz	3NO	- 1NO	1660	50
	221032	9A	NC1-0910 230V 50/60Hz	3NO	- 1NO	1660	50
	221050	9A	NC1-0910 415V 50/60Hz	3NO	- 1NO	1660	50
NC1 - 12A	221133	12A	NC1-1201 24V 50/60Hz	3NO	1NC -	1850	50
	221154	12A	NC1-1201 48V 50/60Hz	3NO	1NC -	1850	50
	221115	12A	NC1-1201 110V 50/60Hz	3NO	1NC -	1850	50
	221127	12A	NC1-1201 230V 50/60Hz	3NO	1NC -	1850	50
	221145	12A	NC1-1201 415V 50/60Hz	3NO	1NC -	1850	50
	221363	12A	NC1-1210 24V 50/60Hz	3NO	- 1NO	1850	50
	221384	12A	NC1-1210 48V 50/60Hz	3NO	- 1NO	1850	50
	221346	12A	NC1-1210 110V 50/60Hz	3NO	- 1NO	1850	50
NC1 - 18A	225513	12A	NC1-1210 230V 50/60Hz	3NO	- 1NO	1850	50
	221375	12A	NC1-1210 415V 50/60Hz	3NO	- 1NO	1850	50
	221455	18A	NC1-1801 24V 50/60Hz	3NO	1NC -	2180	50
	221476	18A	NC1-1801 48V 50/60Hz	3NO	1NC -	2180	50
	221440	18A	NC1-1801 110V 50/60Hz	3NO	1NC -	2180	50
	221449	18A	NC1-1801 230V 50/60Hz	3NO	1NC -	2180	50
	221467	18A	NC1-1801 415V 50/60Hz	3NO	1NC -	2180	50
	221550	18A	NC1-1810 24V 50/60Hz	3NO	- 1NO	2180	50
NC1 - 25A	221568	18A	NC1-1810 48V 50/60Hz	3NO	- 1NO	2180	50
	221532	18A	NC1-1810 110V 50/60Hz	3NO	- 1NO	2180	50
	221544	18A	NC1-1810 230V 50/60Hz	3NO	- 1NO	2180	50
	221562	18A	NC1-1810 415V 50/60Hz	3NO	- 1NO	2180	50
	221639	25A	NC1-2501 24V 50/60Hz	3NO	1NC -	2880	32
	221660	25A	NC1-2501 48V 50/60Hz	3NO	1NC -	2880	32
	221624	25A	NC1-2501 110V 50/60Hz	3NO	1NC -	2880	32
	221633	25A	NC1-2501 230V 50/60Hz	3NO	1NC -	2880	32
NC1 - 32A	221651	25A	NC1-2501 415V 50/60Hz	3NO	1NC -	2880	32
	221870	25A	NC1-2510 24V 50/60Hz	3NO	- 1NO	2880	32
	221891	25A	NC1-2510 48V 50/60Hz	3NO	- 1NO	2880	32
	221852	25A	NC1-2510 110V 50/60Hz	3NO	- 1NO	2880	32
	221864	25A	NC1-2510 230V 50/60Hz	3NO	- 1NO	2880	32
	221882	25A	NC1-2510 415V 50/60Hz	3NO	- 1NO	2880	32
	221962	32A	NC1-3201 24V 50/60Hz	3NO	1NC -	5110	32
	221983	32A	NC1-3201 48V 50/60Hz	3NO	1NC -	5110	32
NC1 - 40A	221947	32A	NC1-3201 110V 50/60Hz	3NO	1NC -	5110	32
	221956	32A	NC1-3201 230V 50/60Hz	3NO	1NC -	5110	32
	221974	32A	NC1-3201 415V 50/60Hz	3NO	1NC -	5110	32
	222056	32A	NC1-3210 24V 50/60Hz	3NO	- 1NO	5110	32
	222077	32A	NC1-3210 48V 50/60Hz	3NO	- 1NO	5110	32
	222039	32A	NC1-3210 110V 50/60Hz	3NO	- 1NO	5110	32
	225514	32A	NC1-3210 230V 50/60Hz	3NO	- 1NO	5110	32
	222068	32A	NC1-3210 415V 50/60Hz	3NO	- 1NO	5110	32
NC1 - 50A	222277	40A	NC1-4011 24V 50/60Hz	3NO	1NC 1NO	7730	16
	222298	40A	NC1-4011 48V 50/60Hz	3NO	1NC 1NO	7730	16
	222259	40A	NC1-4011 110V 50/60Hz	3NO	1NC 1NO	7730	16
	222271	40A	NC1-4011 230V 50/60Hz	3NO	1NC 1NO	7730	16
	222289	40A	NC1-4011 415V 50/60Hz	3NO	1NC 1NO	7730	16
	222498	50A	NC1-5011 24V 50/60Hz	3NO	1NC 1NO	8640	16
	222519	50A	NC1-5011 48V 50/60Hz	3NO	1NC 1NO	8640	16
	222480	50A	NC1-5011 110V 50/60Hz	3NO	1NC 1NO	8640	16
	222492	50A	NC1-5011 230V 50/60Hz	3NO	1NC 1NO	8640	16
	222510	50A	NC1-5011 415V 50/60Hz	3NO	1NC 1NO	8640	16
	222719	65A	NC1-6511 24V 50/60Hz	3NO	1NC 1NO	11970	16
	222740	65A	NC1-6511 48V 50/60Hz	3NO	1NC 1NO	11970	16

CONTACTORS | CHINT PRICE LIST

	SKU Code	Rated Current (AC-3)	Model Description(EN)	Main Power Contact	Auxiliary Contact	MRP (INR)	Packing
NC1 - 65A	222701	65A	NC1-6511 110V 50/60Hz	3NO	1NC 1NO	11970	16
	222713	65A	NC1-6511 230V 50/60Hz	3NO	1NC 1NO	11970	16
	222731	65A	NC1-6511 415V 50/60Hz	3NO	1NC 1NO	11970	16
NC1 - 80A	222940	80A	NC1-8011 24V 50/60Hz	3NO	1NC 1NO	15960	12
	222961	80A	NC1-8011 48V 50/60Hz	3NO	1NC 1NO	15960	12
	222922	80A	NC1-8011 110V 50/60Hz	3NO	1NC 1NO	15960	12
	222934	80A	NC1-8011 230V 50/60Hz	3NO	1NC 1NO	15960	12
	222952	80A	NC1-8011 415V 50/60Hz	3NO	1NC 1NO	15960	12
NC1 - 95A	223161	95A	NC1-9511 24V 50/60Hz	3NO	1NC 1NO	18680	12
	223182	95A	NC1-9511 48V 50/60Hz	3NO	1NC 1NO	18680	12
	223143	95A	NC1-9511 110V 50/60Hz	3NO	1NC 1NO	18680	12
	223155	95A	NC1-9511 230V 50/60Hz	3NO	1NC 1NO	18680	12
	223173	95A	NC1-9511 415V 50/60Hz	3NO	1NC 1NO	18680	12

Note:


- (i) NC1 Series Contactors are also available with following AC coil Voltage (50/60Hz)
- (ii) 36V, 127V, 220V, 240V, 380V, 440V, 480V (Please contact nearest sales office for the SKU code & Price)
- (iii) 9A to 32A - Built in 1NO or 1NC contact (iv) 40A to 95A - Built in 1NO+1NC contact



NC1 Contactor - 4P (AC Coil)

- Rated current: 09A~95A
- Coil Voltage (50/60Hz) - 24V,36V,48V,110V,127V,220V,230V,240V,380V,415V
- Compliant Standard: IEC/EN 60947-4-1
- Operating Voltage - 690V AC
- Utilization Category - AC-3, AC-4

NC1



Frame Size	Auxiliary Contact	Main Contact	Operating Frequency
NC1-09~95	N/A	04:4 N/O 08:2NO+2NC	50/60Hz

	SKU Code	Rated Current (AC-3)	Rated Current (AC-1)	Model Description(EN)	Main Power Contact	Auxiliary Contact	MRP (INR)	Packing
NC1 - 9A	220899	9A	25A	NC1-0904 24V 50/60Hz	4NO	- -	2010	50
	220920	9A	25A	NC1-0904 48V 50/60Hz	4NO	- -	2010	50
	220884	9A	25A	NC1-0904 110V 50/60Hz	4NO	- -	2010	50
	220893	9A	25A	NC1-0904 230V 50/60Hz	4NO	- -	2010	50
	220911	9A	25A	NC1-0904 415V 50/60Hz	4NO	- -	2010	50
NC1 - 12A	221225	12A	25A	NC1-1204 24V 50/60Hz	4NO	- -	2190	50
	221246	12A	25A	NC1-1204 48V 50/60Hz	4NO	- -	2190	50
	221210	12A	25A	NC1-1204 110V 50/60Hz	4NO	- -	2190	50
	221219	12A	25A	NC1-1204 230V 50/60Hz	4NO	- -	2190	50
	221237	12A	25A	NC1-1204 415V 50/60Hz	4NO	- -	2190	50
NC1 - 25A	221731	25A	40A	NC1-2504 24V 50/60Hz	4NO	- -	3850	32
	221752	25A	40A	NC1-2504 48V 50/60Hz	4NO	- -	3850	32
	221716	25A	40A	NC1-2504 110V 50/60Hz	4NO	- -	3850	32
	221725	25A	40A	NC1-2504 230V 50/60Hz	4NO	- -	3850	32
	221743	25A	40A	NC1-2504 415V 50/60Hz	4NO	- -	3850	32
NC1 - 40A	222148	40A	60A	NC1-4004 24V 50/60Hz	4NO	- -	9960	12
	222169	40A	60A	NC1-4004 48V 50/60Hz	4NO	- -	9960	12
	222133	40A	60A	NC1-4004 110V 50/60Hz	4NO	- -	9960	12
	222142	40A	60A	NC1-4004 230V 50/60Hz	4NO	- -	9960	12
	222160	40A	60A	NC1-4004 415V 50/60Hz	4NO	- -	9960	12
NC1 - 50A	222369	50A	80A	NC1-5004 24V 50/60Hz	4NO	- -	11100	12
	222390	50A	80A	NC1-5004 48V 50/60Hz	4NO	- -	11100	12
	222354	50A	80A	NC1-5004 110V 50/60Hz	4NO	- -	11100	12
	222363	50A	80A	NC1-5004 230V 50/60Hz	4NO	- -	11100	12
	222381	50A	80A	NC1-5004 415V 50/60Hz	4NO	- -	11100	12
NC1 - 65A	222590	65A	80A	NC1-6504 24V 50/60Hz	4NO	- -	16480	12
	222611	65A	80A	NC1-6504 48V 50/60Hz	4NO	- -	16480	12
	222575	65A	80A	NC1-6504 110V 50/60Hz	4NO	- -	16480	12
	222584	65A	80A	NC1-6504 230V 50/60Hz	4NO	- -	16480	12
	222602	65A	80A	NC1-6504 415V 50/60Hz	4NO	- -	16480	12
NC1 - 80A	222811	80A	110A	NC1-8004 24V 50/60Hz	4NO	- -	21880	12
	222832	80A	110A	NC1-8004 48V 50/60Hz	4NO	- -	21880	12
	222796	80A	110A	NC1-8004 110V 50/60Hz	4NO	- -	21880	12
	222805	80A	110A	NC1-8004 230V 50/60Hz	4NO	- -	21880	12
	222823	80A	110A	NC1-8004 415V 50/60Hz	4NO	- -	21880	12
NC1 - 95A	223032	95A	110A	NC1-9504 24V 50/60Hz	4NO	- -	25650	12
	223053	95A	110A	NC1-9504 48V 50/60Hz	4NO	- -	25650	12
	223017	95A	110A	NC1-9504 110V 50/60Hz	4NO	- -	25650	12
	223026	95A	110A	NC1-9504 230V 50/60Hz	4NO	- -	25650	12
	223044	95A	110A	NC1-9504 415V 50/60Hz	4NO	- -	25650	12



CONTACTORS | CHINT PRICE LIST

NC1 Contactor - 3P (DC Coil)



- Rated current: 09A~95A
- Coil voltage (DC) -24V,36V,48V,110V,220V
- Standard: IEC/EN 60947-4-1
- Operating Voltage - 690V AC
- Utilization Category - AC-3, AC-4

NC1




	SKU Code	Rated Current (AC-3)	Model Description(EN)	Main Power Contact	Auxiliary Contact	MRP (INR)	Packing
NC1 - 9A	220881	9A	NC1-0901Z 24V	3NO	- 1NC	3830	30
	220882	9A	NC1-0901Z 48V	3NO	- 1NC	3830	30
	220879	9A	NC1-0901Z 110V	3NO	- 1NC	3830	30
	220880	9A	NC1-0901Z 220V	3NO	1NO 1NC	3830	30
	221112	9A	NC1-0910Z 24V	3NO	1NO -	3830	30
	221113	9A	NC1-0910Z 48V	3NO	1NO -	3830	30
	221110	9A	NC1-0910Z 110V	3NO	1NO -	3830	30
221111	9A	NC1-0910Z 220V	3NO	1NO -	3830	30	
NC1 - 12A	221207	12A	NC1-1201Z 24V	3NO	- 1NC	4180	30
	221208	12A	NC1-1201Z 48V	3NO	- 1NC	4180	30
	221205	12A	NC1-1201Z 110V	3NO	- 1NC	4180	30
	221206	12A	NC1-1201Z 220V	3NO	- 1NC	4180	30
	221437	12A	NC1-1210Z 24V	3NO	1NO -	4180	30
	221438	12A	NC1-1210Z 48V	3NO	1NO -	4180	30
	221435	12A	NC1-1210Z 110V	3NO	1NO -	4180	30
221436	12A	NC1-1210Z 220V	3NO	1NO -	4180	30	
NC1 - 18A	221529	18A	NC1-1801Z 24V	3NO	- 1NC	4900	30
	221530	18A	NC1-1801Z 48V	3NO	- 1NC	4900	30
	221527	18A	NC1-1801Z 110V	3NO	- 1NC	4900	30
	221528	18A	NC1-1801Z 220V	3NO	- 1NC	4900	30
	221621	18A	NC1-1810Z 24V	3NO	1NO -	4900	30
	221622	18A	NC1-1810Z 48V	3NO	1NO -	4900	30
	221619	18A	NC1-1810Z 110V	3NO	1NO -	4900	30
221620	18A	NC1-1810Z 220V	3NO	1NO -	4900	30	
NC1 - 25A	221713	25A	NC1-2501Z 24V	3NO	- 1NC	6580	30
	221714	25A	NC1-2501Z 48V	3NO	- 1NC	6580	30
	221711	25A	NC1-2501Z 110V	3NO	- 1NC	6580	30
	221712	25A	NC1-2501Z 220V	3NO	- 1NC	6580	30
	221944	25A	NC1-2510Z 24V	3NO	1NO -	6580	30
	221945	25A	NC1-2510Z 48V	3NO	1NO -	6580	30
	221942	25A	NC1-2510Z 110V	3NO	1NO -	6580	30
221943	25A	NC1-2510Z 220V	3NO	1NO -	6580	30	
NC1 - 32A	222036	32A	NC1-3201Z 24V	3NO	- 1NC	9640	30
	222037	32A	NC1-3201Z 48V	3NO	- 1NC	9640	30
	222034	32A	NC1-3201Z 110V	3NO	- 1NC	9640	30
	222035	32A	NC1-3201Z 220V	3NO	- 1NC	9640	30
	222130	32A	NC1-3210Z 24V	3NO	1NO -	9640	30
	222131	32A	NC1-3210Z 48V	3NO	1NO -	9640	30
	222128	32A	NC1-3210Z 110V	3NO	1NO -	9640	30
222129	32A	NC1-3210Z 220V	3NO	1NO -	9640	30	
NC1 - 40A	222351	40A	NC1-4011Z 24V	3NO	1NO 1NC	16650	8
	222352	40A	NC1-4011Z 48V	3NO	1NO 1NC	16650	8
	222349	40A	NC1-4011Z 110V	3NO	1NO 1NC	16650	8
	222350	40A	NC1-4011Z 220V	3NO	1NO 1NC	16650	8
NC1 - 50A	222572	50A	NC1-5011Z 24V	3NO	1NO 1NC	19130	8
	222573	50A	NC1-5011Z 48V	3NO	1NO 1NC	19130	8
	222570	50A	NC1-5011Z 110V	3NO	1NO 1NC	19130	8
	222571	50A	NC1-5011Z 220V	3NO	1NO 1NC	19130	8
NC1 - 65A	222793	65A	NC1-6511Z 24V	3NO	1NO 1NC	22390	8
	222794	65A	NC1-6511Z 48V	3NO	1NO 1NC	22390	8
	222791	65A	NC1-6511Z 110V	3NO	1NO 1NC	22390	8
	222792	65A	NC1-6511Z 220V	3NO	1NO 1NC	22390	8
NC1 - 80A	223014	80A	NC1-8011Z 24V	3NO	1NO 1NC	30570	8
	223015	80A	NC1-8011Z 48V	3NO	1NO 1NC	30570	8
	223012	80A	NC1-8011Z 110V	3NO	1NO 1NC	30570	8
	223013	80A	NC1-8011Z 220V	3NO	1NO 1NC	30570	8
NC1 - 95A	223235	95A	NC1-9511Z 24V	3NO	1NO 1NC	35660	8
	223236	95A	NC1-9511Z 48V	3NO	1NO 1NC	35660	8
	223233	95A	NC1-9511Z 110V	3NO	1NO 1NC	35660	8
	223234	95A	NC1-9511Z 220V	3NO	1NO 1NC	35660	8



NC1 Contactor - 4P (DC Coil)

- Rated current: 09A~95A
- Coil Voltage (DC) - 24V,36V,48V,110V,220V
- Compliant Standard: IEC/EN 60947-4-1
- Operating Voltage - 690V AC
- Utilization Category - AC-3, AC-4



Frame Size	Auxiliary Contact	Main Contact
NC1-09Z~95Z	N/A	04:4 N/O 08:2NO+2NC

	SKU Code	Rated Current (AC-3)	Rated Current (AC-1)	Description	Main Power Contact	Auxiliary Contact	MRP (INR)	Packing
NC1 -9A	220970	9A	25A	NC1-0904Z 24V	4NO	- -	4620	30
	220971	9A	25A	NC1-0904Z 48V	4NO	- -	4620	30
	220968	9A	25A	NC1-0904Z 110V	4NO	- -	4620	30
	220969	9A	25A	NC1-0904Z 220V	4NO	- -	4620	30
NC1 -12A	221296	12A	25A	NC1-1204Z 24V	4NO	- -	5040	30
	221297	12A	25A	NC1-1204Z 48V	4NO	- -	5040	30
	221294	12A	25A	NC1-1204Z 110V	4NO	- -	5040	30
	221295	12A	25A	NC1-1204Z 220V	4NO	- -	5040	30
NC1 -25A	221802	25A	40A	NC1-2504Z 24V	4NO	- -	8460	20
	221803	25A	40A	NC1-2504Z 48V	4NO	- -	8460	20
	221800	25A	40A	NC1-2504Z 110V	4NO	- -	8460	20
	221801	25A	40A	NC1-2504Z 220V	4NO	- -	8460	20
NC1 -40A	225576	40A	60A	NC1-4004Z 24V	4NO	- -	20670	4
	226012	40A	60A	NC1-4004Z 48V	4NO	- -	20670	4
	225943	40A	60A	NC1-4004Z 110V	4NO	- -	20670	4
	225945	40A	60A	NC1-4004Z 220V	4NO	- -	20670	4
NC1 -50A	225578	50A	80A	NC1-5004Z 24V	4NO	- -	22940	4
	226019	50A	80A	NC1-5004Z 48V	4NO	- -	22940	4
	225951	50A	80A	NC1-5004Z 110V	4NO	- -	22940	4
	225953	50A	80A	NC1-5004Z 220V	4NO	- -	22940	4
NC1 -65A	225844	65A	80A	NC1-6504Z 24V	4NO	- -	29570	6
	226020	65A	80A	NC1-6504Z 48V	4NO	- -	29570	6
	225960	65A	80A	NC1-6504Z 110V	4NO	- -	29570	6
	225962	65A	80A	NC1-6504Z 220V	4NO	- -	29570	6
NC1 -80A	225579	80A	110A	NC1-8004Z 24V	4NO	- -	39140	6
	226021	80A	110A	NC1-8004Z 48V	4NO	- -	39140	6
	225969	80A	110A	NC1-8004Z 110V	4NO	- -	39140	6
	225971	80A	110A	NC1-8004Z 220V	4NO	- -	39140	6
NC1 -95A	225582	95A	110A	NC1-9504Z 24V	4NO	- -	45570	6
	226022	95A	110A	NC1-9504Z 48V	4NO	- -	45570	6
	225979	95A	110A	NC1-9504Z 110V	4NO	- -	45570	6
	225981	95A	110A	NC1-9504Z 220V	4NO	- -	45570	6

Note:

- (i) NC1 Series Contactors are also available with following DC coil Voltage
- (ii) 24V, 36V, 48V, 110V, 220V DC (Please contact nearest sales office for the SKU code & Price)
- (iii) 4Pole contactor with 2NO+2NC power contacts available (Please contact nearest sales office for the SKU code & Price)
- (iv) Auxiliary contact should be ordered separately. No Builtin Auxiliary contact

ACCESSORIES | CHINT PRICE LIST



SKU Code	Accessory Type	Description	MRP (INR)	Packing
234489	Coil	NC1-09-18 coil 24V 50/60Hz	780	160
234493	Coil	NC1-09-18 coil 48V 50/60Hz	780	160
234495	Coil	NC1-09-18 coil 110V 50/60Hz	780	160
234519	Coil	NC1-09-18 coil 230V 50/60Hz	780	160
234487	Coil	NC1-09-18 coil 415V 50/60Hz	780	160
234395	Coil	NC1-25-32 coil 24V 50/60Hz	940	128
234401	Coil	NC1-25-32 coil 48V 50/60Hz	940	128
234403	Coil	NC1-25-32 coil 110V 50/60Hz	940	128
234408	Coil	NC1-25-32 coil 220V 50/60Hz	940	128
234432	Coil	NC1-25-32 coil 230V 50/60Hz	940	128
234393	Coil	NC1-25-32 coil 415V 50/60Hz	940	128
234338	Coil	NC1-40-95 coil 24V 50/60Hz	1680	64
234362	Coil	NC1-40-95 coil 48V 50/60Hz	1680	64
234626	Coil	NC1-40-95 coil 110V 50/60Hz	1680	64
234389	Coil	NC1-40-95 coil 230V 50/60Hz	1680	64
234337	Coil	NC1-40-95 coil 415V 50/60Hz	1680	64



SKU Code	Accessory Type	Description	MRP (INR)	Packing
439515	Auxiliary Contact - Top Mounting	F4-02	290	400
439517	Auxiliary Contact - Top Mounting	F4-20	290	400
439516	Auxiliary Contact - Top Mounting	F4-11	290	400
439518	Auxiliary Contact - Top Mounting	F4-04	480	240
439522	Auxiliary Contact - Top Mounting	F4-40	480	240
439519	Auxiliary Contact - Top Mounting	F4-13	480	240
439521	Auxiliary Contact - Top Mounting	F4-31	480	240
439520	Auxiliary Contact - Top Mounting	F4-22	480	240
439537	Auxiliary Contact - Side Mounting	NCF1-11C	730	150



SKU Code	Accessory Type	Description	MRP (INR)	Packing
258018	Pneumatic Timer	F5-D0	2400	200
258019	Pneumatic Timer	F5-D2	2400	200
258020	Pneumatic Timer	F5-D4	2400	200
258021	Pneumatic Timer	F5-T0	2400	200
258022	Pneumatic Timer	F5-T2	2400	200
258023	Pneumatic Timer	F5-T4	2400	200





SKU Code	Accessory Type	Description	MRP (INR)	Packing
256717	Mechanical Interlock	NC1-09-32 / NXC-09-38	500	200
777989	Mechanical Interlock	NC1-40-65 / NXC-40-65	1440	200
777988	Mechanical Interlock	NC1-80-95 / NXC-75-100 / NC1-4004-6504	1850	200
204604	Mechanical Interlock	NC1-8004-9504	1950	200



NC2 Contactor - 3P (AC Coil)

- Rated current: 115A-800A
- Coil Voltage (50/60 Hz) - 110V~415V
- Utilization Category - AC-3, AC-4
- Standard: IEC/EN 60947-4-1




	SKU Code	Rated Current (AC-3)	Description	Main Power Contact	Auxiliary Contact	MRP (INR)	Packing
NC2 - 115A	236683	115A	NC2-115 110V-127V	3NO	- -	28830	2
	671433	115A	NC2-115 220V-240V	3NO	- -	28830	2
	671690	115A	NC2-115 380V-415V	3NO	- -	28830	2
NC2 - 150A	236579	150A	NC2-150 110V-127V	3NO	- -	30780	2
	671398	150A	NC2-150 220V-240V	3NO	- -	30780	2
	671691	150A	NC2-150 380V-415V	3NO	- -	30780	2
NC2 - 185A	236580	185A	NC2-185 110V-127V	3NO	- -	35830	2
	671435	185A	NC2-185 220V-240V	3NO	- -	35830	2
	671692	185A	NC2-185 380V-415V	3NO	- -	35830	2
NC2 - 225A	236978	225A	NC2-225 110V-127V	3NO	- -	39510	2
	671400	225A	NC2-225 220V-240V	3NO	- -	39510	2
	671693	225A	NC2-225 380V-415V	3NO	- -	39510	2
NC2 - 265A	237026	265A	NC2-265 110V	3NO	- -	57090	2
	671402	265A	NC2-265 230V	3NO	- -	57090	2
	237071	265A	NC2-265 415V	3NO	- -	57090	2
NC2 - 330A	236046	330A	NC2-330 110V	3NO	- -	78590	2
	236058	330A	NC2-330 230V	3NO	- -	78590	2
	236070	330A	NC2-330 415V	3NO	- -	78590	2
NC2 - 400A	236145	400A	NC2-400 110V	3NO	- -	86350	2
	236157	400A	NC2-400 230V	3NO	- -	86350	2
	236169	400A	NC2-400 415V	3NO	- -	86350	2
NC2 - 500A	236245	500A	NC2-500 110V	3NO	- -	146630	1
	236583	500A	NC2-500 230V	3NO	- -	146630	1
	236268	500A	NC2-500 415V	3NO	- -	146630	1
NC2 - 630A	236295	630A	NC2-630 110V	3NO	- -	176090	1
	236307	630A	NC2-630 230V	3NO	- -	176090	1
	236319	630A	NC2-630 415V	3NO	- -	176090	1
NC2 - 800A	236704	800A	NC2-800 110V-127V	3NO	- -	220800	1
	254405	800A	NC2-800 220V-240V	3NO	- -	220800	1
	236710	800A	NC2-800 380V-415V	3NO	- -	220800	1



NC2 Contactor - 3P (DC Coil)

- Rated current: 115A-400A
- Coil Voltage (DC) - 48V-220V
- Utilization Category - AC-3, AC-4
- Standard: IEC/EN 60947-4-1



	SKU Code	Rated Current (AC-3)	Description	Main Power Contact	Auxiliary Contact	MRP (INR)	Packing
NC2 - 115A	237032	115A	NC2-115Z 48V	3NO	- -	35870	2
	237031	115A	NC2-115Z 110V	3NO	- -	35870	2
	237030	115A	NC2-115Z 220V	3NO	- -	35870	2
NC2 - 150A	237035	150A	NC2-150Z 48V	3NO	- -	39790	2
	237034	150A	NC2-150Z 110V	3NO	- -	39790	2
	237033	150A	NC2-150Z 220V	3NO	- -	39790	2
NC2 - 185A	237038	185A	NC2-185Z 48V	3NO	- -	47970	2
	237037	185A	NC2-185Z 110V	3NO	- -	47970	2
	237036	185A	NC2-185Z 220V	3NO	- -	47970	2


CONTACTORS | CHINT PRICE LIST

	SKU Code	Rated Current (AC-3)	Description	Main Power Contact	Auxiliary Contact	MRP (INR)	Packing
NC2 - 225A	237041	225A	NC2-225Z 48V	3NO	- -	53580	2
	237040	225A	NC2-225Z 110V	3NO	- -	53580	2
	237039	225A	NC2-225Z 220V	3NO	- -	53580	2
NC2 - 265A	671393	265A	NC2-265Z 110V	3NO	- -	76710	2
	671392	265A	NC2-265Z 220V	3NO	- -	76710	2
NC2 - 330A	671395	330A	NC2-330Z 110V	3NO	- -	96350	2
	671394	330A	NC2-330Z 220V	3NO	- -	96350	2
NC2 - 400A	671397	400A	NC2-400Z 110V	3NO	- -	109880	2
	671396	400A	NC2-400Z 220V	3NO	- -	109880	2



NC2 Contactor - 4P (AC Coil)

- Rated Current: 115A-630A
- Coil Voltage (50/60 Hz) - 110V~415V
- Utilization Category - AC-3, AC-4
- Standard: IEC/EN 60947-4-1



	SKU Code	Rated Current (AC-3)	Rated Current (AC-1)	Description	Main Power Contact	Auxiliary Contact	MRP (INR)	Packing
NC2 - 115A	237023	115A	200A	NC2-115/4 110V-127V	4NO	- -	40070	2
	671434	115A	200A	NC2-115/4 220V-240V	4NO	- -	40070	2
	671694	115A	200A	NC2-115/4 380V-415V	4NO	- -	40070	2
NC2 - 150A	236745	150A	200A	NC2-150/4 110V-127V	4NO	- -	44370	2
	671399	150A	200A	NC2-150/4 220V-240V	4NO	- -	44370	2
	671695	150A	200A	NC2-150/4 380V-415V	4NO	- -	44370	2
NC2 - 185A	236994	185A	275A	NC2-185/4 110V-127V	4NO	- -	48260	2
	671436	185A	275A	NC2-185/4 220V-240V	4NO	- -	48260	2
	671696	185A	275A	NC2-185/4 380V-415V	4NO	- -	48260	2
NC2 - 225A	236984	225A	275A	NC2-225/4 110V-127V	4NO	- -	55940	2
	671401	225A	275A	NC2-225/4 220V-240V	4NO	- -	55940	2
	671697	225A	275A	NC2-225/4 380V-415V	4NO	- -	55940	2
NC2 - 265A	236996	265A	315A	NC2-265/4 110V	4NO	- -	79890	2
	671403	265A	315A	NC2-265/4 230V	4NO	- -	79890	2
	237020	265A	315A	NC2-265/4 415V	4NO	- -	79890	2
NC2 - 330A	236097	330A	380A	NC2-330/4 110V	4NO	- -	107550	2
	236106	330A	380A	NC2-330/4 230V	4NO	- -	107550	2
	236118	330A	380A	NC2-330/4 415V	4NO	- -	107550	2
NC2 - 400A	236197	400A	450A	NC2-400/4 110V	4NO	- -	114430	2
	236206	400A	450A	NC2-400/4 230V	4NO	- -	114430	2
	236218	400A	450A	NC2-400/4 415V	4NO	- -	114430	2
NC2 - 630A	236346	630A	800A	NC2-630/4 110V	4NO	- -	255340	1
	236355	630A	800A	NC2-630/4 230V	4NO	- -	255340	1
	236367	630A	800A	NC2-630/4 415V	4NO	- -	255340	1

ACCESSORIES | CHINT PRICE LIST



SKU Code	Accessory Type	Description	MRP (INR)	Packing
671925	Coil	NC2-115-150 coil 110V-127V	6470	18
671926	Coil	NC2-115-150 coil 220V-240V	6470	18
671805	Coil	NC2-115-150 coil 380V-415V	6470	18
671923	Coil	NC2-185-225 coil 110V-127V	6470	18
671924	Coil	NC2-185-225 coil 220V-240V	6470	18
671804	Coil	NC2-185-225 coil 380V-415V	6470	18
671992	Coil	NC2-265-330 coil 220V	8500	16
671953	Coil	NC2-265-330 coil 240V	8500	16
671952	Coil	NC2-265-330 coil 415V	8500	16
671970	Coil	NC2-400 coil 110V	10770	18
671975	Coil	NC2-400 coil 230V	10770	18
671973	Coil	NC2-400 coil 415V	10770	18
671994	Coil	NC2-500 coil 110V	11550	16
671963	Coil	NC2-500 coil 230V	11550	16
671966	Coil	NC2-500 coil 415V	11550	16
671955	Coil	NC2-630/3 coil 110V	14050	12
671962	Coil	NC2-630/3 coil 230V	14050	12
671959	Coil	NC2-630/3 coil 415V	14050	12
671811	Coil	NC2-800(630/4) coil 110V-127V	14050	12
671813	Coil	NC2-800(630/4) coil 220V-240V	14050	12
671815	Coil	NC2-800(630/4) coil 380V-415V	14050	12



SKU Code	Accessory Type	Description	MRP (INR)	Packing
439515	Auxiliary Contact - Top Mounting	F4-02	290	400
439517	Auxiliary Contact - Top Mounting	F4-20	290	400
439516	Auxiliary Contact - Top Mounting	F4-11	290	400
439518	Auxiliary Contact - Top Mounting	F4-04	480	240
439522	Auxiliary Contact - Top Mounting	F4-40	480	240
439519	Auxiliary Contact - Top Mounting	F4-13	480	240
439521	Auxiliary Contact - Top Mounting	F4-31	480	240
439520	Auxiliary Contact - Top Mounting	F4-22	480	240
439537	Auxiliary Contact - Side Mounting	NCF1-11C	730	150



SKU Code	Accessory Type	Description	MRP (INR)	Packing
258018	Pneumatic Timer	F5-D0	2400	200
258019	Pneumatic Timer	F5-D2	2400	200
258020	Pneumatic Timer	F5-D4	2400	200
258021	Pneumatic Timer	F5-T0	2400	200
258022	Pneumatic Timer	F5-T2	2400	200
258023	Pneumatic Timer	F5-T4	2400	200

CONTACTORS | CHINT PRICE LIST



NXC Next Series Contactor - 3P

- Rated Current: 6A~630A
- Coil Voltage 56/60Hz - 110V~415V
- Standard: IEC - 60947-4-1



Frame Size	Main Contact	Auxiliary Contact	Operating Frequency
NXC-06~630	3 NO	1NO+1NC (Frame Size - 6 to 100) 2NO+2NC (Frame Size - 120 to 630)	50/60Hz

	SKU Code	Rated Current (AC3)	Pole	Description	Main Power Contact	Auxiliary Contact	MRP (INR)	Packing
NXC 06A	925281	6A	3P	NXC-06 110V 50/60Hz	3NO	1NO 1NC	1600	60
	938706	6A	3P	NXC-06 230V 50/60Hz	3NO	1NO 1NC	1600	60
	925305	6A	3P	NXC-06 415V 50/60Hz	3NO	1NO 1NC	1600	60
NXC 09A	925345	9A	3P	NXC-09 110V 50/60Hz	3NO	1NO 1NC	1620	60
	938712	9A	3P	NXC-09 230V 50/60Hz	3NO	1NO 1NC	1620	60
	925369	9A	3P	NXC-09 415V 50/60Hz	3NO	1NO 1NC	1620	60
NXC 12A	925471	12A	3P	NXC-12 110V 50/60Hz	3NO	1NO 1NC	1780	60
	938718	12A	3P	NXC-12 230V 50/60Hz	3NO	1NO 1NC	1780	60
	925495	12A	3P	NXC-12 415V 50/60Hz	3NO	1NO 1NC	1780	60
NXC 16A	925535	16A	3P	NXC-16 110V 50/60Hz	3NO	1NO 1NC	1850	60
	938724	16A	3P	NXC-16 230V 50/60Hz	3NO	1NO 1NC	1850	60
	925559	16A	3P	NXC-16 415V 50/60Hz	3NO	1NO 1NC	1850	60
NXC 18A	925599	18A	3P	NXC-18 110V 50/60Hz	3NO	1NO 1NC	2150	60
	938526	18A	3P	NXC-18 230V 50/60Hz	3NO	1NO 1NC	2150	60
	925623	18A	3P	NXC-18 415V 50/60Hz	3NO	1NO 1NC	2150	60
NXC 22A	925663	22A	3P	NXC-22 110V 50/60Hz	3NO	1NO 1NC	2420	60
	938249	22A	3P	NXC-22 230V 50/60Hz	3NO	1NO 1NC	2420	60
	925687	22A	3P	NXC-22 415V 50/60Hz	3NO	1NO 1NC	2420	60
NXC 25A	925727	25A	3P	NXC-25 110V 50/60Hz	3NO	1NO 1NC	2730	32
	938244	25A	3P	NXC-25 230V 50/60Hz	3NO	1NO 1NC	2730	32
	925751	25A	3P	NXC-25 415V 50/60Hz	3NO	1NO 1NC	2730	32
NXC 32A	925791	32A	3P	NXC-32 110V 50/60Hz	3NO	1NO 1NC	4850	32
	938287	32A	3P	NXC-32 230V 50/60Hz	3NO	1NO 1NC	4850	32
	925811	32A	3P	NXC-32 415V 50/60Hz	3NO	1NO 1NC	4850	32
NXC 38A	925851	38A	3P	NXC-38 110V 50/60Hz	3NO	1NO 1NC	5220	32
	938245	38A	3P	NXC-38 230V 50/60Hz	3NO	1NO 1NC	5220	32
	925875	38A	3P	NXC-38 415V 50/60Hz	3NO	1NO 1NC	5220	32
NXC 40A	925915	40A	3P	NXC-40 110V 50/60Hz	3NO	1NO 1NC	7000	16
	956040	40A	3P	NXC-40 230V 50/60Hz	3NO	1NO 1NC	7000	16
	925939	40A	3P	NXC-40 415V 50/60Hz	3NO	1NO 1NC	7000	16
NXC 50A	925979	50A	3P	NXC-50 110V 50/60Hz	3NO	1NO 1NC	8170	16
	956046	50A	3P	NXC-50 230V 50/60Hz	3NO	1NO 1NC	8170	16
	938001	50A	3P	NXC-50 415V 50/60Hz	3NO	1NO 1NC	8170	16
NXC 65A	938041	65A	3P	NXC-65 110V 50/60Hz	3NO	1NO 1NC	10850	16
	938246	65A	3P	NXC-65 230V 50/60Hz	3NO	1NO 1NC	10850	16
	938065	65A	3P	NXC-65 415V 50/60Hz	3NO	1NO 1NC	10850	16
NXC 75A	938105	75A	3P	NXC-75 110V 50/60Hz	3NO	1NO 1NC	13840	12
	956291	75A	3P	NXC-75 230V 50/60Hz	3NO	1NO 1NC	13840	12
	938129	75A	3P	NXC-75 415V 50/60Hz	3NO	1NO 1NC	13840	12
NXC 85A	938169	85A	3P	NXC-85 110V 50/60Hz	3NO	1NO 1NC	15090	12
	956297	85A	3P	NXC-85 230V 50/60Hz	3NO	1NO 1NC	15090	12
	938193	85A	3P	NXC-85 415V 50/60Hz	3NO	1NO 1NC	15090	12
NXC 100A	925409	100A	3P	NXC-100 110V 50/60Hz	3NO	1NO 1NC	17220	12
	938247	100A	3P	NXC-100 230V 50/60Hz	3NO	1NO 1NC	17220	12
	925431	100A	3P	NXC-100 415V 50/60Hz	3NO	1NO 1NC	17220	12
NXC-120	925248	120A	3P	NXC-120 110V 50/60Hz	3NO	2NO 2NC	28500	2
	262298	120A	3P	NXC-120 230V 50/60Hz	3NO	2NO 2NC	28500	2
	154396	120A	3P	NXC-120 415V 50/60Hz	3NO	2NO 2NC	28500	2
NXC-160	925252	160A	3P	NXC-160 110V 50/60Hz	3NO	2NO 2NC	31200	2
	956520	160A	3P	NXC-160 230V 50/60Hz	3NO	2NO 2NC	31200	2
	154397	160A	3P	NXC-160 415V 50/60Hz	3NO	2NO 2NC	31200	2
NXC-185	925256	185A	3P	NXC-185 110V 50/60Hz	3NO	2NO 2NC	34100	2
	146689	185A	3P	NXC-185 230V 50/60Hz	3NO	2NO 2NC	34100	2
	154398	185A	3P	NXC-185 415V 50/60Hz	3NO	2NO 2NC	34100	2
NXC-225	925260	225A	3P	NXC-225 110V 50/60Hz	3NO	2NO 2NC	39060	2
	938248	225A	3P	NXC-225 230V 50/60Hz	3NO	2NO 2NC	39060	2
	154399	225A	3P	NXC-225 415V 50/60Hz	3NO	2NO 2NC	39060	2

CONTACTORS | CHINT PRICE LIST

	SKU Code	Rated Current (AC3)	Pole	Description	Main Power Contact	Auxiliary Contact		MRP (INR)	Packing
NXC-265	836543	265A	3P	NXC-265 AC/DC 110V-127V	3NO	2NC	2NO	55790	2
	836542	265A	3P	NXC-265 AC/DC 220V-240V	3NO	2NC	2NO	55790	2
	836541	265A	3P	NXC-265 AC/DC 380V-415V	3NO	2NC	2NO	55790	2
NXC-330	836546	330A	3P	NXC-330 AC/DC 110V-127V	3NO	2NC	2NO	78110	2
	836545	330A	3P	NXC-330 AC/DC 220V-240V	3NO	2NC	2NO	78110	2
	836544	330A	3P	NXC-330 AC/DC 380V-415V	3NO	2NC	2NO	78110	2
NXC-400	836549	400A	3P	NXC-400 AC/DC 110V-127V	3NO	2NC	2NO	86340	2
	836548	400A	3P	NXC-400 AC/DC 220V-240V	3NO	2NC	2NO	86340	2
	836547	400A	3P	NXC-400 AC/DC 380V-415V	3NO	2NC	2NO	86340	2
NXC-500	836561	500A	3P	NXC-500 AC/DC 110V-127V	3NO	2NC	2NO	122850	2
	836560	500A	3P	NXC-500 AC/DC 220V-240V	3NO	2NC	2NO	122850	2
	836559	500A	3P	NXC-500 AC/DC 380V-415V	3NO	2NC	2NO	122850	2
NXC-630	836564	630A	3P	NXC-630 AC/DC 110V-127V	3NO	2NC	2NO	178740	2
	836563	630A	3P	NXC-630 AC/DC 220V-240V	3NO	2NC	2NO	178740	2
	836562	630A	3P	NXC-630 AC/DC 380V-415V	3NO	2NC	2NO	178740	2


Note:

NXC Series Contactors are also available with following AC coil Voltage (50/60Hz) - Please refer Technical data sheet for more details 24V, 36V, 127V, 220V, 240V, 380V, 480V (Please contact nearest sales office for the SKU code & MRP).



NXRC Series, Auxiliary Contactor

- Rated Current: 10A
- Coil Voltage - AC upto 380V, DC upto 220V
- Standard : IEC60947-4-1



SKU Code	Rated Current (A)	Description	Main Power Contact	Auxiliary Contact	MRP (INR)	Packing
930040	10A	NXRC-40 380V 50/60Hz	-	4NO -	1490	75
930041	10A	NXRC-40 220V 50/60Hz	-	4NO -	1490	75
930042	10A	NXRC-40 110V 50/60Hz	-	4NO -	1490	75
930043	10A	NXRC-40 24V 50/60Hz	-	4NO -	1490	75
930047	10A	NXRC-31 24V 50/60Hz	-	3NO 1NC	1490	75
930046	10A	NXRC-31 110V 50/60Hz	-	3NO 1NC	1490	75
930045	10A	NXRC-31 220V 50/60Hz	-	3NO 1NC	1490	75
930044	10A	NXRC-31 380V 50/60Hz	-	3NO 1NC	1490	75
930051	10A	NXRC-22 24V 50/60Hz	-	2NO 2NC	1490	75
930050	10A	NXRC-22 110V 50/60Hz	-	2NO 2NC	1490	75
930049	10A	NXRC-22 220V 50/60Hz	-	2NO 2NC	1490	75
930048	10A	NXRC-22 380V 50/60Hz	-	2NO 2NC	1490	75
930055	10A	NXRC-13 24V 50/60Hz	-	1NO 3NC	1490	75
930054	10A	NXRC-13 110V 50/60Hz	-	1NO 3NC	1490	75
930053	10A	NXRC-13 220V 50/60Hz	-	1NO 3NC	1490	75
930052	10A	NXRC-13 380V 50/60Hz	-	1NO 3NC	1490	75
930059	10A	NXRC-04 24V 50/60Hz	-	- 4NC	1490	75
930058	10A	NXRC-04 110V 50/60Hz	-	- 4NC	1490	75
930057	10A	NXRC-04 220V 50/60Hz	-	- 4NC	1490	75
930056	10A	NXRC-04 380V 50/60Hz	-	- 4NC	1490	75
930063	10A	NXRC-40/Z DC24V	-	4NO -	2970	84
930062	10A	NXRC-40/Z DC48V	-	4NO -	2970	84
930061	10A	NXRC-40/Z DC110V	-	4NO -	2970	84
930060	10A	NXRC-40/Z DC220V	-	4NO -	2970	84
930067	10A	NXRC-31/Z DC24V	-	3NO 1NC	2970	84
930066	10A	NXRC-31/Z DC48V	-	3NO 1NC	2970	84
930065	10A	NXRC-31/Z DC110V	-	3NO 1NC	2970	84
930064	10A	NXRC-31/Z DC220V	-	3NO 1NC	2970	84
930071	10A	NXRC-22/Z DC24V	-	2NO 2NC	2970	84

CONTACTORS | CHINT PRICE LIST

SKU Code	Rated Current (A)	Description	Main Power Contact	Auxiliary Contact	MRP (INR)	Packing
930070	10A	NXRC-22/Z DC48V	-	2NO 2NC	2970	84
930069	10A	NXRC-22/Z DC110V	-	2NO 2NC	2970	84
930068	10A	NXRC-22/Z DC220V	-	2NO 2NC	2970	84
930075	10A	NXRC-13/Z DC24V	-	1NO 3NC	2970	84
930074	10A	NXRC-13/Z DC48V	-	1NO 3NC	2970	84
930073	10A	NXRC-13/Z DC110V	-	1NO 3NC	2970	84
930072	10A	NXRC-13/Z DC220V	-	1NO 3NC	2970	84
930079	10A	NXRC-04/Z DC24V	-	- 4NC	2970	84
930078	10A	NXRC-04/Z DC48V	-	- 4NC	2970	84
930077	10A	NXRC-04/Z DC110V	-	- 4NC	2970	84
930076	10A	NXRC-04/Z DC220V	-	- 4NC	2970	84

ACCESSORIES | CHINT PRICE LIST

SKU Code	Accessory Type	Description	MRP (INR)	Packing
956994	Coil	NXC-06M-12M Coil 110V 50/60Hz	580	320
956992	Coil	NXC-06M-12M Coil 415V 50/60Hz	580	320
956909	Coil	NXC-06-22 coil 110V 50/60Hz	720	200
956899	Coil	NXC-06-22 coil 415V 50/60Hz	720	200
956897	Coil	NXC-06-22 coil 230V 50/60Hz	720	200
956819	Coil	NXC-25-38 coil 110V 50/60Hz	870	168
956809	Coil	NXC-25-38 coil 415V 50/60Hz	870	168
956807	Coil	NXC-25-38 coil 230V 50/60Hz	870	168
956642	Coil	NXC-40-65 coil 110V 50/60Hz	1320	80
956632	Coil	NXC-40-65 coil 415V 50/60Hz	1320	80
956630	Coil	NXC-40-65 coil 230V 50/60Hz	1320	80
956727	Coil	NXC-75-100 coil 110V 50/60Hz	1440	80
956982	Coil	NXC-75-100 coil 415V 50/60Hz	1440	80
956716	Coil	NXC-75-100 coil 230V 50/60Hz	1440	80
925184	NXRC-Auxiliary Contact	AX-3M/40 (4NO)	900	360
925185	NXRC-Auxiliary Contact	AX-3M/31 (3NO+1NC)	900	360
925186	NXRC-Auxiliary Contact	AX-3M/22 (2NO+2NC)	900	360
925187	NXRC-Auxiliary Contact	AX-3M/13 (1NO+3NC)	900	360
925188	NXRC-Auxiliary Contact	AX-3M/04 (4NC)	900	360
925189	NXRC-Auxiliary Contact	AX-3M/20 (2NO)	620	360
925190	NXRC-Auxiliary Contact	AX-3M/11 (1NO+1NC)	620	360
925191	NXRC-Auxiliary Contact	AX-3M/02 (2NC)	620	360
938257	NXC-Auxiliary Contact	AX-3X/02 (2NC)	370	400
938256	NXC-Auxiliary Contact	AX-3X/11 (1NO+1NC)	370	400
938258	NXC-Auxiliary Contact	AX-3X/20 (2NO)	370	400
938255	NXC-Auxiliary Contact	AX-3X/04 (4NC)	580	240
938253	NXC-Auxiliary Contact	AX-3X/13 (1NO+3NC)	580	240
938251	NXC-Auxiliary Contact	AX-3X/22 (2NO+2NC)	580	240
938252	NXC-Auxiliary Contact	AX-3X/31 (3NO+1NC)	580	240
938254	NXC-Auxiliary Contact	AX-3X/40 (4NO)	580	240
938259	NXC- Side Auxiliary Contact	AX-3C/11 (1NO+1NC)	550	150






NCK3



NCK3 Series Definite Purpose Contactor

- Rated Current - 20A~90A
- Operating Voltage - 1P/2P - 240V / 3P - 600V AC
- Utilization Category - AC-1, AC-8a
- Standard - IEC - 60947-4-1



SKU Code	Rating Current(A)	Pole	Description	MRP (INR)	Packing
246236	20A	1P	NCK3-20/1 240V 50/60Hz	1450	64
245157	25A	1P	NCK3-25/1 230V 50/60Hz	1550	64
245286	32A	1P	NCK3-32/1 230V 50/60Hz	1640	64
245415	40A	1P	NCK3-40/1 230V 50/60Hz	1730	64
245418	40A	1P	NCK3-40/1 240V 50/60Hz	1730	64
245114	20A	2P	NCK3-20/2 230V 50/60Hz	2280	64
245241	25A	2P	NCK3-25/2 230V 50/60Hz	2370	64
245373	32A	2P	NCK3-32/2 230V 50/60Hz	2540	64
245502	40A	2P	NCK3-40/2 230V 50/60Hz	2640	64
246377	20A	3P	NCK3-20 24V 50/60Hz	3090	45
246323	20A	3P	NCK3-20 230V 50/60Hz	3090	45
246418	20A	3P	NCK3-20 240V 50/60Hz	3090	45
245693	25A	3P	NCK3-25 230V 50/60Hz	3270	45
245730	32A	3P	NCK3-32 230V 50/60Hz	3450	45
245547	40A	3P	NCK3-40 24V 50/60Hz	3620	45
245541	40A	3P	NCK3-40 230V 50/60Hz	3620	45
245532	40A	3P	NCK3-40 110V 50/60Hz	3620	45
245544	40A	3P	NCK3-40 240V 50/60Hz	3620	45
246324	50A	3P	NCK3-50 230V 50/60Hz	9790	36
245577	60A	3P	NCK3-60 24V 50/60Hz	10320	36
245608	60A	3P	NCK3-60 110V 50/60Hz	10320	36
245593	60A	3P	NCK3-60 230V 50/60Hz	10320	36
245579	60A	3P	NCK3-60 240V 50/60Hz	10320	36
245583	90A	3P	NCK3-90 24V 50/60Hz	26030	12
245609	90A	3P	NCK3-90 110V 50/60Hz	26030	12
245585	90A	3P	NCK3-90 240V 50/60Hz	26030	12

CONTACTORS | CHINT PRICE LIST



NXCC Capacitor Duty Contactor

- Rated Current (380V) - 25A ~ 170A
- Rated Operation Voltage (AC) - upto 690V
- Installation Category - 3
- Standard - IEC/EN 60947-4-1

NXCC
CE

Frame Size	Pole	Auxiliary Contact	Coil Voltage (50/60Hz)
NXCC-25~170	3P	21 stands for 2NO+1NC, 12 stands for 1NO+2NC (NXCC-25~115), 32 stands for 3NO+2NC, 23 stands for 2NO+3NC (NXCC-150~170)	220V/415V

SKU Code	Rated KVAR (400V)	Rating Current (A) (AC-1)	Pole	Description	MRP (INR)	Packing
611430	12.5	25A	3P	NXCC-2512 240V 50/60Hz	3450	32
611431	12.5	25A	3P	NXCC-2521 240V 50/60Hz	3450	32
611432	20	32A	3P	NXCC-3212 240V 50/60Hz	4250	30
611433	20	32A	3P	NXCC-3221 240V 50/60Hz	4250	30
611434	25.9	43A	3P	NXCC-4312 240V 50/60Hz	5970	30
611435	25.9	43A	3P	NXCC-4321 240V 50/60Hz	5970	30
611436	34.5	63A	3P	NXCC-6312 240V 50/60Hz	12140	12
611437	34.5	63A	3P	NXCC-6321 240V 50/60Hz	12140	12
611438	34.5	95A	3P	NXCC-9512 240V 50/60Hz	18320	8
611439	34.5	95A	3P	NXCC-9521 240V 50/60Hz	18320	8
611424	69.1	115A	3P	NXCC-11512 240V 50/60Hz	28880	8
611425	69.1	115A	3P	NXCC-11521 240V 50/60Hz	28880	8
611426	80	150A	3P	NXCC-15023 240V 50/60Hz	37220	2
611427	80	150A	3P	NXCC-15032 240V 50/60Hz	37220	2
611428	90	170A	3P	NXCC-17023 240V 50/60Hz	39020	2
611429	90	170A	3P	NXCC-17032 240V 50/60Hz	39020	2



NCH8/Z

NCH8/Z Series Modular AC Contactor

- Rated current: 16A, 20A, 25A, 40A, 63A
- Rated Operational Voltage : 230V, 400V
- Frequency: 50/60Hz;
- Utilization category: AC-1, AC-7a, AC-7b;
- Compliant Standard: IEC/EN 61095

Frame Size	Main Contact	Coil Type
NCH8/Z-16~63	01 - 1 NC 10 - 1 NO 11 - 1 NO + 1 NC 02 - 2 NC 20 - 2 NO	AC/DC-12 ~ 230

SKU Code	Rating Current(A)	Pole	Description	MRP (INR)	Packing
438825	16	1P	NCH8-16Z/10 AC/DC 12V	2540	120
438824	16	1P	NCH8-16Z/10 AC/DC 24V	2540	120
438823	16	1P	NCH8-16Z/10 AC/DC 48V	2540	120
438822	16	1P	NCH8-16Z/10 AC/DC 110V	2540	120
438821	16	1P	NCH8-16Z/10 AC/DC 230V	2540	120
438845	16	2P	NCH8-16Z/11 AC/DC 12V	2830	120
438844	16	2P	NCH8-16Z/11 AC/DC 24V	2830	120
438843	16	2P	NCH8-16Z/11 AC/DC 48V	2830	120
438842	16	2P	NCH8-16Z/11 AC/DC 110V	2830	120
438841	16	2P	NCH8-16Z/11 AC/DC 230V	2830	120
438835	16	2P	NCH8-16Z/20 AC/DC 12V	2830	120
438834	16	2P	NCH8-16Z/20 AC/DC 24V	2830	120
438833	16	2P	NCH8-16Z/20 AC/DC 48V	2830	120
438832	16	2P	NCH8-16Z/20 AC/DC 110V	2830	120
438831	16	2P	NCH8-16Z/20 AC/DC 230V	2830	120
438925	16	3P	NCH8-16Z/30 AC/DC 12V	4280	60
438924	16	3P	NCH8-16Z/30 AC/DC 24V	4280	60
438923	16	3P	NCH8-16Z/30 AC/DC 48V	4280	60
438922	16	3P	NCH8-16Z/30 AC/DC 110V	4280	60
438921	16	3P	NCH8-16Z/30 AC/DC 230V	4280	60
438945	16	4P	NCH8-16Z/22 AC/DC 12V	4500	60
438944	16	4P	NCH8-16Z/22 AC/DC 24V	4500	60
438943	16	4P	NCH8-16Z/22 AC/DC 48V	4500	60
438942	16	4P	NCH8-16Z/22 AC/DC 110V	4500	60

CONTACTORS | CHINT PRICE LIST

SKU Code	Rating Current(A)	Pole	Description	MRP (INR)	Packing
438941	16	4P	NCH8-16Z/22 AC/DC 230V	4500	60
438935	16	4P	NCH8-16Z/40 AC/DC 12V	4500	60
438934	16	4P	NCH8-16Z/40 AC/DC 24V	4500	60
438933	16	4P	NCH8-16Z/40 AC/DC 48V	4500	60
438932	16	4P	NCH8-16Z/40 AC/DC 110V	4500	60
438931	16	4P	NCH8-16Z/40 AC/DC 230V	4500	60
438850	20	1P	NCH8-20Z/10 AC/DC 12V	2540	120
438849	20	1P	NCH8-20Z/10 AC/DC 24V	2540	120
438848	20	1P	NCH8-20Z/10 AC/DC 48V	2540	120
438847	20	1P	NCH8-20Z/10 AC/DC 110V	2540	120
438846	20	1P	NCH8-20Z/10 AC/DC 230V	2540	120
438870	20	2P	NCH8-20Z/11 AC/DC 12V	2830	120
438869	20	2P	NCH8-20Z/11 AC/DC 24V	2830	120
438868	20	2P	NCH8-20Z/11 AC/DC 48V	2830	120
438867	20	2P	NCH8-20Z/11 AC/DC 110V	2830	120
438866	20	2P	NCH8-20Z/11 AC/DC 230V	2830	120
438860	20	2P	NCH8-20Z/20 AC/DC 12V	2830	120
438859	20	2P	NCH8-20Z/20 AC/DC 24V	2830	120
438858	20	2P	NCH8-20Z/20 AC/DC 48V	2830	120
438857	20	2P	NCH8-20Z/20 AC/DC 110V	2830	120
438856	20	2P	NCH8-20Z/20 AC/DC 230V	2830	120
438955	20	3P	NCH8-20Z/30 AC/DC 12V	4280	60
438954	20	3P	NCH8-20Z/30 AC/DC 24V	4280	60
438953	20	3P	NCH8-20Z/30 AC/DC 48V	4280	60
438952	20	3P	NCH8-20Z/30 AC/DC 110V	4280	60
438951	20	3P	NCH8-20Z/30 AC/DC 230V	4280	60
438975	20	4P	NCH8-20Z/22 AC/DC 12V	4500	60
438974	20	4P	NCH8-20Z/22 AC/DC 24V	4500	60
438973	20	4P	NCH8-20Z/22 AC/DC 48V	4500	60
438972	20	4P	NCH8-20Z/22 AC/DC 110V	4500	60
438971	20	4P	NCH8-20Z/22 AC/DC 230V	4500	60
438965	20	4P	NCH8-20Z/40 AC/DC 12V	4500	60
438964	20	4P	NCH8-20Z/40 AC/DC 24V	4500	60
438963	20	4P	NCH8-20Z/40 AC/DC 48V	4500	60
438962	20	4P	NCH8-20Z/40 AC/DC 110V	4500	60
438961	20	4P	NCH8-20Z/40 AC/DC 230V	4500	60
438875	25	1P	NCH8-25Z/10 AC/DC 12V	2670	120
438874	25	1P	NCH8-25Z/10 AC/DC 24V	2670	120
438873	25	1P	NCH8-25Z/10 AC/DC 48V	2670	120
438872	25	1P	NCH8-25Z/10 AC/DC 110V	2670	120
438871	25	1P	NCH8-25Z/10 AC/DC 230V	2670	120
438895	25	2P	NCH8-25Z/11 AC/DC 12V	2970	120
438894	25	2P	NCH8-25Z/11 AC/DC 24V	2970	120
438893	25	2P	NCH8-25Z/11 AC/DC 48V	2970	120
438892	25	2P	NCH8-25Z/11 AC/DC 110V	2970	120
438891	25	2P	NCH8-25Z/11 AC/DC 230V	2970	120
438885	25	2P	NCH8-25Z/20 AC/DC 12V	2970	120
438884	25	2P	NCH8-25Z/20 AC/DC 24V	2970	120
438883	25	2P	NCH8-25Z/20 AC/DC 48V	2970	120
438882	25	2P	NCH8-25Z/20 AC/DC 110V	2970	120
438881	25	2P	NCH8-25Z/20 AC/DC 230V	2970	120
438985	25	3P	NCH8-25Z/30 AC/DC 12V	4500	60
438984	25	3P	NCH8-25Z/30 AC/DC 24V	4500	60
438983	25	3P	NCH8-25Z/30 AC/DC 48V	4500	60
438982	25	3P	NCH8-25Z/30 AC/DC 110V	4500	60
438981	25	3P	NCH8-25Z/30 AC/DC 230V	4500	60
439052	25	4P	NCH8-25Z/22 AC/DC 12V	4730	60
439051	25	4P	NCH8-25Z/22 AC/DC 24V	4730	60
439050	25	4P	NCH8-25Z/22 AC/DC 48V	4730	60
439049	25	4P	NCH8-25Z/22 AC/DC 110V	4730	60
439048	25	4P	NCH8-25Z/22 AC/DC 230V	4730	60
438995	25	4P	NCH8-25Z/40 AC/DC 12V	4730	60
438994	25	4P	NCH8-25Z/40 AC/DC 24V	4730	60
438993	25	4P	NCH8-25Z/40 AC/DC 48V	4730	60
438992	25	4P	NCH8-25Z/40 AC/DC 110V	4730	60
438991	25	4P	NCH8-25Z/40 AC/DC 230V	4730	60
438900	32	1P	NCH8-32Z/10 AC/DC 12V	2800	120
438899	32	1P	NCH8-32Z/10 AC/DC 24V	2800	120
438898	32	1P	NCH8-32Z/10 AC/DC 48V	2800	120
438897	32	1P	NCH8-32Z/10 AC/DC 110V	2800	120
438896	32	1P	NCH8-32Z/10 AC/DC 230V	2800	120
438920	32	2P	NCH8-32Z/11 AC/DC 12V	3110	120
438919	32	2P	NCH8-32Z/11 AC/DC 24V	3110	120
438918	32	2P	NCH8-32Z/11 AC/DC 48V	3110	120
438917	32	2P	NCH8-32Z/11 AC/DC 110V	3110	120
438916	32	2P	NCH8-32Z/11 AC/DC 230V	3110	120
438910	32	2P	NCH8-32Z/20 AC/DC 12V	3110	120
438909	32	2P	NCH8-32Z/20 AC/DC 24V	3110	120
438908	32	2P	NCH8-32Z/20 AC/DC 48V	3110	120
438907	32	2P	NCH8-32Z/20 AC/DC 110V	3110	120
438906	32	2P	NCH8-32Z/20 AC/DC 230V	3110	120
439062	32	3P	NCH8-32Z/30 AC/DC 12V	4720	60

CONTACTORS | CHINT PRICE LIST

SKU Code	Rating Current(A)	Pole	Description	MRP (INR)	Packing
439061	32	3P	NCH8-32Z/30 AC/DC 24V	4720	60
439060	32	3P	NCH8-32Z/30 AC/DC 48V	4720	60
439059	32	3P	NCH8-32Z/30 AC/DC 110V	4720	60
439058	32	3P	NCH8-32Z/30 AC/DC 230V	4720	60
439082	32	4P	NCH8-32Z/22 AC/DC 12V	4970	60
439081	32	4P	NCH8-32Z/22 AC/DC 24V	4970	60
439080	32	4P	NCH8-32Z/22 AC/DC 48V	4970	60
439079	32	4P	NCH8-32Z/22 AC/DC 110V	4970	60
439078	32	4P	NCH8-32Z/22 AC/DC 230V	4970	60
439072	32	4P	NCH8-32Z/40 AC/DC 12V	4970	60
439071	32	4P	NCH8-32Z/40 AC/DC 24V	4970	60
439070	32	4P	NCH8-32Z/40 AC/DC 48V	4970	60
439069	32	4P	NCH8-32Z/40 AC/DC 110V	4970	60
439068	32	4P	NCH8-32Z/40 AC/DC 230V	4970	60
439092	40	1P	NCH8-40Z/10 AC/DC 12V	5410	60
439091	40	1P	NCH8-40Z/10 AC/DC 24V	5410	60
439090	40	1P	NCH8-40Z/10 AC/DC 48V	5410	60
439089	40	1P	NCH8-40Z/10 AC/DC 110V	5410	60
439088	40	1P	NCH8-40Z/10 AC/DC 230V	5410	60
439112	40	2P	NCH8-40Z/11 AC/DC 12V	6010	60
439111	40	2P	NCH8-40Z/11 AC/DC 24V	6010	60
439110	40	2P	NCH8-40Z/11 AC/DC 48V	6010	60
439109	40	2P	NCH8-40Z/11 AC/DC 110V	6010	60
439108	40	2P	NCH8-40Z/11 AC/DC 230V	6010	60
439102	40	2P	NCH8-40Z/20 AC/DC 12V	6010	60
439101	40	2P	NCH8-40Z/20 AC/DC 24V	6010	60
439100	40	2P	NCH8-40Z/20 AC/DC 48V	6010	60
439099	40	2P	NCH8-40Z/20 AC/DC 110V	6010	60
439098	40	2P	NCH8-40Z/20 AC/DC 230V	6010	60
439142	40	3P	NCH8-40Z/30 AC/DC 12V	9140	40
439141	40	3P	NCH8-40Z/30 AC/DC 24V	9140	40
439140	40	3P	NCH8-40Z/30 AC/DC 48V	9140	40
439139	40	3P	NCH8-40Z/30 AC/DC 110V	9140	40
439138	40	3P	NCH8-40Z/30 AC/DC 230V	9140	40
439162	40	4P	NCH8-40Z/22 AC/DC 12V	9600	40
439161	40	4P	NCH8-40Z/22 AC/DC 24V	9600	40
439160	40	4P	NCH8-40Z/22 AC/DC 48V	9600	40
439159	40	4P	NCH8-40Z/22 AC/DC 110V	9600	40
439158	40	4P	NCH8-40Z/22 AC/DC 230V	9600	40
439167	40	4P	NCH8-40Z/31 AC/DC 12V	9600	40
439166	40	4P	NCH8-40Z/31 AC/DC 24V	9600	40
439165	40	4P	NCH8-40Z/31 AC/DC 48V	9600	40
439164	40	4P	NCH8-40Z/31 AC/DC 110V	9600	40
439163	40	4P	NCH8-40Z/31 AC/DC 230V	9600	40
439152	40	4P	NCH8-40Z/40 AC/DC 12V	9600	40
439151	40	4P	NCH8-40Z/40 AC/DC 24V	9600	40
439150	40	4P	NCH8-40Z/40 AC/DC 48V	9600	40
439149	40	4P	NCH8-40Z/40 AC/DC 110V	9600	40
439148	40	4P	NCH8-40Z/40 AC/DC 230V	9600	40
439117	63	1P	NCH8-63Z/10 AC/DC 12V	5690	60
439116	63	1P	NCH8-63Z/10 AC/DC 24V	5690	60
439115	63	1P	NCH8-63Z/10 AC/DC 48V	5690	60
439114	63	1P	NCH8-63Z/10 AC/DC 110V	5690	60
439113	63	1P	NCH8-63Z/10 AC/DC 230V	5690	60
439137	63	2P	NCH8-63Z/11 AC/DC 12V	6320	60
439136	63	2P	NCH8-63Z/11 AC/DC 24V	6320	60
439135	63	2P	NCH8-63Z/11 AC/DC 48V	6320	60
439134	63	2P	NCH8-63Z/11 AC/DC 110V	6320	60
439133	63	2P	NCH8-63Z/11 AC/DC 230V	6320	60
439127	63	2P	NCH8-63Z/20 AC/DC 12V	6320	60
439126	63	2P	NCH8-63Z/20 AC/DC 24V	6320	60
439125	63	2P	NCH8-63Z/20 AC/DC 48V	6320	60
439124	63	2P	NCH8-63Z/20 AC/DC 110V	6320	60
439123	63	2P	NCH8-63Z/20 AC/DC 230V	6320	60
439172	63	3P	NCH8-63Z/30 AC/DC 12V	9580	40
439171	63	3P	NCH8-63Z/30 AC/DC 24V	9580	40
439170	63	3P	NCH8-63Z/30 AC/DC 48V	9580	40
439169	63	3P	NCH8-63Z/30 AC/DC 110V	9580	40
439168	63	3P	NCH8-63Z/30 AC/DC 230V	9580	40
439192	63	4P	NCH8-63Z/22 AC/DC 12V	10090	40
439191	63	4P	NCH8-63Z/22 AC/DC 24V	10090	40
439190	63	4P	NCH8-63Z/22 AC/DC 48V	10090	40
439189	63	4P	NCH8-63Z/22 AC/DC 110V	10090	40
439188	63	4P	NCH8-63Z/22 AC/DC 230V	10090	40
439197	63	4P	NCH8-63Z/31 AC/DC 12V	10090	40
439196	63	4P	NCH8-63Z/31 AC/DC 24V	10090	40
439195	63	4P	NCH8-63Z/31 AC/DC 48V	10090	40
439194	63	4P	NCH8-63Z/31 AC/DC 110V	10090	40
439193	63	4P	NCH8-63Z/31 AC/DC 230V	10090	40
439182	63	4P	NCH8-63Z/40 AC/DC 12V	10090	40
439181	63	4P	NCH8-63Z/40 AC/DC 24V	10090	40

CONTACTORS | CHINT PRICE LIST

SKU Code	Rating Current(A)	Pole	Description	MRP (INR)	Packing
439180	63	4P	NCH8-63Z/40 AC/DC 48V	10090	40
439179	63	4P	NCH8-63Z/40 AC/DC 110V	10090	40
439178	63	4P	NCH8-63Z/40 AC/DC 230V	10090	40

ACCESSORIES

SKU Code	Accessory Type	Description	MRP (INR)	Packing
440527	Auxiliary Contact	AX-13/11	870	-
440528	Auxiliary Contact	AX-13/20	870	-


OVERLOAD RELAY | CHINT PRICE LIST



NR2

NR2 Thermal Overload Relay 0.1-150A (for NC1 & NC2 Contactor)

- Rated Current (380V) - 0.1A~150A
- Tripping Class-10A
- Operating Voltage (50/60Hz)- 690V
- Mounting Version-
- Plug-in Type - NR2-11.5~150
- Standard: IEC/EN 60947-4-1



SKU Code	Rating Current(A)	Description	MRP (INR)	Packing
268132	0.10-0.16A	NR2-25 0.10-0.16A	1250	90
268133	0.16-0.25A	NR2-25 0.16-0.25A	1250	90
268134	0.25-0.4A	NR2-25 0.25-0.4A	1250	90
268135	0.4-0.63A	NR2-25 0.4-0.63A	1250	90
268136	0.63-1A	NR2-25 0.63-1A	1250	90
268137	1-1.6A	NR2-25 1-1.6A	1250	90
268138	1.25-2A	NR2-25 1.25-2A	1250	90
268131	1.6-2.5A	NR2-25 1.6-2.5A	1250	90
268139	2.5-4A	NR2-25 2.5-4A	1250	90
268140	4-6A	NR2-25 4-6A	1250	90
268141	5.5-8A	NR2-25 5.5-8A	1250	90
268096	7-10A	NR2-25 7-10A	1250	90
268095	9-13A	NR2-25 9-13A	1250	90
268097	12-18A	NR2-25 12-18A	1250	90
268142	17-25A	NR2-25 17-25A	1250	90
268143	23-32A	NR2-36 23-32A	1820	48
268144	28-36A	NR2-36 28-36A	1820	48
268145	23-32A	NR2-93 23-32A	2850	32
268146	30-40A	NR2-93 30-40A	2850	32
268147	37-50A	NR2-93 37-50A	2850	32
268148	48-65A	NR2-93 48-65A	2850	32
268149	55-70A	NR2-93 55-70A	2850	32
268150	63-80A	NR2-93 63-80A	2850	32
268151	80-93A	NR2-93 80-93A	2850	32
268292	80A-104A	NR2-150 80A-104A	5430	12
268293	95A-120A	NR2-150 95A-120A	5430	12
268294	110A-150A	NR2-150 110A-150A	5430	12




NXR



NXR Thermal Overload Relay 0.1-630A (for NXC contactor)

- Rated Current: 0.1-630A
- Operating Frequency - 50/60Hz
- Installation Method -
- Plug-in Type NXR-12~100
- Tripping Class-10A
- Standard: IEC/EN 60947-4-1, IEC/EN 60947-5-1
- Installed Independently - NXR-100~630



SKU Code	Rating Current(A)	Description	MRP (INR)	Packing
837092	0.1-0.16A	NXR-12 0.1-0.16A	1510	75
837096	0.63-1A	NXR-12 0.63-1A	1510	75
837097	1-1.6A	NXR-12 1-1.6A	1510	75
837100	2.5-4A	NXR-12 2.5-4A	1510	75
837101	4-6A	NXR-12 4-6A	1510	75
837103	7-10A	NXR-12 7-10A	1510	75
837104	9-12A	NXR-12 9-12A	1510	75
837105	0.1-0.16A	NXR-25 0.1-0.16A	1280	90
837108	0.4-0.63A	NXR-25 0.4-0.63A	1280	90
837109	0.63-1A	NXR-25 0.63-1A	1280	90
837110	1-1.6A	NXR-25 1-1.6A	1280	90

OVERLOAD RELAY | CHINT PRICE LIST

SKU Code	Rating Current(A)	Description	MRP (INR)	Packing
837112	1.6-2.5A	NXR-25 1.6-2.5A	1280	90
837113	2.5-4A	NXR-25 2.5-4A	1280	90
837114	4-6A	NXR-25 4-6A	1280	90
837115	5.5-8A	NXR-25 5.5-8A	1280	90
837116	7-10A	NXR-25 7-10A	1280	90
837117	9-13A	NXR-25 9-13A	1280	90
837118	12-18A	NXR-25 12-18A	1280	90
837119	17-25A	NXR-25 17-25A	1280	90
837120	23A-32A	NXR-38 23A-32A	1740	40
837121	30A-38A	NXR-38 30A-38A	1740	40
837122	23A-32A	NXR-100 23A-32A	3040	32
837123	30A-40A	NXR-100 30A-40A	3040	32
837124	37A-50A	NXR-100 37A-50A	3040	32
837125	48A-65A	NXR-100 48A-65A	3040	32
837126	55A-70A	NXR-100 55A-70A	3040	32
837127	63A-80A	NXR-100 63A-80A	3040	32
837129	80A-100A	NXR-100 80A-100A	3040	32
837131	75A-225A	NXR-200 75A-225A	15000	8
837133	125A-400A	NXR-630 125A-400A	23970	2
837134	200A-630A	NXR-630 200A-630A	28530	2

ACCESSORIES

SKU Code	Product Line	Description	MRP (INR)	Packing
837999	Mounting Base	MB-1 base for NR2-11.5 / NXR-12	400	120
837998	Mounting Base	MB-2 base for NR2-25 / NXR-25	520	120
837997	Mounting Base	MB-3 base for NR2-36 / NXR-38	690	48
837996	Mounting Base	MB-4 base for NR2-93 / NXR-100	1430	18

NR2/NXR Selection Table

Product	Model of Matching Contactor
NXR-12	NXC-06M, 09M, 12M
NXR-25	NXC-06, 09, 12, 16, 18, 22, 25, 32, 38
NXR-38	NXC-25, 32, 38
NXR-100	NXC-40, 50, 65, 75, 85, 100
NXR-200	NXC-120, 160, 185, 225 / NC2-115, 150, 185, 225
NXR-630	NXC-225, 265, 330, 400, 500, 630 / NC2-185, 225, 265, 330, 400, 500, 630
NR2-25	NC1-09, 12, 18, 25, 32
NR2-36	NC1-32
NR2-93	NC1-40, 50, 65, 80, 95
NR2-150	NC2-115, 150



NQ1



NQ1 S/D Starter

- Rated Current: 40A~110A
- Rated operational voltage: 380V, 400V
- Electric life: 6,00,000

Motor starter	Maximum Rated Power (kW) 380V	Voltage	Operating Frequency
NQ1-65~110	Upto 75kW	380V / 400V	50/60Hz

SKU Code	Rated Power (kW)	Rated Voltage (V)	Description	MRP (INR)	Packing
511569	45kW	380V / 400V	NQ1-65 65A 220V	30990	4
511570	45kW	380V / 400V	NQ1-75 75A 220V	37310	4
511571	55kW	380V / 400V	NQ1-85 85A 220V	43640	4
511572	55kW	380V / 400V	NQ1-95 95A 220V	49960	4
511573	75kW	380V / 400V	NQ1-100 100A 220V	53130	4
511574	75kW	380V / 400V	NQ1-110 110A 220V	59450	4
511575	45kW	380V / 400V	NQ1-65S 65A 220V	35420	4
511576	45kW	380V / 400V	NQ1-75S 75A 220V	41740	4
511577	55kW	380V / 400V	NQ1-85S 85A 220V	48070	4
511578	55kW	380V / 400V	NQ1-95S 95A 220V	54390	4
511579	75kW	380V / 400V	NQ1-100S 100A 220V	56920	4
511580	75kW	380V / 400V	NQ1-110S 110A 220V	63250	4
585929	30kW	380V / 400V	NQ1-40Z 40A 220V	34650	4
585930	37kW	380V / 400V	NQ1-50Z 50A 220V	37450	4
511581	45kW	380V / 400V	NQ1-65Z 65A 220V	40480	4
511582	45kW	380V / 400V	NQ1-75Z 75A 220V	46800	4
511583	55kW	380V / 400V	NQ1-85Z 85A 220V	53130	4
511584	55kW	380V / 400V	NQ1-95Z 95A 220V	59450	4
511585	75kW	380V / 400V	NQ1-100Z 100A 220V	60720	4
511586	75kW	380V / 400V	NQ1-110Z 110A 220V	68310	4



NQ3




NQ3 DOL Electromagnetic Starter


- Rated Current: 0.1A~25A
- Rated operational voltage: 220V, 380V, 660V AC
- Rated control supply voltage (50Hz) : 24V, 36V, 48V, 110V, 127V 220V, 380V, 415V
- Degree of protection: IP55
- Electric life: 500,000 circles
- Standard: IEC/EN 60947-4-1

Motor starter	Maximum Rated Power (kW) 380V	Voltage	Operating Frequency
NQ3-5.5P~11P	5.5/11	220/380V	50/60Hz

SKU Code	Rated Power (kW)	Rated Voltage (V)	Description	MRP (INR)	Packing
496404	3KW	220V	NQ3-5.5P 220V 1.25-2A	5010	12
496403	3KW	220V	NQ3-5.5P 220V 1.6-2.5A	5010	12
496399	3KW	220V	NQ3-5.5P 220V 1-1.6A	5010	12
496405	3KW	220V	NQ3-5.5P 220V 2.5-4A	5010	12
496406	3KW	220V	NQ3-5.5P 220V 4-6A	5010	12
496407	3KW	220V	NQ3-5.5P 220V 5.5-8A	5010	12
496400	3KW	220V	NQ3-5.5P 220V 7-10A	5010	12
496401	3KW	220V	NQ3-5.5P 220V 9-13A	5010	12
496458	5.5KW	415V	NQ3-5.5P 415V 1.25-2A	5010	12
496457	5.5KW	415V	NQ3-5.5P 415V 1.6-2.5A	5010	12
496454	5.5KW	415V	NQ3-5.5P 415V 1-1.6A	5010	12
496459	5.5KW	415V	NQ3-5.5P 415V 2.5-4A	5010	12
496460	5.5KW	415V	NQ3-5.5P 415V 4-6A	5010	12
496461	5.5KW	415V	NQ3-5.5P 415V 5.5-8A	5010	12
496455	5.5KW	415V	NQ3-5.5P 415V 7-10A	5010	12
496456	5.5KW	415V	NQ3-5.5P 415V 9-13A	5010	12
496335	5.5KW	220V	NQ3-11P 220V 1.25-2A	8240	6
496333	5.5KW	220V	NQ3-11P 220V 1.6-2.5A	8240	6



SKU Code	Rated Power (kW)	Rated Voltage (V)	Description	MRP (INR)	Packing
496329	5.5KW	220V	NQ3-11P 220V 1-1.6A	8240	6
496332	5.5KW	220V	NQ3-11P 220V 12-18A	8240	6
496334	5.5KW	220V	NQ3-11P 220V 17-25A	8240	6
496336	5.5KW	220V	NQ3-11P 220V 2.5-4A	8240	6
496337	5.5KW	220V	NQ3-11P 220V 4-6A	8240	6
496338	5.5KW	220V	NQ3-11P 220V 5.5-8A	8240	6
496330	5.5KW	220V	NQ3-11P 220V 7-10A	8240	6
496331	5.5KW	220V	NQ3-11P 220V 9-13A	8240	6
496368	11KW	415V	NQ3-11P 415V 12-18A	8240	6
496369	11KW	415V	NQ3-11P 415V 17-25A	8240	6
496370	11KW	415V	NQ3-11P 415V 2.5-4A	8240	6
496367	11KW	415V	NQ3-11P 415V 9-13A	8240	6




NXQ DOL Electromagnetic Starter


- Rated Current: 0.16A~100A
- Rated operational voltage: 220V, 380V, 415V, 660V, 690V
- Rated Control Supply Voltage (50Hz): 230V, 380V, 415V
- Degree of protection: IP65
- Standard: IEC/EN 60947-4-1



NXQ




SKU Code	Rated Power (kW)	Rated Voltage (V)	Description	MRP (INR)	Packing
596882	5.5KW	415V	NXQ-5.5P 415V 50/60Hz 0.63A-1A	4730	12
596886	5.5KW	415V	NXQ-5.5P 415V 50/60Hz 1A-1.6A	4730	12
596883	5.5KW	415V	NXQ-5.5P 415V 50/60Hz 1.25A-2A	4730	12
596884	5.5KW	415V	NXQ-5.5P 415V 50/60Hz 1.6A-2.5A	4730	12
596885	5.5KW	415V	NXQ-5.5P 415V 50/60Hz 2.5A-4A	4730	12
596887	5.5KW	415V	NXQ-5.5P 415V 50/60Hz 4A-6A	4730	12
596888	5.5KW	415V	NXQ-5.5P 415V 50/60Hz 5.5A-8A	4730	12
596889	5.5KW	415V	NXQ-5.5P 415V 50/60Hz 7A-10A	4730	12
596890	5.5KW	415V	NXQ-5.5P 415V 50/60Hz 9A-13A	4730	12
596974	5.5KW	415V	NXQ-5.5PR 415V 50/60Hz 0.63A-1A	5080	12
596976	5.5KW	415V	NXQ-5.5PR 415V 50/60Hz 1A-1.6A	5080	12
596973	5.5KW	415V	NXQ-5.5PR 415V 50/60Hz 1.25A-2A	5080	12
596975	5.5KW	415V	NXQ-5.5PR 415V 50/60Hz 1.6A-2.5A	5080	12
596977	5.5KW	415V	NXQ-5.5PR 415V 50/60Hz 2.5A-4A	5080	12
596979	5.5KW	415V	NXQ-5.5PR 415V 50/60Hz 4A-6A	5080	12
596978	5.5KW	415V	NXQ-5.5PR 415V 50/60Hz 5.5A-8A	5080	12
596980	5.5KW	415V	NXQ-5.5PR 415V 50/60Hz 7A-10A	5080	12
596981	5.5KW	415V	NXQ-5.5PR 415V 50/60Hz 9A-13A	5080	12
597103	7.5 KW	415V	NXQ-7.5P 415V 50/60Hz 5.5A-8A	5480	12
597105	7.5 KW	415V	NXQ-7.5P 415V 50/60Hz 7A-10A	5480	12
597104	7.5 KW	415V	NXQ-7.5P 415V 50/60Hz 9A-13A	5480	12
597102	7.5 KW	415V	NXQ-7.5P 415V 50/60Hz 12A-18A	5480	12
597131	7.5 KW	415V	NXQ-7.5PR 415V 50/60Hz 5.5A-8A	5830	12
597132	7.5 KW	415V	NXQ-7.5PR 415V 50/60Hz 7A-10A	5830	12
597133	7.5 KW	415V	NXQ-7.5PR 415V 50/60Hz 9A-13A	5830	12
597129	7.5 KW	415V	NXQ-7.5PR 415V 50/60Hz 12A-18A	5830	12
596355	11KW	415V	NXQ-11P 415V 50/60Hz 7A-10A	6220	6
596356	11KW	415V	NXQ-11P 415V 50/60Hz 9A-13A	6220	6
596353	11KW	415V	NXQ-11P 415V 50/60Hz 12A-18A	6220	6
596354	11KW	415V	NXQ-11P 415V 50/60Hz 17A-25A	6220	6
596383	11KW	415V	NXQ-11PR 415V 50/60Hz 7A-10A	6570	6
596384	11KW	415V	NXQ-11PR 415V 50/60Hz 9A-13A	6570	6
596381	11KW	415V	NXQ-11PR 415V 50/60Hz 12A-18A	6570	6
596382	11KW	415V	NXQ-11PR 415V 50/60Hz 17A-25A	6570	6
596420	15KW	415V	NXQ-15P 415V 50/60Hz 9A-13A	8460	6
596417	15KW	415V	NXQ-15P 415V 50/60Hz 12A-18A	8460	6
596418	15KW	415V	NXQ-15P 415V 50/60Hz 17A-25A	8460	6
596419	15KW	415V	NXQ-15P 415V 50/60Hz 23A-32A	8960	6
596448	15KW	415V	NXQ-15PR 415V 50/60Hz 9A-13A	8810	6
596445	15KW	415V	NXQ-15PR 415V 50/60Hz 12A-18A	8810	6
596446	15KW	415V	NXQ-15PR 415V 50/60Hz 17A-25A	8810	6
596447	15KW	415V	NXQ-15PR 415V 50/60Hz 23A-32A	9310	6



STARTER | CHINT PRICE LIST

SKU Code	Rated Power (kW)	Rated Voltage (V)	Description	MRP (INR)	Packing
596481	18.5KW	415V	NXQ-18.5P 415V 50/60Hz 12A-18A	8960	6
596482	18.5KW	415V	NXQ-18.5P 415V 50/60Hz 17A-25A	8960	6
596484	18.5KW	415V	NXQ-18.5P 415V 50/60Hz 23A-32A	9460	6
596483	18.5KW	415V	NXQ-18.5P 415V 50/60Hz 30A-38A	9460	6
596510	18.5KW	415V	NXQ-18.5PR 415V 50/60Hz 12A-18A	9310	6
596509	18.5KW	415V	NXQ-18.5PR 415V 50/60Hz 17A-25A	9310	6
596511	18.5KW	415V	NXQ-18.5PR 415V 50/60Hz 23A-32A	9810	6
596512	18.5KW	415V	NXQ-18.5PR 415V 50/60Hz 30A-38A	9810	6
596539	22KW	415V	NXQ-22P 415V 50/60Hz 23A-32A	15100	4
596541	22KW	415V	NXQ-22P 415V 50/60Hz 30A-40A	15100	4
596542	22KW	415V	NXQ-22P 415V 50/60Hz 37A-50A	15100	4
596561	22KW	415V	NXQ-22PR 415V 50/60Hz 23A-32A	15450	4
596562	22KW	415V	NXQ-22PR 415V 50/60Hz 30A-40A	15450	4
596563	22KW	415V	NXQ-22PR 415V 50/60Hz 37A-50A	15450	4
596588	30KW	415V	NXQ-30P 415V 50/60Hz 30A-40A	17250	4
596589	30KW	415V	NXQ-30P 415V 50/60Hz 37A-50A	17250	4
596590	30KW	415V	NXQ-30P 415V 50/60Hz 48A-65A	17250	4
596609	30KW	415V	NXQ-30PR 415V 50/60Hz 30A-40A	17600	4
596610	30KW	415V	NXQ-30PR 415V 50/60Hz 37A-50A	17600	4
596612	30KW	415V	NXQ-30PR 415V 50/60Hz 48A-65A	17600	4
596646	37KW	415V	NXQ-37P 415V 50/60Hz 30A-40A	19580	4
596647	37KW	415V	NXQ-37P 415V 50/60Hz 37A-50A	19580	4
596649	37KW	415V	NXQ-37P 415V 50/60Hz 48A-65A	19580	4
596648	37KW	415V	NXQ-37P 415V 50/60Hz 55A-70A	19580	4
596650	37KW	415V	NXQ-37P 415V 50/60Hz 63A-80A	19580	4
596680	37KW	415V	NXQ-37PR 415V 50/60Hz 30A-40A	19920	4
596682	37KW	415V	NXQ-37PR 415V 50/60Hz 37A-50A	19920	4
596683	37KW	415V	NXQ-37PR 415V 50/60Hz 48A-65A	19920	4
596684	37KW	415V	NXQ-37PR 415V 50/60Hz 55A-70A	19920	4
596685	37KW	415V	NXQ-37PR 415V 50/60Hz 63A-80A	19920	4
596736	45KW	415V	NXQ-45P 415V 50/60Hz 30A-40A	22390	4
596737	45KW	415V	NXQ-45P 415V 50/60Hz 37A-50A	22390	4
596738	45KW	415V	NXQ-45P 415V 50/60Hz 48A-65A	22390	4
596739	45KW	415V	NXQ-45P 415V 50/60Hz 55A-70A	22390	4
596740	45KW	415V	NXQ-45P 415V 50/60Hz 63A-80A	22390	4
596742	45KW	415V	NXQ-45P 415V 50/60Hz 80A-93A	22390	4
596741	45KW	415V	NXQ-45P 415V 50/60Hz 80A-100A	22390	4
596786	45KW	415V	NXQ-45PR 415V 50/60Hz 30A-40A	22740	4
596785	45KW	415V	NXQ-45PR 415V 50/60Hz 37A-50A	22740	4
596787	45KW	415V	NXQ-45PR 415V 50/60Hz 48A-65A	22740	4
596788	45KW	415V	NXQ-45PR 415V 50/60Hz 55A-70A	22740	4
596790	45KW	415V	NXQ-45PR 415V 50/60Hz 63A-80A	22740	4
596791	45KW	415V	NXQ-45PR 415V 50/60Hz 80A-93A	22740	4
596789	45KW	415V	NXQ-45PR 415V 50/60Hz 80A-100A	22740	4



MODULAR DIN RAIL PRODUCTS






NB1-63DC Miniature Circuit Breaker (DC MCB)

- Rated Current: 1A - 63A
- Rated Voltage : Upto 1000V DC; (1P: 250V DC / 2P: 500V DC / 4P:1000V DC)
- Curve: C Type,(7~10)In
- Overload Protection, Short Circuit Protection, Positive Isolation
- Standard: IEC60947-2


MCB Frame	Breaking capacity	Poles	Curves	Current
NB1-63DC	6kA	1P	C	6A



Poles	In	Icu	Description	SKU Code	MRP (INR)	Packing
1P	1A	6KA	NB1-63DC 1P C1A DC250V 6KA	182699	770	180
1P	2A	6KA	NB1-63DC 1P C2A DC250V 6KA	182700	770	180
1P	3A	6KA	NB1-63DC 1P C3A DC250V 6KA	182701	770	180
1P	4A	6KA	NB1-63DC 1P C4A DC250V 6KA	182702	770	180
1P	6A	6KA	NB1-63DC 1P C6A DC250V 6KA	182703	730	180
1P	10A	6KA	NB1-63DC 1P C10A DC250V 6KA	182704	730	180
1P	16A	6KA	NB1-63DC 1P C16A DC250V 6KA	182706	730	180
1P	20A	6KA	NB1-63DC 1P C20A DC250V 6KA	182707	730	180
1P	25A	6KA	NB1-63DC 1P C25A DC250V 6KA	182708	730	180
1P	32A	6KA	NB1-63DC 1P C32A DC250V 6KA	182709	730	180
1P	40A	6KA	NB1-63DC 1P C40A DC250V 6KA	182710	770	180
1P	50A	6KA	NB1-63DC 1P C50A DC250V 6KA	182711	860	180
1P	63A	6KA	NB1-63DC 1P C63A DC250V 6KA	182712	860	180




Poles	In	Icu	Description	SKU Code	MRP (INR)	Packing
2P	1A	6KA	NB1-63DC 2P C1A DC500V 6KA	182713	1470	90
2P	2A	6KA	NB1-63DC 2P C2A DC500V 6KA	182714	1470	90
2P	3A	6KA	NB1-63DC 2P C3A DC500V 6KA	182715	1470	90
2P	4A	6KA	NB1-63DC 2P C4A DC500V 6KA	182716	1470	90
2P	6A	6KA	NB1-63DC 2P C6A DC500V 6KA	182717	1320	90
2P	10A	6KA	NB1-63DC 2P C10A DC500V 6KA	182718	1320	90
2P	16A	6KA	NB1-63DC 2P C16A DC500V 6KA	182720	1320	90
2P	20A	6KA	NB1-63DC 2P C20A DC500V 6KA	182721	1320	90
2P	25A	6KA	NB1-63DC 2P C25A DC500V 6KA	182722	1320	90
2P	32A	6KA	NB1-63DC 2P C32A DC500V 6KA	182723	1320	90
2P	40A	6KA	NB1-63DC 2P C40A DC500V 6KA	182724	1470	90
2P	50A	6KA	NB1-63DC 2P C50A DC500V 6KA	182725	1540	90
2P	63A	6KA	NB1-63DC 2P C63A DC500V 6KA	182726	1540	90



Poles	In	Icu	Description	SKU Code	MRP (INR)	Packing
4P	1A	6KA	NB1-63DC 4P C1A DC1000V 6KA	182727	3080	45
4P	2A	6KA	NB1-63DC 4P C2A DC1000V 6KA	182728	3080	45
4P	3A	6KA	NB1-63DC 4P C3A DC1000V 6KA	182729	3080	45
4P	4A	6KA	NB1-63DC 4P C4A DC1000V 6KA	182730	3080	45
4P	6A	6KA	NB1-63DC 4P C6A DC1000V 6KA	182731	3050	45
4P	10A	6KA	NB1-63DC 4P C10A DC1000V 6KA	182732	3050	45
4P	16A	6KA	NB1-63DC 4P C16A DC1000V 6KA	182734	3050	45
4P	20A	6KA	NB1-63DC 4P C20A DC1000V 6KA	182735	3050	45
4P	25A	6KA	NB1-63DC 4P C25A DC1000V 6KA	182736	3050	45
4P	32A	6KA	NB1-63DC 4P C32A DC1000V 6KA	182737	3050	45
4P	40A	6KA	NB1-63DC 4P C40A DC1000V 6KA	182738	3170	45
4P	50A	6KA	NB1-63DC 4P C50A DC1000V 6KA	182739	3210	45
4P	63A	6KA	NB1-63DC 4P C63A DC1000V 6KA	182740	3210	45

Wiring Diagram



Wiring diagram description:

- L+:Positive pole of power supply,L-:Negative pole of power supply;
- 2+:Positive pole of circuit breaker,-:Negative pole of circuit breaker;
- Load;
- The DC power supply is usually 'L-' grounded.The neutral pole 'M' of the positive and negative power supply system is grounded.



NXU-II



NXU-II Low-voltage Surge Arrester (without auxiliary contact)

- Max Continuous Operational Voltage U_c : 275V; 320V; 385V; 440V;
- Max Discharge Current I_{max} (8/20 μ s): 40KA / 65KA
- No. of Poles: 1P, 2P, 3P, 4P;

SPD Series	Type	Discharge Current I_{max}	Max Continuous Voltage	Poles
NXU	II	40KA / 65KA	275V/320V/ 385V/440V	1P, 2P, 3P, 4P

Poles	I_{max}	U_c	Description	SKU Code	MRP (INR)	Packing
1P	40kA	275V	NXU-II G 40kA/275V 1P	252395	770	180
1P	40kA	320V	NXU-II G 40kA/320V 1P	252396	800	180
1P	40kA	385V	NXU-II G 40kA/385V 1P	252397	840	180
1P	40kA	440V	NXU-II G 40kA/440V 1P	252398	880	180
2P	40kA	275V	NXU-II G 40kA/275V 2P	252427	1490	90
2P	40kA	320V	NXU-II G 40kA/320V 2P	252428	1560	90
2P	40kA	385V	NXU-II G 40kA/385V 2P	252429	1620	90
2P	40kA	440V	NXU-II G 40kA/440V 2P	252430	1680	90
3P	40kA	275V	NXU-II G 40kA/275V 3P	252443	2180	60
3P	40kA	320V	NXU-II G 40kA/320V 3P	252444	2280	60
3P	40kA	385V	NXU-II G 40kA/385V 3P	252445	2370	60
3P	40kA	440V	NXU-II G 40kA/440V 3P	252446	2470	60
4P	40kA	275V	NXU-II G 40kA/275V 4P	252475	2810	45
4P	40kA	320V	NXU-II G 40kA/320V 4P	252476	2930	45
4P	40kA	385V	NXU-II G 40kA/385V 4P	252477	3080	45
4P	40kA	440V	NXU-II G 40kA/440V 4P	252478	3200	45



NXU-I + II



NXU-I + II Low-voltage Surge Arrester (with/without auxiliary contact)

- Max Continuous Operational Voltage U_c : 275V; 385V
- Max Discharge Current I_{max} (8/20 μ s): 50kA
- No. of Poles: 1P, 1P+N, 2P, 3P, 3P+N, 4P

SPD Series	Type	Discharge Current I_{max}	Max Continuous Voltage	Poles
NXU	I + II	50kA	275V, 385V	1P, 1P+N, 2P, 3P, 3P+N, 4P

Poles	I_{max}	U_c	Description	SKU Code	MRP (INR)	Packing
1P	12.5kA	275V	NXU-I + II 12.5/275 1P	308606	2530	180
1P	12.5kA	385V	NXU-I + II 12.5/385 1P	308595	2790	180
1P+N	12.5kA	275V	NXU-I + II 12.5/275 1P+N	308598	5560	90
1P+N	12.5kA	385V	NXU-I + II 12.5/385 1P+N	308611	5820	90
2P	12.5kA	275V	NXU-I + II 12.5/275 2P	308612	6080	90
2P	12.5kA	385V	NXU-I + II 12.5/385 2P	308592	6330	90
3P	12.5kA	275V	NXU-I + II 12.5/275 3P	308604	7840	60
3P	12.5kA	385V	NXU-I + II 12.5/385 3P	308601	8100	60
3P+N	12.5kA	275V	NXU-I + II 12.5/275 3P+N	308618	12650	45
3P+N	12.5kA	385V	NXU-I + II 12.5/385 3P+N	308619	12910	45
4P	12.5kA	275V	NXU-I + II 12.5/275 4P	308609	13160	45
4P	12.5kA	385V	NXU-I + II 12.5/385 4P	308602	13410	45
1P	12.5kA	275V	NXU-I + II/F 12.5/275 1P	308600	2840	180
1P	12.5kA	385V	NXU-I + II/F 12.5/385 1P	308613	3090	180
1P+N	12.5kA	275V	NXU-I + II/F 12.5/275 1P+N	308610	5870	90
1P+N	12.5kA	385V	NXU-I + II/F 12.5/385 1P+N	308615	6120	90
2P	12.5kA	275V	NXU-I + II/F 12.5/275 2P	308596	6370	90
2P	12.5kA	385V	NXU-I + II/F 12.5/385 2P	308608	6640	90
3P	12.5kA	275V	NXU-I + II/F 12.5/275 3P	308594	8150	60
3P	12.5kA	385V	NXU-I + II/F 12.5/385 3P	308597	8400	60
3P+N	12.5kA	275V	NXU-I + II/F 12.5/275 3P+N	308603	12960	45
3P+N	12.5kA	385V	NXU-I + II/F 12.5/385 3P+N	308616	13210	45
4P	12.5kA	275V	NXU-I + II/F 12.5/275 4P	308617	13460	45
4P	12.5kA	385V	NXU-I + II/F 12.5/385 4P	308614	13720	45



1P



1P+N / 2P



3P



3P+N / 4P

SURGE ARRESTOR | CHINT PRICE LIST



SPD-DC

- Max Continuous Operational Voltage Un: 600VDC - 1500VDC
- Max Discharge Current I_{max} (8/20μs): 40 kA
- No. of Poles: 1P, 2P, 3P

SPD Series	Type	Discharge Current I _{max}	Max Continuous Voltage	Poles
DC	II	40kA	600VDC - 1500VDC	1P, 2P, 3P

SKU Code	I _{max}	U _c	Pole	Description	MRP (INR)
378888	40kA	600VDC	1P	Ex9UEP 20 1P 600 (N) IEC	1680
378906	40kA	1000VDC	3P	Ex9UEP 20 3P 1000 (N) IEC	4280
378918	40kA	1500VDC	3P	Ex9UEP 20 3P 1500 (N) IEC	5320



Switch Disconnecter NXHB

- Operational Voltage U_e: 230V/400V
- Rated Current : 20A~125A
- No. of Poles: 1P, 2P, 3P, 4P
- Standard: IEC60947-3
- Certification: CE, RoHS

Frame	Poles	Current (In)
NXHB-125	1P/2P/3P/4P	20A~125A

SKU Code	Rated Current	Pole	Description	MRP (INR)
193166	20	1	NXHB-125 1P 20A	320
193167	32	1	NXHB-125 1P 32A	320
193168	40	1	NXHB-125 1P 40A	340
193169	63	1	NXHB-125 1P 63A	370
193170	80	1	NXHB-125 1P 80A	400
193171	100	1	NXHB-125 1P 100A	420
193172	125	1	NXHB-125 1P 125A	460
193173	20	2	NXHB-125 2P 20A	590
193174	32	2	NXHB-125 2P 32A	590
193175	40	2	NXHB-125 2P 40A	640
193176	63	2	NXHB-125 2P 63A	670
193177	80	2	NXHB-125 2P 80A	720
193178	100	2	NXHB-125 2P 100A	750
193179	125	2	NXHB-125 2P 125A	790
193180	20	3	NXHB-125 3P 20A	870
193181	32	3	NXHB-125 3P 32A	870
193182	40	3	NXHB-125 3P 40A	930
193183	63	3	NXHB-125 3P 63A	980
193184	80	3	NXHB-125 3P 80A	1030
193185	100	3	NXHB-125 3P 100A	1090
193186	125	3	NXHB-125 3P 125A	1160
193187	20	4	NXHB-125 4P 20A	1180
193188	32	4	NXHB-125 4P 32A	1180
193189	40	4	NXHB-125 4P 40A	1250
193190	63	4	NXHB-125 4P 63A	1310
193191	80	4	NXHB-125 4P 80A	1380
193192	100	4	NXHB-125 4P 100A	1460
193193	125	4	NXHB-125 4P 125A	1520

PANEL ACCESSORY PRODUCTS



Indicator



Pushbutton



C.T



Terminal Block

CHNT

Empower the World

DTSU666



SKU Code	Type	Description	MRP (INR)
313270	Single Phase Meter/Direct/With Communication	DDSU666 220/230V 5(80)A RS485 2P	7310
319669	Single Phase Meter/CT/With Communication	DDSU666 220/230V 1.5(6)A RS485 2P	7310
313274	Three Phase Meter/Direct/With Communication	DTSU666 3×230/400V 5(80)A RS485 4P	13400
313275	Three Phase Meter/CT/With Communication	DTSU666 3×230/400V1.5(6)A RS485 4P	13150



PD666 Series Multifunction Meter (Panel Meter)

- Voltage : AC 450V
- Current : AC 5A
- Frequency : 45Hz-65Hz
- Accuracy : Class 0.5
- Auxillary Power Supply : AC/DC85-264V
- Operation Temperature : Operational - 10°C~ + 45°C
- Storage - 25°C~ + 70°C
- Display : LCD or LED

Display Type	SKU Code	Size (mm)	Description	MRP (INR)	Packing
LED	313305	72*72	PD666-2S4 3×450V 3*A/5A	9480	27
LED	313309	96*96	PD666-3S4 3×450V 3*A/5A	9480	27
LCD	313303	72*72	PD666-2S3 3×450V 3*A/5A	10750	27
LCD	313307	96*96	PD666-3S3 3×450V 3*A/5A	10750	27



PA/PZ Series Single/Three Phase Ampere / Volt Meter (Panel Meter)

- Voltage : 0-660VAC for single phase / 100-450V AC for three phase
- Current : 0-5A for single phase / 1A, 5A for three phase
- Power Supply : AC220V±20% ■ Consumption : ≤5VA

Amp. Meter- Single Phase	SKU Code	Size (mm)	Description	MRP (INR)	Packing
Without Communication	313281	72*72	PA666-2 *A/5A	4230	27
With Communication	313282	72*72	PA666-2T *A/5A	6640	27
Without Communication	313285	96*96	PA666-3 *A/5A	4230	27
With Communication	313286	96*96	PA666-3T *A/5A	6640	27

Amp. Meter - Three Phase	SKU Code	Size (mm)	Description	MRP (INR)	Packing
Without Communication	313293	72*72	PA666-2S 3*A/5A	5430	27
With Communication	313294	72*72	PA666-2ST 3*A/5A	7850	27
Without Communication	313297	96*96	PA666-3S 3*A/5A	5430	27
With Communication	313298	96*96	PA666-3ST 3*A/5A	7850	27

Volt Meter- Single Phase	SKU Code	Size (mm)	Description	MRP (INR)	Packing
Without Communication	313283	72*72	PZ666-2 450V	4230	27
With Communication	313284	72*72	PZ666-2T 450V	6640	27
Without Communication	313287	96*96	PZ666-3 450V	4230	27
With Communication	313288	96*96	PZ666-3T 450V	6640	27

VoltMeter - Three Phase	SKU Code	Size (mm)	Description	MRP (INR)	Packing
Without Communication	313295	72*72	PZ666-2S 3×450V	5430	27
With Communication	313296	72*72	PZ666-2ST 3×450V	7850	27
Without Communication	313299	96*96	PZ666-3S 3×450V	5430	27
With Communication	313300	96*96	PZ666-3ST 3×450V	7850	27

TRANSFORMER | CHINT PRICE LIST



NDK Series Control Transformer

- Rated frequency (Hz): 50/60Hz
- Standards: Q/ZT258
- Certification : CE

Series	Rated Capacity
↓	↓
NDK	25VA

Note: Please specify Input & output Voltage while ordering NDK series Control Transformer

SKU Code	Input Voltage	Output Voltage	Description	MRP (INR)	Packing
327130	230V / 415V	6V / 12V / 24V / 36V / 110V / 127V / 230V / 415V	NDK-25VA	2240	24
327154			NDK-50VA	3020	18
327065			NDK-100VA	3610	12
327088			NDK-150VA	4360	8
327110			NDK-200VA	5350	6
327115			NDK-250VA	6130	4
327139			NDK-300VA	6910	4
327143			NDK-400VA	8480	4
327153			NDK-500VA	10040	4
327163			NDK-700VA	11600	4
327060			NDK-1000VA	13160	2
327081			NDK-1500VA	25300	2
327106			NDK-2000VA	30040	1
327114			NDK-2500VA	33700	1
327135			NDK-3000VA	36580	1
327142			NDK-4000VA	43590	1
327152			NDK-5000VA	51080	1

INDICATOR



ND16 - Arc Surface Round Lampshade (Resistive Type)

- Electric Ratings: AC50/60HZ
- Degree of Protection: IP40
- Standards: IEC60947-5-1
- Certification : CE

SKU Code	Type	Voltage	Description	Colour	MRP (INR)	Packing
592851	AC/DC	110V	ND16-22D/2 110V WHT	○	180	300
592853	AC/DC	110V	ND16-22D/2 110V RED	●	160	300
592854	AC/DC	110V	ND16-22D/2 110V YEL	●	160	300
592852	AC/DC	110V	ND16-22D/2 110V BLU	●	160	300
592855	AC/DC	110V	ND16-22D/2 110V GRN	●	160	300
267976	AC/DC	110V	ND16-22D/2 110V AMB	●	160	300
593073	AC/DC	230V	ND16-22D/2 230V WHT	○	180	300
593075	AC/DC	230V	ND16-22D/2 230V RED	●	160	300
593076	AC/DC	230V	ND16-22D/2 230V YEL	●	160	300
593074	AC/DC	230V	ND16-22D/2 230V BLU	●	160	300
593077	AC/DC	230V	ND16-22D/2 230V GRN	●	160	300
593273	AC/DC	240V	ND16-22D/2 240V AMB	●	160	300
593448	AC/DC	400V	ND16-22D/2 400V WHT	○	180	300
593447	AC/DC	400V	ND16-22D/2 400V RED	●	160	300
593450	AC/DC	400V	ND16-22D/2 400V YEL	●	160	300
593451	AC/DC	400V	ND16-22D/2 400V BLU	●	160	300
593449	AC/DC	400V	ND16-22D/2 400V GRN	●	160	300



CE

ND3 Digital Indicator Light

- Electric Ratings: AC50/60HZ
- Operating Voltage : AC 50V~500V
- Standards: IEC60947-5-1
- IP Degree (head): IP53 (circular), IP50 (square)

SKU Code	Type	Voltage	Description	Colour	MRP (INR)	Packing
508957	Volt. ●	AC 50V~500V	ND3-22V RED	●	420	360
508958	Volt. ●	AC 50V~500V	ND3-22V YEL	●	420	360
508960	Volt. ●	AC 50V~500V	ND3-22V BLU	●	420	360
508959	Volt. ●	AC 50V~500V	ND3-22V GRN	●	420	360
508961	Volt. ●	AC 50V~500V	ND3-22V WHT	○	420	360
508947	AMP. ●	AC 50V~500V	ND3-22A RED	●	670	360
508948	AMP. ●	AC 50V~500V	ND3-22A YEL	●	670	360
508949	AMP. ●	AC 50V~500V	ND3-22A GRN	●	670	360
508950	AMP. ●	AC 50V~500V	ND3-22A BLU	●	670	360
508951	AMP. ●	AC 50V~500V	ND3-22A WHT	○	670	360
508952	AMP. ■	AC 50V~500V	ND3-22A/S RED	●	670	360
508953	AMP. ■	AC 50V~500V	ND3-22A/S YEL	●	670	360
508954	AMP. ■	AC 50V~500V	ND3-22A/S GRN	●	670	360
508955	AMP. ■	AC 50V~500V	ND3-22A/S BLU	●	670	360
508956	AMP. ■	AC 50V~500V	ND3-22A/S WHT	○	670	360
508962	VOLT. ■	AC 50V~500V	ND3-22V/S RED	●	420	360
508963	VOLT. ■	AC 50V~500V	ND3-22V/S YEL	●	420	360
508964	VOLT. ■	AC 50V~500V	ND3-22V/S GRN	●	420	360
508965	VOLT. ■	AC 50V~500V	ND3-22V/S BLU	●	420	360
508966	VOLT. ■	AC 50V~500V	ND3-22V/S WHT	○	420	360
508967	TEMP. ●	AC 50V~500V	ND3-22T RED	●	670	360
508968	TEMP. ●	AC 50V~500V	ND3-22T YEL	●	670	360
508969	TEMP. ●	AC 50V~500V	ND3-22T GRN	●	670	360
508970	TEMP. ●	AC 50V~500V	ND3-22T BLU	●	670	360
508971	TEMP. ●	AC 50V~500V	ND3-22T WHT	○	670	360
508972	TEMP. ■	AC 50V~500V	ND3-22T/S RED	●	670	360
508973	TEMP. ■	AC 50V~500V	ND3-22T/S YEL	●	670	360
508974	TEMP. ■	AC 50V~500V	ND3-22T/S GRN	●	670	360
508975	TEMP. ■	AC 50V~500V	ND3-22T/S BLU	●	670	360
508976	TEMP. ■	AC 50V~500V	ND3-22T/S WHT	○	670	360
508977	AMP./VOLT. ■	AC 50V~500V	ND3-22AV/S RED	●	740	360
508978	AMP./VOLT. ■	AC 50V~500V	ND3-22AV/S YEL	●	740	360
508979	AMP./VOLT. ■	AC 50V~500V	ND3-22AV/S GRN	●	740	360
508980	AMP./VOLT. ■	AC 50V~500V	ND3-22AV/S BLU	●	740	360
508981	AMP./VOLT. ■	AC 50V~500V	ND3-22AV/S WHT	○	740	360
508982	AMP./VOLT./Hz ■	AC 50V~500V	ND3-22AVHz/S RED	●	930	360
508983	AMP./VOLT./Hz ■	AC 50V~500V	ND3-22AVHz/S YEL	●	930	360
508984	AMP./VOLT./Hz ■	AC 50V~500V	ND3-22AVHz/S GRN	●	930	360
508985	AMP./VOLT./Hz ■	AC 50V~500V	ND3-22AVHz/S BLU	●	930	360
508986	AMP./VOLT./Hz ■	AC 50V~500V	ND3-22AVHz/S WHT	○	930	360
513312	AMP./VOLT. ●	AC 50V~500V	ND3-22AV Red	●	740	360
513313	AMP./VOLT. ●	AC 50V~500V	ND3-22AV Yellow	●	740	360
513314	AMP./VOLT. ●	AC 50V~500V	ND3-22AV Green	●	740	360
513315	AMP./VOLT. ●	AC 50V~500V	ND3-22AV Blue	●	740	360
513316	AMP./VOLT. ●	AC 50V~500V	ND3-22AV White	○	740	360

PUSH BUTTONS | CHINT PRICE LIST



NP2-BA (Non-illuminated)

- Electric Ratings: AC50/60HZ
- Degree of protection: IP40
- Compliant standards: IEC60947-5-1;
- Certification : CE

SKU Code	NO	NC	Description	Colour	MRP (INR)	Packing
573795	1	-	NP2-BA11	○	310	180
573787	1	-	NP2-BA21	●	310	180
573956	1	-	NP2-BA31	●	310	180
573799	1	-	NP2-BA41	●	310	180
573959	1	-	NP2-BA51	●	310	180
573892	1	-	NP2-BA61	●	310	180
574584	-	1	NP2-BA12	○	310	180
574587	-	1	NP2-BA22	●	310	180
573957	-	1	NP2-BA32	●	310	180
573890	-	1	NP2-BA42	●	310	180
574593	-	1	NP2-BA52	●	310	180
574595	-	1	NP2-BA62	●	310	180
574585	2	-	NP2-BA13	○	410	180
574588	2	-	NP2-BA23	●	410	180
574185	2	-	NP2-BA33	●	410	180
574591	2	-	NP2-BA43	●	410	180
574168	2	-	NP2-BA53	●	410	180
574596	2	-	NP2-BA63	●	410	180
573960	-	2	NP2-BA14	○	410	180
573872	-	2	NP2-BA24	●	410	180
573963	-	2	NP2-BA34	●	410	180
573965	-	2	NP2-BA44	●	410	180
573967	-	2	NP2-BA54	●	410	180
573968	-	2	NP2-BA64	●	410	180
574203	1	1	NP2-BA15	○	410	180
573962	1	1	NP2-BA25	●	410	180
573763	1	1	NP2-BA35	●	410	180
573764	1	1	NP2-BA45	●	410	180
574370	1	1	NP2-BA55	●	410	180
574308	1	1	NP2-BA65	●	410	180



NP2-BW (Momentary Flush Pushbutton (illuminated))

- Electric Ratings: AC50/60HZ
- Degree of protection: IP40
- Compliant standards: IEC60947-5-1;
- Certification : CE

SKU Code	NO	NC	Description	Colour	MRP (INR)	Packing
575222	2	-	NP2-BW3163 230V LED	○	570	150
573831	1	-	NP2-BW3361 230V LED	●	450	150
575226	2	-	NP2-BW3363 230V LED	●	570	150
574268	1	1	NP2-BW3365 230V LED	●	570	150
573832	1	-	NP2-BW3461 230V LED	●	450	150
574686	-	1	NP2-BW3462 230V LED	●	450	150
575229	2	-	NP2-BW3463 230V LED	●	570	150
575230	-	2	NP2-BW3464 230V LED	●	570	150
574267	1	1	NP2-BW3465 230V LED	●	570	150
573828	1	-	NP2-BW3561 230V LED	●	450	150
575232	-	1	NP2-BW3562 230V LED	●	450	150
575233	2	-	NP2-BW3563 230V LED	●	570	150
575234	-	2	NP2-BW3564 230V LED	●	570	150
574266	1	1	NP2-BW3565 230V LED	●	570	150
574685	1	-	NP2-BW3661 230V LED	●	450	150
575236	-	1	NP2-BW3662 230V LED	●	450	150
575237	2	-	NP2-BW3663 230V LED	●	570	150
575238	-	2	NP2-BW3664 230V LED	●	570	150
574751	1	1	NP2-BW3665 230V LED	●	570	150

ADD ON CONTACT BLOCK (Accessory)



SKU Code	NO	NC	Description	Type	MRP (INR)	Packing
576841	1	-	NP2-BE101	Add on	90	900
576842	-	1	NP2-BE102	Add on	90	900

PUSH BUTTONS | CHINT PRICE LIST



NP2-BS (Mushroom Pushbutton Latching, Turn To Release)

- Electric Ratings: AC50/60HZ
- Degree of protection: IP40
- Standards: IEC60947-5-1
- Certification : CE

SKU Code	NO	NC	Description	Colour	MRP (INR)	Packing
574012	-	1	NP2-BS442	●	370	150
575208	-	2	NP2-BS444	●	460	150
573835	1	1	NP2-BS445	●	460	150
574862	-	1	NP2-BS542	●	370	120
574015	-	2	NP2-BS544	●	460	120
574016	1	1	NP2-BS545	●	460	120
575211	1	-	NP2-BS641	●	440	72
573778	-	1	NP2-BS642	●	440	72
575535	2	-	NP2-BS644	●	540	72
574018	1	1	NP2-BS645	●	540	72

SELECTOR SWITCH | CHINT PRICE LIST



NP2-BD Selector Switches

- Electric ratings: AC50/60Hz, AC380V/DC220V;
- Degree of protection: IP40
- Compliant standards: IEC60947-5-1;
- Certification : CE

	SKU Code	NO	NC	Description	Colour	MRP (INR)	Packing
2 Position Stay Put Type	574325	2	-	NP2-BD23	●	400	120
	573980	-	2	NP2-BD24	●	400	120
	573981	1	1	NP2-BD25	●	400	120
2 Position Spring Return	573766	2	-	NP2-BD43	●	400	120
	575191	-	2	NP2-BD44	●	400	120
	573984	1	1	NP2-BD45	●	400	120
3 Position Stay Put Type	573982	2	-	NP2-BD33	●	420	120
	575189	-	2	NP2-BD34	●	420	120
	574235	1	1	NP2-BD35	●	420	120
3 Position Spring Return	573985	2	-	NP2-BD53	●	420	120
	574794	-	2	NP2-BD54	●	420	120
	574227	1	1	NP2-BD55	●	420	120

TERMINAL BLOCK | CHINT PRICE LIST



TB Series Terminal Blocks

- Rated frequency (Hz): 50/60Hz;
- Rated Current: 15A to 100A;"
- Standard: IEC60947-7-1

SKU Code	Rated Current	Group Count	Description	MRP (INR)	Packing
558028	15A	3	TB-1503	80	1200
558029	15A	4	TB-1504	90	600
558030	15A	6	TB-1506	120	800
558018	15A	10	TB-1510	180	300
558031	15A	12	TB-1512	200	300
558032	25A	3	TB-2503	110	800
558033	25A	4	TB-2504	160	480
558034	25A	6	TB-2506	180	240
558035	25A	12	TB-2512	350	160
558025	45A	3	TB-4503	230	240
558026	45A	4	TB-4504	290	160
558027	45A	6	TB-4506	390	128
558020	45A	12	TB-4512	780	80
558024	60A	3	TB-6003	470	200
558023	60A	4	TB-6004	640	144
558022	100A	3	TB-10003	690	180
558021	100A	4	TB-10004	880	60



TC Series Terminal Blocks

- Rated frequency (Hz): 50/60Hz;
- Rated Current: 60A to 600A; (MRP (INR) on request)
- Standard: IEC60947-7-1

SKU Code	Rated Current	Group Count	Description	MRP (INR)	Packing
561017	100A	4	TC-1004	620	48
561021	200A	4	TC-2004	1490	40

TRAVEL & MICROSWITCH | CHINT PRICE LIST



YBLX-19

SKU Code	Model	Operating Mode	MRP (INR)	Packing
445011	YBLX-19/001	Plunger	360	160
445012	YBLX-19/111	A wheel mounted inside the "-" shaped pivot arm	520	100
445013	YBLX-19/121	A wheel mounted outside the "-" shaped pivot arm	520	100



YBLX-CK

SKU Code	Model	Operating Mode	MRP (INR)	Packing
438033	YBLX-CK/P 121	Direct-acting plastic roller	1000	120
438049	YBLX-CK/M115	Direct-acting plastic roller	1450	120



YBLX-K1

SKU Code	Model	Operating Mode	MRP (INR)	Packing
441025	YBLX-K1/111	Single Roller	610	100
441026	YBLX-K1/211	Two Rollers	650	100
441027	YBLX-K1/311	Plunger type	450	150
441028	YBLX-K1/411	Roller Plunger type	450	150

YBLX-K3



SKU Code	Model	Operating Mode	MRP (INR)	Packing
439030	YBLX-K3/20H/B	Horizontal Enclosure /Roller jib type	720	60
439034	YBLX-K3/20H/L	Horizontal Enclosure /Roller plunger type	630	72
439021	YBLX-K3/20S/B	Vertical Enclosure / Roller Jib type	710	72
439022	YBLX-K3/20S/T	Vertical Enclosure / Adjustable roller jib type	770	72
439025	YBLX-K3/20S/Z	Vertical Enclosure / Plunger type	580	84

YBLX-ME



SKU Code	Model	Operating Mode	MRP (INR)	Packing
443010	YBLX-ME/8101	Universal Type-III	590	96
443011	YBLX-ME/8104	Roller Rotating Arm	670	144
443013	YBLX-ME/8108	Adjustable Roller Rotating Rod (Plastic Roller)	720	120
443014	YBLX-ME/8111	Direct Pressure Plunger Type	590	216
443015	YBLX-ME/8112	Direct Pressure Horizontal Plunger Roller	630	216
443016	YBLX-ME/8122	Direct Pressure Horizontal Plunger Roller	630	216
267643	YBLX-ME/8108	Roller Metal	720	120

YBLX-XW



SKU Code	Model	Operating Mode	MRP (INR)	Packing
466023	YBLXW-5/11D1	Short spring-loaded plunger type	220	360
466028	YBLXW-5/11G1	Hinge roller long rail type	240	360
466029	YBLXW-5/11G2	Roller compression bar type	220	360
466030	YBLXW-5/11G3	Hinge roller rail type	240	360
466031	YBLXW-5/11M	Panel mounting plunger type	310	360
466026	YBLXW-5/11N1	Hinge rail type	220	360
466024	YBLXW-5/11Q1	Panel mounting roller plunger type	360	480
466025	YBLXW-5/11Q2	Panel mounting landscape roller plunger type	360	480
466022	YBLXW-5/11Z	Handspike plunger type	190	360

YBLXW-6



SKU Code	Model	Operating Mode	MRP (INR)	Packing
467025	YBLXW-6/11BZ	Panel mounting plunger type	460	240
467019	YBLXW-6/11CG	Long triangle type	450	288
467020	YBLXW-6/11CL	Long spar roller type	380	240
467023	YBLXW-6/11DL	Short spar roller type	380	240
467027	YBLXW-6/11HL	Lateral roller type	470	240
467026	YBLXW-6/11ZL	Straight roller type	470	240

YBLX-X-WL



SKU Code	Model	Operating Mode	MRP (INR)	Packing
468017	YBLX-WL/CA12	Aadjustable single roller rotating arm	1020	96
468016	YBLX-WL/CA2	Single roller rotating arm	1000	100
468009	YBLX-WL/D2 90°	Plunger roller type	930	60
468013	YBLX-WL/D	Pressure-plunger type	980	60
468018	YBLX-WL/NJ	Universal type I	960	120



NJB1-YW - Floatless Relay

- Water level automatic control
- Operating mode: Continuous operating
- Operating voltage: AC 50Hz/60Hz 36V, 110V, 220V, 380V,
- Response time: 0.1s~10s(adjustable)
- Ambient temperature: -5⁰~+40⁰

SKU Code	Description	MRP (INR)	Packing
310023	NJB1-YW AC380V	2930	108
310021	NJB1-YW AC110V	2930	108
310022	NJB1-YW AC220V	2930	108
280034	NJB1-YW AC36V	2930	108



NJYB3 - Protection Relay

- Over voltage / Under Voltage Protection
- Unbalance Protection
- Phase sequence Protection
- Phase failure Protection
- PTC Temperature Protection

SKU Code	Description	MRP (INR)	Packing
697020	NJYB3-1 AC380V	2700	90
697021	NJYB3-2 AC380V	2700	90
697022	NJYB3-3 AC380V	2700	90
697023	NJYB3-4 AC380V	2700	90
697024	NJYB3-5 AC380V	2700	90
697025	NJYB3-6 AC380V	2700	90
697039	NJYB3-6P AC380V	2790	90
697026	NJYB3-7 AC380V	2700	90
697040	NJYB3-7P AC380V	2790	90
697046	NJYB3-8 AC220V	2700	90
697027	NJYB3-8 AC380V	2700	90
697041	NJYB3-8P AC380V	2790	90
697028	NJYB3-9 AC220V	2700	90
697029	NJYB3-10 AC220V	2700	90
697030	NJYB3-11 AC220V	2700	90
697031	NJYB3-12 AC220V	2700	90
697032	NJYB3-13 AC220V	2700	90
697042	NJYB3-13P AC220V	2700	90
697033	NJYB3-14 AC220V	2700	90
697043	NJYB3-14P AC220V	2790	90
697034	NJYB3-15 AC220V	2700	90
697044	NJYB3-15P AC220V	2790	90
697035	NJYB3-16 AC220V	2700	90
697045	NJYB3-16P AC220V	2790	90
697036	NJYB3-17P AC380V	2790	90
697037	NJYB3-18 AC380V	2790	90



XJ3 Protection Relay

- Operating voltage: AC 380V,
- Protection: Phase-Failure and Phase-Sequence Protection

SKU Code	Description	MRP (INR)	Packing
284003	XJ3-D AC380V	2400	54
284004	XJ3-G AC380V	1540	36

GENERAL PURPOSE RELAY



CE

JZX-22F (Miniature Power Relay)

- Switching Capacity: 3A / 5A
 - Coil Specification: AC 6V to 380V; Operating Range: (80%~110%)Ue
DC 5V to 220V; Operating Range (75%~110%)Ue
 - Power Consumption: 1.8VA / 0.9W
- JZX-22F: Standard
JZF-22F(D): With LED Indicator

SKU Code	Description	MRP (INR)	Packing
285180	JZX-22F/2Z(D) 12VAC PLU	510	480
285446	JZX-22F/2Z(D) 24VAC PLU	510	480
285445	JZX-22F/2Z(D) 220VAC PLU	510	480
285186	JZX-22F/2Z(D) 12VDC PLU	510	480
285188	JZX-22F/2Z(D) 24VDC PLU	510	480
285194	JZX-22F/2Z(D) 220VDC PLU	580	480
285196	JZX-22F/3Z(D) 12VAC PLU	540	480
285197	JZX-22F/3Z(D) 24VAC PLU	540	480
285202	JZX-22F/3Z(D) 220VAC PLU	540	480
285205	JZX-22F/3Z(D) 12VDC PLU	540	480
285207	JZX-22F/3Z(D) 24VDC PLU	540	480
285213	JZX-22F/3Z(D) 220VDC PLU	620	480
285215	JZX-22F/4Z(D) 12VAC PLU	580	480
285449	JZX-22F/4Z(D) 24VAC PLU	580	480
285448	JZX-22F/4Z(D) 220VAC PLU	580	480
285134	JZX-22F/4Z(D) 12VDC PLU	580	480
285135	JZX-22F/4Z(D) 24VDC PLU	580	480
285227	JZX-22F/4Z(D) 220VDC PLU	670	480




JQX-10F

CE

JQX-10F Miniature Power Relay

- Switching Capacity: 10A
- Coil Specification: AC 6V to 380V; Operating Range: (80%~110%)Ue
DC 5V to 220V; Operating Range (75%~110%)Ue
- Power Consumption: 3VA

JQX-10F / 006 - ZZ




SKU Code	Description	MRP (INR)	Packing
288069	JQX-10F/2Z AC6V	770	200
288070	JQX-10F/2Z AC12V	770	200
288071	JQX-10F/2Z AC24V	770	200
288072	JQX-10F/2Z AC36V	770	200
288073	JQX-10F/2Z AC48V	770	200
288074	JQX-10F/2Z AC110V	770	200
288075	JQX-10F/2Z AC127V	770	200
288076	JQX-10F/2Z AC220V	770	200
288077	JQX-10F/2Z AC380V	810	200
288078	JQX-10F/2Z DC6V	770	200
288079	JQX-10F/2Z DC12V	770	200
288080	JQX-10F/2Z DC24V	770	200
288081	JQX-10F/2Z DC36V	770	200
288082	JQX-10F/2Z DC48V	770	200
288083	JQX-10F/2Z DC110V	770	200
288084	JQX-10F/2Z DC127V	770	200
288085	JQX-10F/2Z DC220V	770	200



JMK
CE

JMK Miniature Power Relay

- Switching Capacity: 10A
- Coil Specification: AC 6V to 380V; Operating Range: (80%~110%)Ue
DC 5V to 220V; Operating Range (75%~110%)Ue
- Power Consumption: 3VA / 2W



SKU Code	Description	MRP (INR)	Packing
290033	JMK2P-I AC110V	760	200
290052	JMK2P-I AC120V	760	200
290030	JMK2P-I AC12V	760	200
290025	JMK2P-I AC220V	760	200
290031	JMK2P-I AC24V	760	200
290032	JMK2P-I AC36V	760	200
290038	JMK2P-I AC380V	760	200
290029	JMK2P-I AC6V	760	200
290037	JMK2P-I DC110V	760	200
290035	JMK2P-I DC12V	760	200
290039	JMK2P-I DC220V	760	200
290027	JMK2P-I DC24V	760	200
290036	JMK2P-I DC48V	760	200
290034	JMK2P-I DC6V	760	200
290045	JMK3P-I AC110V	900	200
290053	JMK3P-I AC120V	900	200
290054	JMK3P-I AC127V	900	200
290042	JMK3P-I AC12V	900	200
290028	JMK3P-I AC220V	900	200
290043	JMK3P-I AC24V	900	200
290044	JMK3P-I AC36V	900	200
290050	JMK3P-I AC380V	900	200
290040	JMK3P-I AC48V	900	200
290041	JMK3P-I AC6V	900	200
290049	JMK3P-I DC110V	900	200
290047	JMK3P-I DC12V	900	200
290051	JMK3P-I DC220V	900	200
290026	JMK3P-I DC24V	900	200
290048	JMK3P-I DC48V	900	200
290046	JMK3P-I DC6V	900	200

RELAY BASE | CHINT PRICE LIST

Socket (Relay Base)

	SKU Code	Description	Suitable Relay	MRP (INR)	Packing
	294998	CZS08X-E	JSZ3A JSZ3C JSZ3-2/3 JSZ3K JSZ3R JSZ3FJSZ3Y	230	270
	285977	CZY08B-01	JSZ6-2 JZX-22F(B)/2Z NJX-13FW(B)/2ZS JZX-18F(L)/2Z HH52P(L) MY2(N)	160	300
	285965	CZY08A-E	JSZ6-2 JZX-22F(B)/2Z NJX-13FW(B)/2ZS HH52P(-L) MY2(N)	230	480
	285981	CZY14B	JSZ6-4 JZX-22F(B)/4Z NJX-13FW(B)/4ZS HH54P(L) JZX-18F(L)/4Z MY4(N)	210	300
	289995	CZT08A-E	JQX-13F(B)/2Z NJX-13FW(B)/2Z HH62P(-L) LY2(N)	310	270
	288993	CZF08A	JQX-10F/2Z JTX-2C JMK2P-I	110	360
	288994	CZF08A-E	JQX-10F/2Z JTX-2C JMK2P-I	100	360
	300994	CZS08C	JSS48A JDM1-48 KG10M JYB-714 NJS1	180	270

Socket (Relay Base)

	SKU Code	Description	Suitable Relay	MRP (INR)	Packing
	288996	CZF11A-E	JS14S JDM1-14 JQX-10F/3Z JTX-3C JMK3P-I	130	320
	285963	CZY14A-E	JSZ6-4 JZX-22F(B)/4Z NJX-13FW(B)/4ZS HH54P(L) MY4(N)	310	300
	288995	CZF11A	JQX-10F/3Z JTX-3C JMK3P-I	150	300
	289998	CZT08B-01	JQX-13F(B)/2Z NJX-13FW(B)/2Z HH62P(-L) LY2(N)	190	360
	285964	CZY11A-E	HH53P(L) MY3(N) JZX-22F(B)/3Z NJX-13FW(B)/3ZS	280	300
	285979	CZY11B	JZX-22F(B)/3Z NJX-13FW(B)/3ZS HH53P(L) MY3(N)	180	300
	285983	CZY14B-E	JZX-22F(B)/4Z NJX-13FW(B)/4ZS HH54P(L) JZX-18F(L)/4Z M Y4(N)	220	480

HSN CODE

Product Category	HSN Code
ACB	85362010
ACB Accessories	85381090
MCCB	85362020
MCCB Accessories	85381090
Switch Disconnecter	85365090
ATS(Automatic Transfer Switch)	85381090
Changeover Switch	85365090
Fuse	85361040
Contactor	85365090
Contactor Accessories	85381090
Thermal Overload Relay	85364900
Motor Starter	85381090
MPCB	85369010
MPCB Accessories	85381090
MCB	85362030
MCB Accessories	85381090
RCCB	85362030
RCBO	85362090
Surge Protector	85369090
Meter	9028301400
Indicator	85366990
Push Button	85366990
Relay	85364900
Relay Accessories	85364900
Socket	85364900
Terminal Block	85369090
Travel Switch	85361090
Universal Changeover Switch	85365090
VFD	85044010
VFD Accessories	85044010
Voltage Transformer	85041090
Control Transformer	85041090
Current Transformer	85041090

Asia Pacific**India****CHINT India Energy Solution Private Limited**

Address: **Noida**
Discovery Tower Plot No A-17, Ground Floor, Sector – 62
Noida – 201309

Email: Marketing@CHINT.co.in
Web: www.CHINT.co.in

China**Zhejiang CHINT Electrics Co., Ltd.**

Address: A3 Building, No. 3655 Sixian Road, Songjiang 201614,
P.R.China

Tel: +86-21-67777706
Fax: +86-21-6777777-88225
Email: Global-Sales@CHINTGlobal.com
Web: www.CHINTGlobal.com

Singapore | APAC HQ**CHINT Global International Pte Ltd**

Address: 8 Kallang Avenue, #04-06/09 Aperia Office Tower 1,
Singapore 339509

Tel: +65 6329 3110
Fax: +65 6329 3159
Email: Sales.APAC@CHINT.com
Web: www.CHINTGlobal.com

Sunlight Electrical Pte Ltd

Address: 1 Third Chin Bee Road, Singapore 618679

Tel: +65 6741 9055
Fax: +65 6265 4586
Email: Sales@SunlightGroup.com
Web: www.SunlightGroup.com

Australia**CHINT Australia Pty Ltd**

Address: 105 King William Street, Kent Town SA 5067

Tel: +61 433 089 299
Email: info.australia@CHINT.com
Web: www.CHINTGlobal.com.au

Cambodia**CHINT (Cambodia) Power Equipment Co., Ltd**

Address: #39, Street 337, Borey Sunway City, Village 1, Sangkat Boeng
Kok 2, Khan Tuol Kork, Phnom Penh, Cambodia

Tel: +855 23 231 077
Email: info-cambodia@CHINTGlobal.com
Web: www.CHINTGlobal.com

SchneiTec CHINT Co., Ltd

Address: Ansor Kdam Village, Sna Ansa Commune, Krakor District, Pursat
Province, Cambodia

Tel: +855 09 5353 268
Email: Liubin@SchneiTec-CHINT.com.kh /
Info@SchneiTec-CHINT.com.kh
Web: www.SchneiTec-CHINT.com.kh

Indonesia**PT. CHINT Indonesia**

Address: Gold Coast Office, Eiffel Tower, Jl. Pantai Indah Kapuk,
RT.7/RW.2, Kamal Muara, Kec. Penjaringan, Jkt Utara, Daerah
Khusus Ibukota Jakarta 14470, Indonesia

Tel: +62 21 5436 3000
Email: Sales@CHINT-Indonesia.com
Web: www.CHINT-Indonesia.com

Malaysia**Alpha Automation (Selangor) Sdn. Bhd.**

Address: No. 11, Temasya 18, Jalan Pelukis U1/46B, Seksyen U1, 40150
Shah Alam, Selangor, Malaysia

Tel: +603-5569 7787
Fax: +603-5569 9295
Email: CHINTMalaysia@AlphaSel.com
Web: www.AlphaSel.com

Philippines**CHINT Electric Co., Ltd**

Address: Unit 201, Taipan Place, F. Ortigas Jr. Road, Ortigas Center, Pasig
City, Metro Manila, Philippines

Tel: +63 (02) 836 53068
Email: chintph@CHINTGlobal.com
Web: www.CHINTGlobal.com

Thailand**CHINT Electric Thailand Co., Ltd.**

Address: 66 Tower, No. 2556, Sukhumvit Road, Bang Na District, Bangkok
10260, Thailand

Tel: +86 17851901128
Email: jzliang@chint.com
Web: www.CHINTGlobal.com

Vietnam**CHINT Vietnam Holding Co., Ltd**

Address: **Ho Chi Minh City**
Level 18, Sonatus Building, 15 Le Thanh Ton, Ben Nghe Ward,
District 1, Ho Chi Minh City, Vietnam

Hanoi
Level 23, Lotte Center Hanoi, 54 Lieu Giai, District Ba Dinh,
Hanoi, Vietnam

Tel: +84 0283 8270 015
Email: Marketing.VN@CHINTGlobal.com
Web: www.CHINTGlobal.vn

Sunlight Electrical (VN) Co., Ltd

Address: 20 Doc Lap Ave, VSIP, Thuan An City, Binh Duong Province,
Vietnam

Tel: +84 0274 3743 505
Email: Sales.Sev@SunlightGroup-VN.com.vn
Web: www.SunlightVietnam.com.vn

**CHINT INDIA ENERGY SOLUTION PTE LTD**

Discovery Tower Plot No A-17, Ground Floor,
Sector – 62 Noida – 201309

Email: Marketing@CHINT.co.inWeb: www.CHINT.co.in